

# INGCO

## 2020 CATALOGUE

PROFESSIONAL TOOLS MADE AFFORDABLE







POWER TOOLS  
20 VOLT CORDLESS  
AIR TOOLS  
HAND TOOLS  
ACCESSORIES  
MEASURING  
GENERATORS  
GARDENING  
WATER PUMPS  
BRUSHWARE  
PPE & LOCKS  
FASTENERS  
CONSTRUCTION






[www.ingco.co.za](http://www.ingco.co.za)

[@ingcosouthafrica](https://www.facebook.com/ingcosouthafrica)







[INGCO GLOBAL](https://www.youtube.com/INGCOGLOBAL)

Stock Code	Picture	Category	Description & Features
INDUSTRIAL			
CDLI20021		Lithium-Ion cordless drill	Voltage: 20V No-load speed: 0-400/0-1500/min Max.torque: 45NM Chuck capacity: 0.8-10mm Torque settings: 15+1 Auto-lock keyless chuck Mechanical 2-speed gear Spindle lock function 20V Lithium-Ion 2.0Ah batteries With 1pcs battery pack With 1pc 1Hr fast charger Charge volts: 110V-240V~50/60Hz Integrated work light LED battery power indicator Packed by colour box
INDUSTRIAL			
CDLI2002		Lithium-Ion cordless drill	Voltage: 20V No-load speed: 0-400/0-1500/min Max.torque: 45NM Chuck capacity: 0.8-10mm Torque settings: 15+1 Auto-lock keyless chuck Mechanical 2-speed gear Spindle lock function 20V Lithium-Ion 2.0Ah batteries With 2pcs battery pack With 1pc 1Hr fast charger Charge volts: 110V-240V~50/60Hz Integrated work light LED battery power indicator With 47pcs accessories Packed by canvas bag
INDUSTRIAL			
CIDLI2002		Lithium-Ion impact drill	Voltage: 20V No-load speed: 0-400/0-1500/min Max.impact rate: 22500/min Max.torque: 45NM Chuck capacity: 0.8-10mm Torque settings: 18+1+1 Auto-lock keyless chuck Mechanical 2-speed gear Spindle lock function 20V Lithium-Ion 2.0Ah batteries With 2pcs battery pack With 1pc 1Hr charger Charge volts: 110V-240V~50/60Hz Integrated work light LED battery power indicator With 50pcs accessories Packed by canvas bag
INDUSTRIAL			
CDLI20030	 Battery and charger NOT included	Lithium-Ion cordless drill	Voltage: 20V No-load speed: 0-450/0-1900/min Max.torque: 55NM Chuck capacity: 2.0-13mm Torque settings: 23+1 Auto-lock keyless chuck Mechanical 2-speed gear Spindle lock function Integrated work light With 47pcs accessories NO battery and charger included Packed by colour box








Stock Code	Picture	Category	Description & Features
<b>INDUSTRIAL</b>			
CIDLI20030	 <p><b>P20S</b></p> <p>Impact function</p> <p>Battery and charger <b>NOT</b> included</p>	Lithium-Ion impact drill	Voltage:20V No-load speed:0-450/0-1900/min Max.impact rate:28500/min Max.torque:55NM Chuck capacity:2.0-13mm Torque settings:23+1+1 Auto-lock keyless chuck Mechanical 2-speed gear Spindle lock function Integrated work light LED battery power indicator With 50pcs accessories NO battery and charger included Packed by colour box
<b>INDUSTRIAL</b>			
CIWLI20010	 <p><b>P20S</b></p> <p><b>BL MOTOR</b></p> <p>Battery and charger <b>NOT</b> included</p>	Lithium-Ion impact wrench	Brushless Motor Voltage:20V Square Drive:1/2" No-load speed:0-1300/0-2100/min Impact rate:0-2000/0-3300bpm Max.torque:300NM Integrated work light LED battery power indicator With 3pcs sockets(17 19 21mm) NO battery and charger included Packed by colour box
<b>INDUSTRIAL</b>			
CIRLI20020	 <p><b>P20S</b></p> <p><b>BL MOTOR</b></p> <p>Battery and charger <b>NOT</b> included</p>	Lithium-Ion impact driver	Brushless Motor Drill voltage:20V Hex shank:1/4" No-load speed:0-1300/0-2100/min Impact rate:0-2000/0-3300bpm Max.torque:170NM Integrated work light LED battery power indicator With 2pcs screwdriver bits With 3pcs nut setters NO battery and charger included Packed by colour box
<b>INDUSTRIAL</b>			
FBLI2001	 <p><b>P20S 20Ah</b></p>	Lithium-Ion battery pack	Volts:20V Lithium-Ion 2.0Ah battery LED battery power indicator One battery fits all INGC 20V multiple tools Packed by colour box
<b>INDUSTRIAL</b>			
FBLI2002	 <p><b>P20S</b></p> <p><b>4.0Ah</b></p>	Li-ion battery pack	Voltage:20V Lithium-Ion 4.0Ah battery LED battery power indicator Suitable for INGC 20V multiple tools Packed by colour box

Stock Code	Picture	Category	Description & Features
<b>INDUSTRIAL</b>			
FCLI2001		Fast intelligent charger	Rated Input voltage:110V-240V~50/60Hz Output voltage : 20V Charge current:2A Rated Input power : 50W Charges 20V 2.0Ah battery in 1Hr Packed by colour box
<b>INDUSTRIAL</b> <b>NEW</b>		Lithium-Ion angle grinder	Voltage:20V No-load speed:8500/min Disc diameter:115mm Spindle thread:M14 Battery and charger not included Packed by colour box
<b>INDUSTRIAL</b> <b>NEW</b>		<b>Arrival August</b> Lithium-Ion angle grinder	Brushless Motor Voltage:20V No-load speed:9000/min Disc diameter:115mm Spindle thread:M14 Battery and charger not included Packed by colour box
CRHLI1601		Lithium-Ion rotary hammer	Voltage:20V No-load speed:0-900/min Impact rate:0-5100bpm Single impact force:1.5J Max drilling capacity:Φ13 in concrete Integrated work light With 3pcs SDS-plus drills NO battery and charger included Packed by colour box
<b>INDUSTRIAL</b> <b>NEW</b>		<b>Arrival end June</b> Lithium-Ion rotary hammer	Brushless Motor Voltage:20V No-load speed:0-1350/min Impact rate:0-4700bpm Single impact force:1.5J Max drilling capacity:Φ22 in concrete Integrated work light SDS plus chuck system With 3pcs drills and 1pcs chisels NO battery and charger included Packed by colour box

Stock Code	Picture	Category	Description & Features
CJSLI8501	 <p>Battery and charger <b>NOT</b> included</p>	Lithium-Ion jig saw	Voltage:20V No-load speed:2400rpm Cutting capacity: Metal : 8mm Wood : 80mm With 5pcs blade NO battery and charger included Packed by colour box
CRSLI1151	 <p>Battery and charger <b>NOT</b> included</p>	Lithium-Ion reciprocating saw	Voltage:20V No-load speed:0-2800/min Cutting capacity: Metal:8mm Wood:115mm With 2pcs sabre saw blade NO battery and charger included Packed by colour box
NEW CMLI2001	 <p>Battery and charger <b>NOT</b> included</p>	Lithium-Ion multi-tool	Voltage:20V No-load speed:5000-20000r/min With 1PCS flexibel scraper With 1PCS cutting saw blade With 1PCS segment saw blade With 1PCS hex key With 1PCS sanding base With 3PCS sanding paper Battery and charger not included Packed by colour box
NEW CROSLI2001	 <p>Battery and charger <b>NOT</b> included</p>	Lithium-Ion random orbit sander	Voltage:20V No-load speed:10000/min Bottom bass:125mm With 5pcs sand papers Battery and charger not included Packed by colour box
CABLI2001	 <p>Battery and charger <b>NOT</b> included</p>	Lithium-Ion aspirator blower	Voltage:20V No-load speed:10000/12500/17000/min Max.air volume:2.7m3/min With 1pcs dust bag NO battery and charger included Packed by colour box
CABLI2002	 <p>Battery and charger <b>NOT</b> included</p>	Arrival end June Lithium-Ion blower	Voltage:20V No-load speed :15000rpm Average air volume:8.5m3/min Maximum air speed:38m/s Packed by colour box

Stock Code	Picture	Category	Description & Features
CSLI1401	 <p><b>Battery and charger NOT included</b></p>	Lithium-Ion circular saw	Voltage: 20V No-load speed:3600rpm Blade diameter:140mm Cutting capacity: 45°degree:28mm 90°degree:40mm Adjustable cutting depth Adjustable bevel cutting With 1pcs 140mm blade Battery and charger not included Packed by colour box
CMS2001	 <p><b>Battery and charger NOT included</b></p>	Arrival end April Lithium-Ion mitre saw	<b>Voltage:20V</b> <b>No-load speed:3000rpm</b> <b>Blade size:210mm(8-1/4")*25.4mm</b> Cutting capacity: 0°*0° : 120*60mm 45°*0°:83*60mm 0°*45°:120*34mm 45°*45° : 83*34mm Battery and charger not included Packed by color box
CGGLI2001	 <p><b>Battery and charger NOT included</b></p>	Lithium-Ion glue gun	Voltage:20V Gluing capacity:13-18g/min Glue stick,diameter:11.2mm Heat-up time:60sec With 2pcs 11.2mm glue sticks NO battery and charger included Packed in double blister
CSGLI2001	 <p><b>Battery and charger NOT included</b></p>	Lithium-Ion spray gun	Voltage:20V Spraying Pressure:0.1-0.2Bar Max.flow:600ml/min Max.viscosity:40DIN-s Container capacity:800ml With 1PCS viscosity measuring cup With 1PCS nozzle cleaning needle NO battery and charger included Packed by colour box
CSILI2001	 <p><b>Battery and charger NOT included</b></p>	Lithium-Ion Soldering Iron	Voltage:20V Input power:40W Preheat time:3~5minuters Battery and charger not included Packed by sliding card














Stock Code	Picture	Category	Description & Features
CGTLI2001	 <p>Battery and charger <b>NOT</b> included</p>	Lithium-Ion grass trimmer	Voltage:20V No-load speed:7800/min Cutting length:300mm Line dia:1.6mm twisted Total line length:5m NO battery and charger included Packed by colour box
CACLI2001	 <p>Battery and charger <b>NOT</b> included</p>	Lithium-Ion auto air compressor	Voltage:20V Max.pressure:150PSI/10BAR With 1PCS ball adaptor With 1PCS tire vale adaptor NO battery and charger included Packed by colour box
CACLI2002	 <p>Battery and charger <b>NOT</b> included</p>	Lithium-Ion auto air compressor	Voltage:20V Max.pressure:160PSI/11BAR With 3PCS LED light Digital display Automatic stop at the specified pressure Powered by vehicle or by Lithium-Ion battery With 3M cord with cigarette lighter With 1PCS ball adaptor With 1PCS tire vale adaptor With 1PCS air bed adaptor NO battery and charger included Packed by colour box
<b>INDUSTRIAL</b>			
CWLI2001	 <p>Battery and charger <b>NOT</b> included</p>	Lithium-Ion work lamp	Voltage:20V LED power dissipation:3.2W Lumens:225 NO battery and charger included Packed by double blister
CWLI2002	 <p>Battery and charger <b>NOT</b> included</p>	Lithium-Ion work lamp	Voltage:20V LED power dissipation:20W Lumens: High:1500 Low:750 NO battery and charger included Packed by colour box

Stock Code	Picture	Category	Description & Features
CFALI2001		Lithium-Ion fan	DC Voltage:20V AC Voltage:220-240V~50/60HZ Speed settings:3 Dimensions:12" NO battery and charger included Packed by carton box
CFALI2002		Lithium-Ion fan	DC Voltage:20V AC Voltage:220-240V~50/60HZ Speed settings:2 Dimensions:11" Tilt adjustment:0-360° Battery and charger not included Packed by colour box
CUCLI2001		Lithium-Ion USB-A Charger	Voltage:20V Output power:5V/1A 5V/2A Battery and charger not included Packed by colour box
CHTLI2001		Lithium-Ion hedge trimmer	Voltage:20V Maximum speed :1450rpm±10% Blade length:450mm (18") Teeth distance:18mm Battery and charger not included Packed by colour box
ID6538		Impact drill	Voltage:220-240V~50/60Hz Input power:650W No-load speed:0-3000rpm Max.drilling capacity:13mm Variable speed Forward/Reverse switch Hammer function Packed by colour box
ID6538-2		Impact drill	Voltage:220-240V~50/60Hz Input power:650W No-load speed:0-3000rpm Max.drilling capacity:13mm 13mm keyless chuck Variable speed Forward/Reverse switch Hammer function Packed by colour box












Stock Code	Picture	Category	Description & Features
ID7508		Impact drill	Voltage:220-240V~50/60Hz Input power:750W No-load speed:0-3000rpm Max.drilling capacity:13mm Variable speed Forward/Reverse switch Hammer function Packed by colour box
<b>INDUSTRIAL</b> ID8508		Impact drill	Voltage: 220-240V~50/60Hz Input power: 850W No-load speed:0-2700rpm Max.drilling capacity:13mm Variable speed Forward/Reverse switch Hammer function Packed by colour box
<b>INDUSTRIAL</b> ID8508-2		Impact drill	Voltage:220-240V~50/60Hz Input power:850W No-load speed:0-2700rpm Chuck capacity:2-13mm Keyless chuck Variable speed Forward/Reverse switch Hammer function Packed by colour box
<b>INDUSTRIAL</b> ID11008		Impact drill	Voltage:220-240V~50/60Hz Input power:1100W  No-load speed:0-2800rpm Max.drilling capacity:13mm Variable speed Forward/Reverse switch Hammer function Aluminum durable gear box Packed by colour box
<b>INDUSTRIAL</b> <b>NEW</b> ID11008-1		Impact drill	Voltage:220-240V~50/60Hz Input power:1100W No-load speed:0-2800rpm Max.drilling capacity:13mm Variable speed Forward/Reverse switch Hammer function Aluminum durable gear box With 5 pcs Masonry drill bits: 4X75, 5X85, 6X100, 8X120, 10X120 Packed by BMC

Stock Code	Picture	Category	Description & Features
<b>INDUSTRIAL</b>			
IW10508		Impact wrench	Voltage:220-240V~50/60Hz Input power:1050W  No-load speed:2300rpm Max.torque:550N.M Square drive:1/2" Aluminum gear box with rubber With 6pcs sockets(17,18,19,21,23,24mm) With 1pcs 125mm adaptor Packed by BMC
<b>INDUSTRIAL</b> <b>NEW</b>			
AG75018		Angle grinder	Voltage:220-240V~50/60Hz Input power:750W No-load speed:12000rpm Disc diameter:115mm Spindle thread:M14 With 1pcs auxiliary handle Packed by colour box
<b>INDUSTRIAL</b>			
AG8508		Angle grinder	Voltage:220-240V~50/60Hz Input power:950W No-load speed:11000rpm Disc diameter:115mm Spindle thread:M14 With 1pcs auxiliary handle Packed by colour box
<b>INDUSTRIAL</b>			
AG8508-1		Angle grinder	Voltage:220-240V~50/60Hz Input power:950W No-load speed:11000rpm Disc diameter:115mm Spindle thread:M14 With 1pcs auxiliary handle With 10pcs metal cutting discs Packed by BMC
<b>INDUSTRIAL</b>			
AG8528		Angle grinder	Voltage:220-240V~50/60Hz Input power:950W No-load speed:11000rpm Disc diameter:125mm Spindle thread:M14 With 1pcs auxiliary handle Packed by colour box
AG10108		Angle grinder	Voltage:220-240V~50/60Hz Input power:1010W No-load speed:12000rpm Disc diameter:125mm Spindle thread:M14 With 1pcs auxiliary handle Packed by colour box

Stock Code	Picture	Category	Description & Features
AG24008		Angle grinder	Voltage:220-240V~50/60Hz Input power:2400W No-load speed:6300rpm Disc diameter:230mm Spindle thread:M14 With 1pcs auxiliary handle With 1set carbon brushes Packed by colour box
AP14008		Angle polisher	Voltage:220V-240V~50-60Hz Input power:1400W  No-load speed:900-3800rpm Polishing pad diameter:180mm Durable aluminum gear box With 1pcs polishing pad With 1pcs polishing bonnet Packed by colour box
MX214008		Mixer	Voltage:220-240V~50/60Hz Input power:1400W No-load speed:180-480rpm/300-750rpm Mixing pad thread:M14 Aluminum gear box With 1pcs LED light With 1pcs mixing pad Packed by color box
RGH9018		Rotary hammer	Voltage:220-240V~50/60Hz Input power:800W No-load speed:0-1200rpm Impact rate:0-5300bpm Impact energy:2.5J Max.drilling capacity: Concrete:26mm Steel:13mm Wood:30mm SDS plus chuck system With 3 drills and 2 chisels Packed by BMC
RGH9028-2		Rotary hammer	Voltage:220-240V/50-60Hz Input power:800W No-load speed:0-1100rpm Impact rate:0-4000bpm Impact energy:2.5J Max.drilling capacity: Concrete:26mm Steel:13mm Wood:30mm SDS plus chuck system With 3 drills and 2 chisels Packed by BMC






Stock Code	Picture	Category	Description & Features
INDUSTRIAL RH10508		Rotary hammer	Voltage:220-240V~50/60Hz Input power:1050W  No-load speed:900rpm Impact rate:4000bpm Impact energy:5J Max.drilling capacity: Concrete:28mm Steel:13mm Wood:40mm SDS plus chuck system With 3 drills and 2 chisels Packed by BMC
INDUSTRIAL RH12008		Rotary hammer	Voltage:220-240V~50/60Hz Input power:1250W  No-load speed:850rpm Impact rate:3800bpm Impact energy:5J Max.drilling capacity: Concrete:30mm Steel:13mm Wood:40mm SDS plus chuck system With 3 drills and 2 chisels Packed by BMC
INDUSTRIAL RH150028		Rotary hammer	Voltage:220-240V~50/60Hz Input power:1500W No-load speed:850rpm Impact rate:4400bpm Impact energy:5.5J Max.drilling capacity: Concrete:32mm Steel:13mm Wood:40mm SDS plus chuck system With 3 drills and 2 chisels Packed by BMC
INDUSTRIAL RH15008		Rotary hammer	Voltage:220-240V~50/60Hz Input power:1500W No-load speed:750rpm Impact rate:3000bpm Impact energy:5.0J Max.drilling capacity: Concrete:36mm Steel:13mm Wood:40mm SDS plus chuck system With 3 drills and 2 chisels Packed by BMC
PDB22001-S	 <div>Stand for PDB22001</div>	Stand for Demolition breaker	Stand for Demolition breaker INGCO item No. PDB22001 Packed by carton box

Stock Code	Picture	Category	Description & Features
HKTHP11021		101 Pcs household tools set	101 Pcs Tools Set 1 Pcs 650W Impact Drill 220-240V/50Hz,13mm key chuck 1 Pcs 8Oz Claw Hammer 1 Pcs SL5.5x100 Screwdriver 1 Pcs PH1x100 Screwdriver 1 Pcs 6" Combination Pliers 1 Pcs 6" Adjustable Wrench 1 Pcs Mini Spirit level 1 Pcs 3M Steel measuring tape 1 Pcs Snap-off blade knife 5 Pcs Twist Drill bits 2,3,4,5,6mm 5 Pcs Masonry Drill bits 4,5,6,8,10mm 4 Pcs Wood Drill bits 4,5,6,8mm 6 Pcs 1/4" Hexagonal Socket 5mm 6mm 8mm 9mm 10mm 11mm 1 Pcs 4-6mm(25mm) socket adaptor 10 Pcs Screwdriver bits PH1,PH2,PZ1,PZ2,SL4,SL6,Hex4,Hex5,T20,T25 1 Pcs Magnetic bits holder 30 Pcs Screws(10pcs*ST3.5,10pcs*ST4,10pcs*ST5) 30 Pcs Plastic plugs(10pcs*5mm,10pcs*6mm,10pcs*8mm)
<b>INDUSTRIAL</b>			
CS18528		Circular saw	Voltage:220-240V~50/60Hz Input power:1400W  No-load speed:4800rpm Blade diameter:185x20mm Cutting capacity: 45 degree:45mm 90 degree:65mm Adjustable cutting depth Adjustable bevel cutting With 1pcs 185mm blade With 1set extra carbon brushes Packed by colour box
JS5718	 Suitable for European and Middle East market	Jig saw	Voltage: 220-240V~50Hz Input Power:570W No load speed:800-3000rpm Cutting capacity: 65mm in wood 8mm in steel 4 step pendulum function Packed in colour box
<b>INDUSTRIAL</b>			
JS80028		Jig saw	Voltage:220-240V~50/60Hz Input power:800W No-load speed:800-3000rpm Cutting capacity: Wood:100mm Steel:10mm 4 step pendulum function Aluminum base With 5pcs saw blades Packed by colour box

Stock Code	Picture	Category	Description & Features
INDUSTRIAL <b>NEW</b> FS3208	 x5pcs	Finishing sander	Voltage:220V-240V~50/60Hz Input power:320W  No-load speed:14000rpm Bottom base:180mmx90mm Aluminum durable base With 5pcs sand papers Packed by colour box
<b>NEW</b> AKTMT1502	 10PCS sandpaper	Arrival end April Multi tool blade sets	15pcs/set 1pcs BIM(M2) Segment saw blade, Dia.87mm(3-7/16") 1pcs Delta sanding Pad, size:80mm(3-1/8") 10pcs Aluminum-Oxide delta sandpaper for Wood, size:80mm(3-1/8") 1pcs CRV Radial flush-cut wood saw blade, size:34mm(1-5/16") 1pca Bi-Metal standard flush-cut metal sawblade, size:34mm(1-5/16") 1pcs Rigid scraper, size:50mm(2") Packed by double blister
AKB0501	 5Pcs /set	Accessories for die grinder	1PCS Cylindrical 16*25mm 1PCS Bullet type 20*21mm 1PCS Cone 20*32mm 1PCS T-Type 24*10mm 1PCS Round 20*20mm Packed by sliding card
RS8008	 New Model	Reciprocating saw	Voltage:220-240V~50/60Hz Rated power:750W No-load speed:900-3300rpm Max.cutting depth: Wood:115mm Steel:8mm Aluminum:12mm SDS blade change chuck With 1pcs metal saw blade With 1pcs wood saw blade Packed by colour box
INDUSTRIAL PL10508		Electric planer	Voltage:220-240V~50/60Hz Input power:1050W No-load speed:16000rpm Planing width&depth:82x3mm Heavy duty aluminum base Aluminum side cover Self-cooling belt system With 2pcs planing blades With 1pcs belt With 1set parallel guide With 1pcs depth guide Packed by colour box
INDUSTRIAL <b>NEW</b> WLC15008	 4Pcs	Arrival end April Wall chaser	Voltage:220-240V~50/60Hz Input power:1500W  No-load speed:9000rpm Disc diameter:125mm Spindle thread:M14 Cutting depth:3-29 mm Cutting width:8-30 mm With 1pcs chisel With 1pcs auxiliary handle With 1set carbon brushes With 4pcs cutting disc Packed by colour box



Stock Code	Picture	Category	Description & Features
GG148		Glue gun	Volts:220-240V~50/60Hz Input power:20W(100W) Gluing capacity:13-18g/min Glue stick diameter:11.2mm Ideal for adhesive attachment, model making, repairing, sealing and jointing Mechanical feed system for sensitive metering and rapid application 2pcs 11.2mm glue sticks Packed in double blister
AKTGS2061		Glue gun stick	Material : petroleum resin Diameter:11.2mm Length : 20cm With 6pcs stick Packed by blister card
AKTGS3011		Glue gun stick	Material : petroleum resin Diameter:11.2mm Length:30cm With 1kg stick Packed by Poly bag
HG20008		Heat gun	Voltage:220V-240V~50/60Hz Input power:2000W Temperature:350°C/550°C Airflow:300/500 L/min With 1pcs scraper and 4pcs nozzles Packed by colour box
INDUSTRIAL NEW HG200028		Arrival end April Heat gun	Voltage:220V-240V~50/60Hz Input power:2000W Temperature: stage 1:50°C stage 2:380°C stage 3:570°C Airflow: stage 1:500L/min stage 2:300L/min stage 3:500L/min With 1pcs scraper and 4pcs nozzles Packed by colour box
NEW BMS14002		Mitre saw	Voltage:220-240V~50/60Hz Input power:1400W No-load speed:5000rpm Blade size:210mm(8-1/4")*25.4mm Aluminum base Max.cutting capacity:55x120mm Dust bag keep work area clean Mitre cuts 0-45°left and right Bevel cuts up to 45°to the left With 1 pcs TCT blade Packed by carton box






Stock Code	Picture	Category	Description & Features
<div>INDUSTRIAL</div> <div>NEW</div> <div>COS35568E</div>		<div>Arrival end July</div> <div>Cut off saw</div>	Voltage: 220V-240V~50-60Hz Input power: 2400W Blade size: 355x25.4x3mm No-load speed: 3900rpm Max. cutting capacity: 100mm in round pipe 100X100mm in square steel 120X100mm in rectangel Max. cutting steel bar: 50mm With 1pcs 355mm cutting disc Packed by carton box
<div>NEW</div> <div>VC14122</div>		<div>Arrival end April</div> <div>Vacuum cleaner</div>	Voltage: 220V-240V~50/60Hz Input power: 800W Copper wire motor Metal tank Dust capacity: 12L Air flow: 1.7m3/min Vaccum pressure: 16KPa 1.5m flexible hose Plastic three parts tube 1pcs plastic floor brush 1set 2 in 1 brush Total 2.3m cord length HEPA fliter Wet and dry cleaning Packed by carton box
<div>VPM3708</div>		<div>Water pump</div>	Peripheral Pump Voltage: 220-240V~50Hz Input power: 370W(0.5HP) Max.head: 35M Max.flow: 35L/min Max.suction: 8M Pipe diameter: 1"x1" Copper wire motor Brass impeller 0.15m length cable Packed by colour box
<div>VPM5508</div>		<div>Water pump</div>	Peripheral Pump Voltage: 220-240V~50Hz Input power: 550W(0.75HP) Max.head: 45M Max.flow: 45L/min Max.suction: 8M Pipe diameter: 1"x1" Copper wire motor Brass impeller 0.15m length cable Packed by carton box

Stock Code	Picture	Category	Description & Features
VPM7508		Water pump	Peripheral Pump Voltage:220-240V~50Hz Input power: 750W(1HP) Max.head:52m Max.flow:50L/min Max.suction:8M Pipe diameter:1"x1" Copper wire motor Brass impeller 0.15m length cable Packed by carton box
CPM3708		Water pump	Centrifugal pump Voltage:220-240V~50Hz Input power:370W(0.5HP) Max.head:18M Max.flow:80L/min Max.suction:8M Pipe diameter:1"x1" Copper wire motor Brass impeller 0.15m length cable Packed by carton box
CPM5508		Water pump	Centrifugal pump Voltage:220-240V~50Hz Input power:550W(0.75HP) Max.head:25M Max.flow:100L/min Max.suction:8M Pipe diameter:1"x1" Copper wire motor Brass impeller 0.15m length cable Packed by carton box
CPM7508		Water pump	Centrifugal pump Voltage:220-240V~50Hz Input power:750W(1HP) Max.head:30M Max.flow:110L/min Max.suction:8M Pipe diameter:1"x1" Copper wire motor Stainless steel impeller 0.15m length cable Packed by carton box
CPM15008		Water pump	Centrifugal pump Voltage:220-240V~50Hz Input power:1500W(2HP) Max.head:45M Max.flow:140L/min Max.suction:8M Pipe diameter:1"x1" Copper wire motor Stainless steel impeller 0.15m length cable Packed by carton box












Stock Code	Picture	Category	Description & Features
JP07508		Water pump	Self-priming Jet Pump Voltage:220-240V~50Hz Input power:750W(1HP) Max.head:51M Max.flow:55L/min Max.suction:9M Pipe diameter:1"x1" Copper wire motor Brass impeller 0.15m length cable Packed by carton box
JP11008		Water pump	Self-priming Jet Pump Voltage:220-240V~50Hz Input power:1100W(1.5HP) Max.head:60M Max.flow:70L/min Max.suction:9M Pipe diameter:1"x1" Copper wire motor Brass impeller 0.15m length cable Packed by carton box
WAPS001		Automatic pump control	Rated voltage:220-240V Frequency:50/60Hz Starting pressure:1.5bar Max.current:10A  Max.pressure:10bar Pipe diameter:1"x1" Protection degree:IP65 Packed by colour box
WAPS002		Automatic pump control	Rated voltage:220-240V Frequency:50/60Hz Starting pressure:1.5bar Max.current:10A  Max.pressure:10bar Pipe diameter:1"x1" Protection degree:IP65 Packed by colour box




Stock Code	Picture	Category	Description & Features
<div>NEW</div> ING-MMA1305N		<div>Arrival May</div> Inverter MMA Welding machine	IGBT Inverter technology Input voltage(V):1~220-240 Frequency (HZ):50/60 Output current(A):10-130 Duty cycle(%):130A@40% No-load voltage(V):85 Max.output current(A):130 Diameter of electrode(mm):1.6-3.2 With 1pcs electrode holder with cable With 1pcs earth clamp with cable With 1pcs wire brush and 1pcs helmet Packed by carton box
<div>INDUSTRIAL NEW</div> ING-MMA1606N		<div>Arrival May</div> Inverter MMA welding machine	IGBT Inverter technology Input voltage(V):1~220-240 Frequency (HZ):50/60 Output current(A):10-160 Duty cycle(%):160A@60% No-load voltage(V):65 Max.output current(A):160 Diameter of electrode(mm):1.6-4.0 With 1pcs electrode holder with cable With 1pcs earth clamp with cable With 1pcs wire brush and 1pcs helmet Packed by carton box
<div>INDUSTRIAL NEW</div> ING-MMA2006N		<div>Arrival May</div> Inverter MMA welding machine	IGBT Inverter technology Input voltage(V):1~220-240 Frequency (HZ) :50/60 Output current(A):10-200 Duty cycle(%):200A@60% No-load voltage(V):70 Max.output current(A):200 Diameter of electrode(mm):1.6-5.0 With 1pcs electrode holder with cable With 1pcs earth clamp with cable With 1pcs wire brush and 1pcs helmet Packed by carton box
<div>NEW</div> WAH3008		Electrode Holder	INGCO Style New design Rated current:300A Suitable for INGC MMA welding machine Packed by carton box
WAH5008		Electrode Holder	INGCO Style New design Rated current:500A Netherlands type Suitable for INGC MMA welding machine(below 500A) Packed by carton box
WAH8008		Electrode holder	INGCO Style New design Rated current:800A Suitable for INGC MMA welder(below 630A) Packed by carton box

Stock Code	Picture	Category	Description & Features
WAH10008		Electrode Holder	INGCO Style New design Rated current:1000A Suitable for INGCO MMA welding machine Packed by carton box
AAC1408		Auto air compressor	Power supply:DC12V Rated current:10A Max.pressure:140PSI(10Bar) Max.air flow:35L/min With 1PCS LED light With 3M cord with cigarette lighter With 1Pcs battery clips With 4pcs nozzle adapters Packed by color box
AAC2508		Auto air compressor	Heavy duty air compressor With light Power supply:12V,Rated current:18A Max pressure:120PSI, Duration working time:15minutes 5M air hose with a brass quick-releasing adapter 120PSI high-quality pressure gauge 3M cord with battery clips with 3PCS LED 2x Cylinder diameter: 30mm Packed by colour box and Canvas bag
HBTCP6008		Booster cable	Current: 600AMP Clamp size :18x10cm Suitable for emission $\leq 4.5$ L car Cable material :copper coated Cable outside diameter:10mm Cable length :3m Packed by colour box
HBTCP2001		Booster cable	Current: 200AMP Clamp size :14x9cm Suitable for emission $\leq 1.8$ L car Cable material :copper coated Cable outside diameter:8mm Cable length :2.5m Packed by zipper bag








Stock Code	Picture	Category	Description & Features
AKT0051		Air tools 5pcs set	Air tools 5pcs set Only with Europe type connector. Recoil hose Length:5m,Diameter:8mm Air blow gun Nozzle length:16mm Air spray gun Operating pressure:3-4bar Paint capacity:1000cc Pattern width:140-180mm Air washing gun Operation pressure:4bar Washing capacity:750cc Air tire inflating gun Max pressure:12Bar Packed by colour box
AKT0052		Air tools 5pcs set	Air tools 5pcs set Only with Europe type connector. Recoil hose Length:5m,Diameter:8mm Air blow gun Nozzle length:16mm Air spray gun Operating pressure:3-4bar Paint capacity:400cc Pattern width:180-250mm Air washing gun Operation pressure:4bar Washing capacity:750cc Air tire inflating gun Max pressure:12Bar Packed by colour box
<b>INDUSTRIAL</b>			
ASG4041		Spray gun	Standard nozzle:1.5mm Pattern width:180-250mm Paint capacity:400cc Suitable for base coat With Europe type connector, USA type connector, Nitto type connector and Italy type connector. Optional nozzle:1.2-1.8mm Operating pressure:3-4bar Air cons:4.2-7.1cfm(119-200l/min) Packed by colour box
ASG4042		Spray gun	Standard nozzle:1.5mm Pattern width:180-250mm Paint capacity:400cc Suitable for base coat With Europe type connector, USA type connector, Nitto type connector and Italy type connector. Optional nozzle:1.5-2.0mm Operating pressure:3-4bar Air cons:3.5-6.0cfm(99-170l/min) Packed by colour box








Stock Code	Picture	Category	Description & Features
ASG3101	 <p><b>1000cc</b></p> <p><input type="checkbox"/> Finishing Coat <input checked="" type="checkbox"/> Base Coat</p>	Spray gun	Standard nozzle:1.5mm Pattern width:140-180mm Paint capacity:1000cc Suitable for base coat With Europe type connector, USA type connector, Nitto type connector and Italy type connector. Optional nozzle:1.2-1.8mm Operating pressure:3-4bar Air cons:4.2-7.1cfm(119-200l/min) Packed by colour box
ASG3105	 <p><b>1000cc</b></p> <p><input type="checkbox"/> Finishing Coat <input checked="" type="checkbox"/> Base Coat</p>	Spray gun	Standard nozzle:1.8mm Pattern width:180-250mm Paint capacity:1000cc Suitable for base coat With Europe type connector, USA type connector, Nitto type connector and Italy type connector. Optional nozzle:1.5-2.0mm Operating pressure:3-4bar Air cons:3.5-6.0cfm(99-170l/min) Packed by colour box
<b>INDUSTRIAL</b>			
ASG3102	 <p><b>1000cc</b></p> <p><input type="checkbox"/> Finishing Coat <input checked="" type="checkbox"/> Base Coat</p>	Spray gun	Standard nozzle:1.8mm Pattern width:200-250mm Paint capacity:1000cc Suitable for base coat With Europe type connector, USA type connector, Nitto type connector and Italy type connector. Optional nozzle:1.4-2.5mm Operating pressure:3-4bar Air cons:4.6-7.1cfm(130-200l/min) Packed by colour box
<b>INDUSTRIAL</b>			
ASG1061	 <p><b>600cc</b></p> <p><b>HVLP</b></p> <p><input checked="" type="checkbox"/> Finishing Coat <input type="checkbox"/> Base Coat</p>	HVLP spray gun	Standard nozzle:1.4mm Pattern width:180-250mm Paint capacity:600cc Suitable for finishing coat With Europe type connector, USA type connector, Nitto type connector and Italy type connector. Optional nozzle:1.3-2.5mm Operating pressure:2-3.5bar Air cons:4.2-7.1cfm(119-200l/min) Packed by colour box
<b>INDUSTRIAL</b>			
ASG1065	 <p><b>LVMP</b></p> <p><input checked="" type="checkbox"/> Finishing Coat <input type="checkbox"/> Base Coat</p>	Spray gun	TOP GRADE SPRAY GUN Standard nozzle:1.3mm Pattern width:180-260mm Paint capacity:600cc Suitable for finishing coat, Professional for spray car. With Europe type connector, USA type connector, Nitto type connector and Italy type connector. Operating pressure:2.0bar Air cons:5-9cfm(141-253l/min) Packed by colour box

Stock Code	Picture	Category	Description & Features
AWG1001		Air washing gun	Nozzle size:215mm Washing capacity:0.75L With Europe type connector, USA type connector, Nitto type connector and Italy type connector. Operation pressure:4bar Packed by colour box
ATG0601		Air tire inflating gun	Max pressure:12Bar(174PSI) With Europe type connector, USA type connector, Nitto type connector and Italy type connector. Packed by sliding card
ABG031		Air blow gun	Nozzle length:16mm Only with Europe type connector. Packed by sliding card
<b>INDUSTRIAL</b>			
APS1501		Air sander	Sanding pad:6"(150mm) Air Inlet(PT):1/4" With Europe type connector, USA type connector, Nitto type connector and Italy type connector. No-load Speed RPM:10000 Air Hose(ID):3/8" Air Cons:2.8cfm(79.2l/min) Air pressure:90PSI,6.2bar Sug.Air Comp.(Hp):2 Packed by colour box
<b>INDUSTRIAL</b>			
AIW12562		Air impact wrench	Square drive:12.5mm(1/2") No-load speed:7000 rpm Max.torque:610Nm(450ft) Twin hammer mechanism With 3 pcs socket (17mm,19mm,21mm) With Europe type connector, USA type connector, Nitto type connector and Italy type connector. Air Consumption:142.5l/min(5.0cfm) Air Pressure:6.2bar(90psi) Length:187mm(7.3") Weight:2.6kgs(5.7lbs) Air Inlet:1/4" Air hose:3/8" Packed by colour box



Stock Code	Picture	Category	Description & Features
ABN15501	 The image shows a yellow and black Inco ABN15501 brad nailer. To its right is a single brad nail with dimensions: 15mm (5/8") for the head and 50mm (2") for the shaft. The nail is labeled 'Ga18 1.25x1.0mm'.	Brad nailer	Load capacity:100pcs Brad size:15-50mm Ga18,1.25x1.00mm With Europe type connector, USA type connector, Nitto type connector and Italy type connector. Operation pressure:0.5-0.7Mpa(75-100Psi) With 1000pcs brad nails Packed by colour box
ACN50401	 The image shows a yellow and black Inco ACN50401 2 IN 1 combo brad nailer. To its right are two types of fasteners: a brad nail with dimensions 15mm (5/8") head and 50mm (2") shaft, labeled 'Ga18 1.25x1.0mm'; and a staple with dimensions 16mm (5/8") head, 40mm (1 5/8") length, and 5.7mm crown, labeled 'Ga18 1.25x1.0mm'.	2 IN 1 combo brad nailer	Load capacity:100Pcs Brad size:15-50mm Ga18,1.25X1.0mm Staple size:16-40mm Ga18,1.25X1.0mm Staple crown:5.7mm With Europe type connector, USA type connector, Nitto type connector and Italy type connector. Operation pressure:0.4-0.7Mpa(60-100Psi) With 1000pcs brad nails With 1000pcs staples Packed by colour box
ANA18251	 The image shows a tray of 25mm long brad nails and a box of Inco ANA18251 18 Gauge Brad Nails. The box is yellow and black with the Inco logo and product details.	Brad nail	Brad leight:25mm 5000pcs/colour box Suitalbe for ACN50401 and ABN15501 Ga18,1.25X1.0mm Packed by colour box
ANA18351	 The image shows a tray of 35mm long brad nails and a box of Inco ANA18351 18 Gauge Brad Nails. The box is yellow and black with the Inco logo and product details.	Brad nail	Brad leight:35mm 5000pcs/colour box Suitalbe for ACN50401 and ABN15501 Ga18,1.25X1.0mm Packed by colour box
ANA18501	 The image shows a tray of 50mm long brad nails and a box of Inco ANA18501 18 Gauge Brad Nails. The box is yellow and black with the Inco logo and product details.	Brad nail	Brad leight:50mm 5000pcs/colour box Suitalbe for ACN50401 and ABN15501 Ga18,1.25X1.0mm Packed by colour box












Stock Code	Picture	Category	Description & Features
AST18251		Crown staple	Staple size:25mm 2500pcs/colour box Suitable for ACN50401 Ga18,1.25X1.0mm Staple crown:5.7mm Packed by colour box
AST18351		Crown staple	Staple size:35mm 2500pcs/colour box Suitable for ACN50401 Ga18,1.25X1.0mm Staple crown:5.7mm Packed by colour box
AST18401		Crown staple	Staple size:40mm 2500pcs/colour box Suitable for ACN50401 Ga18,1.25X1.0mm Staple crown:5.7mm Packed by colour box
AH1051		Air hose	Material:PU Length:5M Only with Europe type connector. Diameter:5/8mm Packed by shrink
AH1101		Air hose	Material:PU Length:10M Only with Europe type connector. Diameter:5/8mm Packed by shrink
AH1151		Air hose	Material:PU Length:15M Only with Europe type connector. Diameter:5/8mm Packed by shrink

Stock Code	Picture	Category	Description & Features
AGSC1805		Saw chain	18" Saw chain Suitable for INGC0 GCS45185 gasoline chain saw Packed by poly bag
AGSB1805		Chain saw bar	18" Chain Saw Bar Suitable for INGC0 GCS45185 gasoline chain saw Packed by poly bag
<b>INDUSTRIAL</b>			
AGSC1801	 OREGON CHAIN	Saw chain	18" Oregon Saw chain Suitable for INGC0 GCS45182 gasoline chain saw Packed by poly bag
<b>INDUSTRIAL</b>			
AGSB1801		Chain saw bar	18" Oregon Chain Saw Bar Suitable for INGC0 GCS45182 gasoline chain saw Packed by poly bag
ALS25401		Line spool	Line diameter:2.5mm Line length:4M Suitable for INGC0 GBC45441 gasoline grass trimmer Packed by poly bag
ABCB01		Bush cutter blade	Blade diameter:230mm(9") Blade teeth:three Suitable for INGC0 GBC45441 gasoline grass trimmer Packed by poly bag
<b>NEW</b> HPWR14008		High pressure washer	Voltage: 220-240V~50/60Hz Carbon brush motor Pure copper wire Input power:1400W Max Pressure:130Bar (1900PSI) Flow rate:5.5L/min Auto stop system 1 set water spray gun 5m high pressure hose Packed by colour box

















Stock Code	Picture	Category	Description & Features
<div>INDUSTRIAL</div> <div>NEW</div> <div>HPWR18008</div>		High pressure washer	Voltage: 220-240V~50/60Hz Carbon brush motor Pure copper wire Input power:1800W Max Pressure:150Bar (2200PSI) Flow rate:6.0L/min Auto stop system 1pcs soap bottle 1 set water spray gun 5m high pressure hose Packed by colour box
VBP1381		Vibrator poker	Diameter:38mm Head length:580mm Claw type fitting Vibrating frequency:200Hz Vibrating amplitude:1.2mm Flexible hose length:6m Packed by carton box
<div>NEW</div> <div>AKD2608M</div>		Drill bits display box	INGCO unique design Metric size Size : 340mm*320mm*430mm Four floors Eight gaps per floor Capacity:260pcs drill bits With diameter gauge function Packed by carton box
DBT1100303		HSS drill bit	HSS,diameter:3.0mm 10pcs/poly bag Total length:61mm Usable length:33mm Packed by poly bag
DBT1100323		HSS drill bit	HSS,diameter:3.2mm 10pcs/poly bag Total length:61mm Usable length:33mm Packed by poly bag
DBT1100353		HSS drill bit	HSS,diameter:3.5mm 10pcs/poly bag Total length:70mm Usable length:39mm Packed by poly bag
DBT1100403		HSS drill bit	HSS,diameter:4.0mm 10pcs/poly bag Total length:75mm Usable length:43mm Packed by poly bag
DBT1100423		HSS drill bit	HSS,diameter:4.2mm 10pcs/poly bag Total length:75mm Usable length:43mm Packed by poly bag




















Stock Code	Picture	Category	Description & Features
DBT1100453		HSS drill bit	HSS,diameter:4.5mm 10pcs/poly bag Total length:80mm Usable length:47mm Packed by poly bag
DBT1100483		HSS drill bit	HSS,diameter:4.8mm 10pcs/poly bag Total length:86mm Usable length:52mm Packed by poly bag
DBT1100503		HSS drill bit	HSS,diameter:5.0mm 10pcs/poly bag Total length:86mm Usable length:52mm Packed by poly bag
DBT1100553		HSS drill bit	HSS,diameter:5.5mm 10pcs/poly bag Total length:93mm Usable length:57mm Packed by poly bag
DBT1100603		HSS drill bit	HSS,diameter:6.0mm 10pcs/poly bag Total length:93mm Usable length:57mm Packed by poly bag
DBT1100703		HSS drill bit	HSS,diameter:7.0mm 10pcs/poly bag Total length:109mm Usable length:69mm Packed by poly bag
DBT1100803		HSS drill bit	HSS,diameter:8.0mm 5pcs/poly bag Total length:117mm Usable length:75mm Packed by poly bag
DBT1100903		HSS drill bit	HSS,diameter:9.0mm 5pcs/poly bag Total length:125mm Usable length:81mm Packed by poly bag
DBT1101003		HSS drill bit	HSS,diameter:10mm 5pcs/poly bag Total length:133mm Usable length:87mm Packed by poly bag
DBT1101203		HSS drill bit	HSS,diameter:12mm 5pcs/poly bag Total length:151mm Usable length:101mm Packed by poly bag
DBT1101303		HSS drill bit	HSS,diameter:13mm 5pcs/poly bag Total length:151mm Usable length:101mm Packed by poly bag

Stock Code	Picture	Category	Description & Features
DBT1101403		HSS drill bit	HSS,diameter:14mm 5pcs/poly bag Total length:160mm Usable length:108mm Packed by poly bag
DBT11001031		HSS drill bit(2pcs/bag)	HSS,diameter:1mm Total length:34mm Usable length:12mm 2pcs/bag Packed by plastic bag
DBT11002031		HSS drill bit(2pcs/bag)	HSS,diameter:2mm Total length:49mm Usable length:24mm 2pcs/bag Packed by plastic bag
DBT11002531		HSS drill bit(2pcs/bag)	HSS,diameter:2.5mm Total length:56mm Usable length:30mm 2pcs/bag Packed by plastic bag
DBT11003031		HSS drill bit(2pcs/bag)	HSS,diameter:3.0mm Total length:61mm Usable length:33mm 2pcs/bag Packed by plastic bag
DBT11003231		HSS drill bit	HSS,diameter:3.2mm 2pcs/poly bag Total length:61mm Usable length:33mm Packed by poly bag
DBT11003531		HSS drill bit(2pcs/bag)	HSS,diameter:3.5mm Total length:70mm Usable length:39mm 2pcs/bag Packed by plastic bag
DBT11004031		HSS drill bit(2pcs/bag)	HSS,diameter:4.0mm Total length:75mm Usable length:43mm 2pcs/bag Packed by plastic bag
DBT11004231		HSS drill bit	HSS,diameter:4.2mm 2pcs/poly bag Total length:75mm Usable length:43mm Packed by poly bag
DBT11004531		HSS drill bit(2pcs/bag)	HSS,diameter:4.5mm Total length:80mm Usable length:47mm 2pcs/bag Packed by plastic bag
DBT11004831		HSS drill bit	HSS,diameter:4.8mm 2pcs/poly bag Total length:86mm Usable length:52mm Packed by poly bag

















Stock Code	Picture	Category	Description & Features
DBT11005031		HSS drill bit(2pcs/bag)	HSS,diameter:5.0mm Total length:86mm Usable length:52mm 2pcs/bag Packed by plastic bag
DBT11005531		HSS drill bit(1pcs/bag)	HSS,diameter:5.5mm Total length:93mm Usable length:57mm 1pcs/bag Packed by plastic bag
DBT11006031		HSS drill bit(1pcs/bag)	HSS,diameter:6.0mm Total length:93mm Usable length:57mm 1pcs/bag Packed by plastic bag
DBT11006531		HSS drill bit(1pcs/bag)	HSS,diameter:6.5mm Total length:101mm Usable length:63mm 1pcs/bag Packed by plastic bag
DBT11007031		HSS drill bit(1pcs/bag)	HSS,diameter:7.0mm Total length:109mm Usable length:69mm 1pcs/bag Packed by plastic bag
DBT11007531		HSS drill bit(1pcs/bag)	HSS,diameter:7.5mm Total length:109mm Usable length:69mm 1pcs/bag Packed by plastic bag
DBT11008031		HSS drill bit(1pcs/bag)	HSS,diameter:8.0mm Total length:117mm Usable length:75mm 1pcs/bag Packed by plastic bag
DBT11008531		HSS drill bit(1pcs/bag)	HSS,diameter:8.5mm Total length:117mm Usable length:75mm 1pcs/bag Packed by plastic bag
DBT11009031		HSS drill bit(1pcs/bag)	HSS,diameter:9.0mm Total length:125mm Usable length:81mm 1pcs/bag Packed by plastic bag
DBT11009531		HSS drill bit(1pcs/bag)	HSS,diameter:9.5mm Total length:125mm Usable length:81mm 1pcs/bag Packed by plastic bag
DBT11010031		HSS drill bit(1pcs/bag)	HSS,diameter:10mm Total length:133mm Usable length:87mm 1pcs/bag Packed by plastic bag

Stock Code	Picture	Category	Description & Features
DBT11011031		HSS drill bit(1pcs/bag)	HSS,diameter:11mm Total length:142mm Usable length:94mm 1pcs/bag Packed by plastic bag
DBT11012031		HSS drill bit(1pcs/bag)	HSS,diameter:12mm Total length:151mm Usable length:101mm 1pcs/bag Packed by plastic bag
DBT11012531		HSS drill bit(1pcs/bag)	HSS,diameter:12.5mm Total length:151mm Usable length:101mm 1pcs/bag Packed by plastic bag
DBT11013031		HSS drill bit(1pcs/bag)	HSS,diameter:13mm Total length:151mm Usable length:101mm 1pcs/bag Packed by plastic bag
DBT11014031		HSS drill bit(1pcs/bag)	HSS,diameter:14mm Total length:160mm Usable length:108mm 1pcs/bag Packed by plastic bag
<b>INDUSTRIAL</b> DBM111041		Masonry drill bit	4X75mm Packed by plastic bag
<b>INDUSTRIAL</b> DBM111051		Masonry drill bit	5X85mm Packed by plastic bag
<b>INDUSTRIAL</b> DBM111061		Masonry drill bit	6X100mm Packed by plastic bag
<b>INDUSTRIAL</b> DBM111062		Masonry drill bit	6X150mm Packed by plastic bag
<b>INDUSTRIAL</b> DBM111081		Masonry drill bit	8X120mm Packed by plastic bag
<b>INDUSTRIAL</b> DBM111101		Masonry drill bit	10X120mm Packed by plastic bag
<b>INDUSTRIAL</b> DBM111102		Masonry drill bit	10X150mm Packed by plastic bag
<b>INDUSTRIAL</b> DBM111121		Masonry drill bit	12X150mm Packed by plastic bag
<b>INDUSTRIAL</b> DBH1210601		SDS plus hammer drill	6x110mm,SDS plus Packed by plastic hanger

Stock Code	Picture	Category	Description & Features
<b>INDUSTRIAL</b> DBH1210801		SDS plus hammer drill	8x110mm,SDS plus Packed by plastic hanger
<b>INDUSTRIAL</b> DBH1210602		SDS plus hammer drill	6x160mm,SDS plus Packed by plastic hanger
<b>INDUSTRIAL</b> DBH1210802		SDS plus hammer drill	8x160mm,SDS plus Packed by plastic hanger
<b>INDUSTRIAL</b> DBH1211002		SDS plus hammer drill	10x160mm,SDS plus Packed by plastic hanger
<b>INDUSTRIAL</b> DBH1211201		SDS plus hammer drill	12x160mm,SDS plus Packed by plastic hanger
<b>INDUSTRIAL</b> DBH1211401		SDS plus hammer drill	14x160mm,SDS plus Packed by plastic hanger
<b>INDUSTRIAL</b> DBH1211601		SDS plus hammer drill	16x160mm,SDS plus Packed by plastic hanger
<b>INDUSTRIAL</b> DBH1210603		SDS plus hammer drill	6x210mm,SDS plus Packed by plastic hanger
<b>INDUSTRIAL</b> DBH1210803		SDS plus hammer drill	8x210mm,SDS plus Packed by plastic hanger
<b>INDUSTRIAL</b> DBH1211202		SDS plus hammer drill	12x210mm,SDS plus Packed by plastic hanger
<b>INDUSTRIAL</b> DBH1211402		SDS plus hammer drill	14x210mm,SDS plus Packed by plastic hanger
<b>INDUSTRIAL</b> DBH1211602		SDS plus hammer drill	16x210mm,SDS plus Packed by plastic hanger
<b>INDUSTRIAL</b> DBH1211801		SDS plus hammer drill	18x210mm,SDS plus Packed by plastic hanger
<b>INDUSTRIAL</b> DBH1212001		SDS plus hammer drill	20x210mm,SDS plus Packed by plastic hanger
<b>INDUSTRIAL</b> DBH1210604		SDS plus hammer drill	6x260mm,SDS plus Packed by plastic hanger
<b>INDUSTRIAL</b> DBH1210804		SDS plus hammer drill	8x260mm,SDS plus Packed by plastic hanger
<b>INDUSTRIAL</b> DBH1211004		SDS plus hammer drill	10x260mm,SDS plus Packed by plastic hanger
<b>INDUSTRIAL</b> DBH1211203		SDS plus hammer drill	12x260mm,SDS plus Packed by plastic hanger
<b>INDUSTRIAL</b> DBH1211603		SDS plus hammer drill	16x260mm,SDS plus Packed by plastic hanger
<b>INDUSTRIAL</b> DBH1212201		SDS plus hammer drill	22x260mm,SDS plus Packed by plastic hanger


















Stock Code	Picture	Category	Description & Features
<b>INDUSTRIAL</b> DBH1211803		SDS plus hammer drill	18x310mm,SDS plus Packed by plastic hanger
<b>INDUSTRIAL</b> DBH1212202		SDS plus hammer drill	22x310mm,SDS plus Packed by plastic hanger
<b>INDUSTRIAL</b> DBH1210806		SDS plus hammer drill	8x450mm,SDS plus Packed by plastic hanger
<b>INDUSTRIAL</b> DBH1211006		SDS plus hammer drill	10x450mm,SDS plus Packed by plastic hanger
<b>INDUSTRIAL</b> DBH1211205		SDS plus hammer drill	12x450mm,SDS plus Packed by plastic hanger
<b>INDUSTRIAL</b> DBH1211405		SDS plus hammer drill	14x450mm,SDS plus Packed by plastic hanger
<b>INDUSTRIAL</b> DBH1211605		SDS plus hammer drill	16x450mm,SDS plus Packed by plastic hanger
<b>INDUSTRIAL</b> DBH1211804		SDS plus hammer drill	18x450mm,SDS plus Packed by plastic hanger
<b>INDUSTRIAL</b> DBH1212004		SDS plus hammer drill	20x450mm,SDS plus Packed by plastic hanger
<b>INDUSTRIAL</b> DBH1212203		SDS plus hammer drill	22x450mm,SDS plus Packed by plastic hanger
<b>INDUSTRIAL</b> DBH1212404		SDS plus hammer drill	24x450mm,SDS plus Packed by plastic hanger
<b>INDUSTRIAL</b> DBH1212504		SDS plus hammer drill	25x600mm,SDS plus Packed by plastic hanger
AKD9165		16PCS Metal, Concret and wood drill bits set	16PCS Metal, Concret and wood drill bits set 6pcs Metal drill bits set SIZE:2,3,4,5,6,8mm 5pcs Concret drill bits SIZE:4,5,6,8,10mm 5pcs Wood drill bits SIZE:4,5,6,8,10mm Packed by double blister
AKSDB9165		16PCS drill bits & setscrewdriver bits set	16PCS drill bits & setscrewdriver bits set 6pcs HSS twist drill bits SIZE:2,3,3.5,4,5,6mm 4pcs Masonry drill bits SIZE:4,5,6,8mm 6PCS 25mm Screwdriver bits SL4.5,SL5.5,PH1,PH2,PZ1,PZ2 Packed by double blister








Stock Code	Picture	Category	Description & Features
AKDB3055		5PCS Masonry drill bits set	Size : 4X75, 5X85, 6X100, 8X120, 10X120 5PCS Masonry drill bits set Packed by double blister
<b>INDUSTRIAL</b> AKD3051		5PCS Masonry drill bit set	Size : 4X75, 5X85, 6X100, 8X120, 10X120 5PCS Masonry drill bit set Packed by plastic box
<b>INDUSTRIAL</b> AKD3081		8PCS masonry drill bits set	Size : 3X60, 4X75, 5X85, 6X100, 7X100, 8X120, 9x120,10X120 8PCS Masonry drill bit set Packed by plastic box
<b>INDUSTRIAL</b> AKD2048		4PCS SDS plus hammer drill bits set	5X110mm,6X110mm,8X110mm,10X110mm 4pcs SDS Plus hammer drill bits set Packed by plastic box
<b>INDUSTRIAL</b> AKD2052		SDS plus hammer drill bits set	6X110mm,8X110mm,8X160mm,10X160mm,12X160 mm 5 pcs SDS Plus hammer drill bits set Packed by plastic box
AKDB1065		6PCS HSS twist drill bits set	Size : 2X49,3X61, 4X75, 5X86,6X93, 8X117 6pcs HSS twist drill bits set Packed by double blister
AKD1055		6pcs Metal drill bits set	6pcs Metal drill bits set SIZE:2,3,4,5,6,8mm Packed by plastic box
AKDB1125		12PCS HSS twist drill bits set	12pcs HSS twist drill bits set Size : 2,2.5,3,3.5,4,4.5,5,5.5,6,6.5,7,8mm Packed by double blister
AKDB1088		8PCS HSS twist drill bits set	3mm,4mm,5mm,6mm,7mm,8mm,9mm,10mm 8pcs HSS twist drill bits set Packed by plastic box








Stock Code	Picture	Category	Description & Features
AKDB1195		19PCS HSS twist drill bits set	19pcs HSS twist drill bits set Size : 1,1.5,2,2.5,3,3.5,4,4.5,5,5.5,6,6.5,7,7.5,8,8.5,9,9.5,10mm Packed by plastic box
AKDB5055		5PCS wood drill bits set	5pcs wood drill bits set Size : 3X61, 4X75, 5X86,6X93, 8X117 Packed by double blister
AKD5058		5PCS Wood drill bits set	4mm,5mm,6mm,8mm,10mm 5pcs wood drill bits set Packed by plastic box
AKD6058		5PCS multi-function drill bits	4mm,5mm,6mm,8mm,10mm 5 pcs multi-function drill bits Packed by plastic box
<b>INDUSTRIAL</b>			
AKD7058		5PCS Glass drill bits	4mm,5mm,6mm,8mm,10mm 5 pcs glass drill bits Packed by plastic box
<b>INDUSTRIAL</b>			
ASE008		5PCS Screw extractor set	Material:Cr-V Size:3~6mm(1#),6~8mm(2#),8~11mm(3#), 11~14mm(4#),14~18mm(5#) Hardness:48~52HRC Coarse thread Packed by plastic box
<b>INDUSTRIAL</b>			
AKD41301		13pcs Flat wood drill bits set	Same as IRWIN quality 13PCS flat wood drill bits set Size(mm):6,8,10,12,14,16,18,20,25,28, 30, 32, 38 Shank:1/4" hex Length:152mm Packed by canvas bag









Stock Code	Picture	Category	Description & Features
HKTAC010671		67 Pcs accessories set	<p>67 Pcs accessories set Include :</p> <p>5pcs masonry drill bits:4mm,5mm,6mm,8mm,10mm 10pcs HSS twist drill bits: 2mm,2.5mm,3mm,3.5mm,4mm,4.5mm,5mm,5.5mm,6mm, 8mm 5pcs wood twist drill bits:4mm,5mm,6mm,8mm,10mm 40pcs 25mm length screwdriver bits: PH0/1/2/2/3/4 H3/4/5/6 PZ0/1/2/2/3/4 HT3/4/5/6 T10/15/20/25/30/40 M6 SP8 TW3 TS8 SL3/4/5/6 S1/2/3 TT15/20/25 1pcs bits holder 3pcs wood flat drill bits:16mm,20mm,25mm</p>
HKTAC010861		86 Pcs accessories set	<p>86 Pcs accessories set Include :</p> <p>5pcs masonry drill bits:4mm,5mm,6mm,8mm,10mm 15pcs HSS twist drill bits: 1mm,1.5mm,2mm,2.5mm,3mm,3.5mm,4mm,4.5mm,5mm, 5.5mm,6mm,7mm, 8mm,9mm,10mm 5pcs wood twist drill bits:4mm,5mm,6mm,8mm,10mm 40pcs 25mm length screwdriver bits: PH0/1/2/2/3/4 H3/4/5/6 PZ0/1/2/2/3/4 HT3/4/5/6 T10/15/20/25/30/40 M6 SP8 TW3 TS8 SL3/4/5/6 S1/2/3 TT15/20/25 1pcs bits holder 1pcs drill bits diameter gauge 3pcs wood flat drill bits:16mm,20mm,25mm 1pcs 12mm Countersink 1pcs mini spirit level 1pcs snap-off blade knife 10pcs 1/4" sockets:4mm,5mm,6mm,7mm,8mm, 9mm,10mm,11mm,12mm,13mm 1pcs 4-6 adaptor 1pcs ratchet handle 1pcs 3m measuring tape Packed by BMC</p>
HKTAC011201		120 Pcs accessories set	<p>120 Pcs accessories set Include :</p> <p>6pcs masonry drill bits:3mm,4mm,5mm,6mm,8mm,10mm 19pcs HSS twist drill bits: 1mm,1.5mm,2mm,2.5mm,3mm,3.5mm,4mm,4.5mm,5mm, 5.5mm,6mm,6.5mm, 7mm, 7.5mm, 8mm,8.5mm,9mm,9.5mm,10mm 6pcs wood twist drill bits:3mm,4mm,5mm,6mm,8mm,10mm 52pcs 25mm length screwdriver bits: PH0/1/2/2/3/4; PZ0/1/2/2/3/4;SL3/4/5/6/3.5/4.5/5.5/6.5 ; TX10/15/20/25/30/40;S1/2/3;H3/4/5/6;TT10/15/20/25/30/40;HT3/4/5/6;M6;SP6/8;TW2/3;TS8/10;C2/3; 1pcs bits holder 3pcs wood flat drill bits:16mm,20mm,25mm 5pcs 48mm length magnetic nuts:7mm,8mm,10mm,12mm,12mm,13mm 1pcs 12mm Countersink 1pcs mini spirit level 1pcs snap-off blade knife with 5 blades 4pcs Depth Gauge 1pcs Hex Wrench for depth gauge 1pcs drill bits diameter gauge 4pcs carbon steel hole saws 1pcs hole saw arbor 10pcs 1/4" sockets:4mm,5mm,6mm,7mm,8mm, 9mm,10mm,11mm,12mm,13mm 1pcs 4-6 adaptor 1pcs ratchet handle 1pcs 8 Oz claw hammer 1set 8pcs Hex key: 2.0mm 2.5mm 3mm 4mm 5mm 6mm 7mm 8mm Packed by BMC</p>







Stock Code	Picture	Category	Description & Features
DBC0112501		SDS plus chisel	14X250mm,pointed Packed by plastic hanger
DBC0122501		SDS plus chisel	14X250 X 20mm,flat Packed by plastic hanger
DBC0122502		SDS plus chisel	14X250 X 40mm,flat Packed by plastic hanger
DBC0214001		SDS max chisel	18X400mm,pointed Packed by plastic hanger
DBC0222801		SDS max chisel	18 X300X 25mm,flat Packed by plastic hanger
DBC0224001		SDS max chisel	18 X400X 25mm,flat Packed by plastic hanger
DBC0314101		Hex chisel	30X 410mm,point Suitable for INGCO item PDB17008 and PDB17018 Packed by plastic tube
DBC0324102		Hex chisel	30 X410X 40mm,flat Suitable for INGCO item PDB17008 and PDB17018 Packed by plastic tube
DBC0415301		Hex chisel	28X 530mm,point Suitable for INGCO item PDB22001 Packed by plastic tube
DBC0425302		Hex chisel	28X35X 530mm,flat Suitable for INGCO item PDB22001 Packed by plastic tube
MCD301151		Abrasive metal cutting disc	115mm(4/ 1/2")X3.0mm(1/8")X22.2mm(7/8") Depressed centre Cutting disc for metal
MCD121155		Abrasive metal cutting disc set	10pcs/set 10pcs/shrink 115MM(4/ 1/2")X1.2MM (3/64") X22.2MM(7/8") Flat centre Cutting disc for metal Packed by metal box








Stock Code	Picture	Category	Description & Features
MCD1211525		Abrasive metal cutting disc set	25pcs/set 115MM(4/ 1/2")X1.2MM (3/64") X22.2MM(7/8") Flat centre Cutting disc for metal Packed by metal box
MCD121251		Abrasive metal cutting disc	125MM(5")X1.2MM(3/64")X22.2MM(7/8") Flat centre Cutting disc for metal
MCD302302		Abrasive metal cutting disc	230MM(9")X1.6MM(1/16")X22.2MM(7/8") Flat centre Cutting disc for metal
MCD302303		Abrasive metal cutting disc	230MM(9")X1.9MM(5/64")X22.2MM(7/8") Flat centre Cutting disc for metal
MCD302301		Abrasive metal cutting disc	230mm(9")X3.0mm(1/8")X22.2mm(7/8") Depressed centre Cutting disc for metal
MCD303551		Abrasive metal cutting disc	355mm(14")X3.0mm(1/8")X25.4mm(1") Flat centre Cutting disc for metal
MCD304051		Abrasive metal cutting disc	405(16")X3.0(1/8")X25.4(1") Flat centre Cutting disc for metal

Stock Code	Picture	Category	Description & Features
MGD601151		Abrasive metal grinding disc	115mm(4 1/2")X6.0mm(1/4")X22.2mm(7/8") Depressed centre Grinding disc for metal
MGD602301		Abrasive metal grinding disc	230mm(9")X6.0mm(1/4")X22.2mm(7/8") Depressed centre Grinding disc for metal
DMD031152M		Turbo diamond disc	115(4-1/2")X22.2mm Blade width:7.5mm 10pcs/metal box Unit price is for 1 piece Packed by metal box
DMD031252M		Turbo diamond disc	125(5")X22.2mm Blade width:7.5mm 10pcs/metal box Packed by metal box
DMD031802M		Turbo diamond disc	180(7")X22.2mm Blade width:7.5mm 5pcs/metal box Packed by metal box
DMD032302M		Turbo diamond disc	230(9")X22.2mm Blade width:7.5mm 5pcs/metal box Packed by metal box
DMD011152M		Dry diamond disc	115(4-1/2")X22.2mm Blade width:7.5mm 10pcs/metal box Packed by metal box











Stock Code	Picture	Category	Description & Features
DMD011802M		Dry diamond disc	180(7")X22.2mm Blade width:7.5mm 5pcs/metal box Packed by metal box
DMD012302M		Dry diamond disc	230(9")X22.2mm Blade width:7.5mm 5pcs/metal box Packed by metal box
DMD021152M		Wet diamond disc	115(4-1/2")X22.2mm Blade width:5mm 10pcs/metal box Packed by metal box
DMD021252M		Wet diamond disc	125(5")X22.2mm Blade width:5mm 10pcs/metal box Packed by metal box
DMD021802M		Wet diamond disc	180(7")X22.2mm Blade width:5mm 5pcs/metal box Packed by metal box
DMD022302M		Wet diamond disc	230(9")X22.2mm Blade width:5mm 5pcs/metal box Packed by metal box

Stock Code	Picture	Category	Description & Features
DMD301153	 <p>8Pcs/set</p> <p>6Pcs dry diamond disc</p> <p>2Pcs turbo diamond disc</p>	Diamond discs set (8pcs/set)	8pcs/set 115mm(4-1/2")X22.2mm 6pcs dry diamond discs 2pcs turbo diamond discs Packed by metal box
<b>INDUSTRIAL</b>			
DMD031151HT		Ultrathin diamond disc	115(4-1/2")X22.2mm Blade width:8mm Metal base thickness:0.8mm Universal purpose:ceramic,tile,marble,brick Forbidden to use for Vitrified brick (nano glass) With flange plate Packed by double blister
CGW011151		SEGMENTED TURBO CUP GRINDING WHEEL	Diameter:115mm Blade width:20mm Arbor:22.22mm Packed by colour box
CGW021151		DOUBLE ROW CUP GRINDING WHEEL	Diameter:115mm 18pcs blades Arbor:22.22mm Packed by colour box
<b>INDUSTRIAL</b>			
TSB111015		TCT saw blade	110mm(4-3/8") 40T,arbor:20mm Reduction ring:16mm Suitable for Marble Cutter, Wood Cutting Packed by colour box
<b>INDUSTRIAL</b>			
TSB111555		TCT saw blade	115mm(4-1/2"), 40T,arbor:22.2mm Reduction ring:16mm Suitable for angle Grinder, wood Cutting Packed by colour box

Stock Code	Picture	Category	Description & Features
<b>INDUSTRIAL</b>			
TSB51852153		TCT saw blades set (3pcs/set)	3pcs/set 185mm(7-1/4") 1pcs 24T 1pcs 40T 1pcs 60T Arbor:30mm 2pcs 30mm to 16mm reduction ring 2pcs 30mm to 20mm reduction ring 2pcs 30mm to 25.4mm reduction ring Packed by colour box
CSLI1401-SP-3			140MM 24T Suitable for circular saw For INGCO item CSLI1401 Packed by colour box
TSB118515		TCT saw blade	185mm(7-1/4") 40T,arbor:20mm With 16mm reduction ring Suitable for circular saw For INGCO item CS18528 Packed by colour box
<b>INDUSTRIAL</b>			
TSB118513		TCT saw blade	185mm(7-1/4") 60T,arbor:20mm With 16mm reduction ring Suitable for circular saw For INGCO item CS18528 Packed by colour box
<b>INDUSTRIAL</b>			
TSB121021		TCT saw blade	210mm(8-1/4") 24T,arbor:30mm 16mm and 25.4mm ring Suitable for mitre saw For INGCO item BMS14002 Packed by colour box
<b>INDUSTRIAL</b>			
TSB121022		TCT saw blade	210mm(8-1/4") 48T,arbor:30mm 16mm and 25.4mm ring Suitable for mitre saw For INGCO item BMS14002 Packed by color box
<b>INDUSTRIAL</b>			
TSB321023		TCT saw blade for Aluminum	210mm(8-1/4") 60T,arbor:30mm 16mm and 25.4mm ring Suitable for mitre saw For INGCO item BMS14002 Packed by color box










Stock Code	Picture	Category	Description & Features
<b>INDUSTRIAL</b>			
TSB123525		TCT saw blade	235mm(9-1/4") 40T,arbor:30mm 16mm and 25.4 ring Packed by colour box
<b>INDUSTRIAL</b>			
TSB123523		TCT saw blade	235mm(9-1/4") 60T,arbor:30mm 16mm and 25.4 ring Packed by colour box
<b>INDUSTRIAL</b>			
TSB125423		TCT saw blade	254mm(10") 60T,arbor:30mm 16mm and 25.4mm ring Suitable for mitre saw Packed by colour box
<b>INDUSTRIAL</b>			
TSB130523		TCT saw blade	305mm(12") 60T,arbor:30mm 16mm and 25.4mm ring Suitable for mitre saw Packed by colour box
<b>INDUSTRIAL</b>			
TSB325428		TCT saw blade for Aluminum	254mm(10") 80T,arbor:30mm 16mm and 25.4mm ring Suitable for mitre saw Packed by colour box
<b>INDUSTRIAL</b>			
TSB3305212		TCT saw blade for Aluminum	305mm(12") 120T,arbor:30mm 16mm and 25.4mm ring Suitable for mitre saw Packed by colour box
WB10751		wire cup brush	75mm Wire dia:0.3mm Thread:M14X2 Packed by double blister
WB11001		wire cup brush	100mm Wire dia:0.3mm Thread:M14X2 Packed by double blister














Stock Code	Picture	Category	Description & Features
WB11251		wire cup brush	125mm wire:0.35mm Thread:M14X2 Packed by double blister
WB20751		wire cup brush	75mm Wire dia:0.5mm Thread:M14X2 Packed by double blister
WB21001		wire cup brush	100mm Wire dia:0.5mm Thread:M14X2 Packed by double blister
WB21251		wire cup brush	125mm wire:0.5mm Thread:M14X2 Packed by double blister
WB30501		wire cup brush	50mm(2") wire:0.35mm Shank dia:6.35mm(1/4") Packed by double blister
WB30751		wire cup brush	75mm(3") wire:0.35mm Shank dia:6.35mm(1/4") Packed by double blister
WB40501		wire wheels	50mm(2") wire:0.35mm Shank dia:6.35mm(1/4") Packed by double blister
WB40751		wire wheels	75mm(3") wire:0.35mm Shank dia:6.35mm(1/4") Packed by double blister

Stock Code	Picture	Category	Description & Features
WB41001		wire wheels	100mm(4") wire:0.35mm Shank dia:6.35mm(1/4") Packed by double blister
WB70241		pencil brush	24mm(1") Wire:0.35mm Shank dia:6.35mm(1/4") Packed by double blister
APP0201801		Polishing pad with flange	Diameter:180mm Material:Rubber M14x2 nut For wool polishing bonnet Packed by colour box
APP0111801		Polishing pad with flange	Diameter:180mm Material:PP M14x2 nut Velcro-type backing For wool polishing bonnet and sanding paper Packed by colour box
APB0111801		Wool polishing bonnet	Diameter:180mm Real wool bonnet Packed by colour box
<b>INDUSTRIAL</b>			
SDB11PH213		Screwdriver bit	PH2,25mm,20pcs/set S2 industrial steel Nickle plated magnetic Packed by plastic box
<b>INDUSTRIAL</b>			
SDB11PH223		Screwdriver bit	PH2,50mm,10pcs/set S2 industrial steel Nickle plated magnetic Packed by plastic box

Stock Code	Picture	Category	Description & Features
<b>INDUSTRIAL</b>			
SDB11SL423		Screwdriver bit	SL6.0*1.0,50mm,10pcs/set S2 industrial steel Nickle plated megnetic Packed by plastic box
<b>INDUSTRIAL</b>			
SDB11PZ213		Screwdriver bit	PZ2,25mm,20pcs/set S2 industrial steel Nickle plated magnetic Packed by plastic box
<b>INDUSTRIAL</b>			
SDB11PZ223		Screwdriver bit	PZ2,50mm,10pcs/set S2 industrial steel Nickle plated magnetic Packed by plastic box
<b>INDUSTRIAL</b>			
SDB21HL133		Screwdriver bit	PH2+SL6.0,65mm,10pcs/set S2 industrial steel double end bit Nickle plated megnetic Packed by plastic box
<b>INDUSTRIAL</b>			
SDB21PH223		Screwdriver bit	PH2, Double end bits, NICKLE PLATED MAGNETIC 50mm,10pcs/set S2 industrial steel Packed by plastic box
<b>INDUSTRIAL</b>			
SDB21PH233		Screwdriver bit	PH2, Double end bits, NICKLE PLATED MEGNETIC 65mm,10pcs/set S2 industrial steel Packed by plastic box
<b>INDUSTRIAL</b>			
ABH10601		Screwdriver bit holder	60mm,2pcs/set Material : Steel + Cr-v Packed by double blister



















Stock Code	Picture	Category	Description & Features
AKSD0071		9pcs Screwdriver Bits Set	9 pcs Screwdriver Bits Set PH1,PH2,PH3,SL4.0,SL5.5,SL6.5,PZ1,PZ2 Material:S2 industrial steel With megnetic Strong magnetic With 1 pcs bit holder with quick release Packed by sliding card
KC1001		10mm Key chuck	Chuck capacity:0.8-10mm Connection size:3/8"-24UNF With 1pcs chuck key  Packed by colour box
KC1301		13mm Key chuck	Chuck capacity:1.5-13mm Connection size:1/2"-20UNF With 1pcs chuck key  Packed by colour box
KC1301.1		13mm Key chuck with adaptor	Chuck capacity:1.5-13mm Connection size:1/2"-20UNF With 1pcs adaptor With 1pcs chuck key  Packed by colour box
KC1601		16mm Key chuck	Chuck capacity:3-16mm Connection size:1/2"-20UNF With 1pcs chuck key  Packed by colour box
KCL1301		13mm Keyless chuck	13mm keyless chuck Chuck capacity:2-13mm Connection size:1/2"-20UNF Packed by colour box
CK1301		Chuck key	Key for 13mm key chuck Length:80mm Packed by sliding card














Stock Code	Picture	Category	Description & Features
CK1601		Chuck key	Key for 16mm key chuck Length:150mm Packed by sliding card
INDUSTRIAL			
EPB820121		Planer blade	Size:82X5.5X1.2mm Material:HSS 2pcs/set Suitable for INGC electric planer PL10508 Packed by double blister
INDUSTRIAL			
EPB820301		Planer blade	Size:82X29X3.0mm Material:HSS 2pcs/set Packed by double blister
JBT111C		Jig saw blade for wood	Basic for wood Length of tooth:74mm 8TPI HCS,milled 5pcs/set Packed by blister card
JBT101D		Jig saw blade for wood	Clean for wood Length of tooth:74mm Tooth space:4-5.2mm HCS,Ground teeth and taper ground 5pcs/set Packed by blister card
JBT244D		Jig saw blade for wood	Speed for Wood Length of tooth:74mm 6TPI HCS, side set, ground Softwood (5-50 mm), chipboards, wood core plywood, fi bre boards, especially for curve cuts 5pcs/set Packed by blister card

Stock Code	Picture	Category	Description & Features
JBT118B		Jig saw blade for metal	Basic for metal Length of tooth:50mm Tooth space:1.9-2.3mm HSS,wavy set,milled Medium-thick sheet metal (2.5-6 mm)5pcs/setPacked in single blister Packed by blister card
AKJ0051		Jig saw blade set	2PCS JBT111C for wood 2PCS JBT118B for metal 1PCS JBT127D for Alu 5PCS/set Packed by blister card
AKD8088		8PCS Jig saw blades set	1PCS 127D for cutting aluminum 1PCS JBT101D for cutting wood ( clean surface) 2PCS JBT118B for cutting metal 4PCS JBT111C for cutting wood( fast cut) 8pcs Jig saw blades set Packed by plastic box
SSB644D		Sabre Saw Blade	Top for Wood 150mmX19mmX1.25mm 6TPI - HCS - Milled Suitable for RS8008  1/2" shank,2pcs/set Fast cutting for wood, composition materials and plastic(dia.<100mm) Packed by blister card
SSB922EF		Sabre Saw Blade	Flexible for Metal 150mmX19mmX0.9mm 18TPI - Bi-Metal - Milled Suitable for RS8008  1/2" shank,2pcs/set Cuts all metals including nonferrous pipe (<100mm) conduit, stainless and sheet metals(1.5-4mm) Packed by blister card











Stock Code	Picture	Category	Description & Features
AKHS702		Hole saw set	7pcs hole saw set Hole saw diameter:26, 32, 38, 45, 50, 56, 63mm Height:50mm(2") Packed by double blister
HSA01		Arbor for hole saw	Arbor for hole saw Hex shank 3/8" Fit hole saws 14mm to 30mm Packed by double blister
HSA02		Arbor for hole saw	Arbor for hole saw Hex shank 7/16" Fit hole saws 32mm to 210mm. Packed by double blister
FD1151		Flap disc	Size : 115mm*22mm,P40 Suitable for high steel, steel, cast iron and sheet steel
FD1152		Flap disc	Size : 115mm*22mm,P60 Suitable for high steel, steel, cast iron and sheet steel
FD1153		Flap disc	Size : 115mm*22mm,P80 Suitable for high steel, steel, cast iron and sheet steel
AKFS140102		Sanding sheet set	Size:145X114mm 3pcs P80,2pcs P120 5pcs/set
AKFS240101-1		Sanding sheet set	Size:90X231mm 3pcs P80,2pcs P120 5pcs/set Suitable for INGC FS3208








Stock Code	Picture	Category	Description & Features
AKFS264115		Sanding sheet set	Size:264X115mm 5pcs P120 5pcs/set
AKRS125051		Arrival end April Sanding sheet for random orbit sander	125mm 3pcs P80,2pcs P120,5pcs/set Suitable for CROSLI2001
AKRS150051		Sanding sheet for random orbital sander	150mm 3pcs P80, 2pcs P120,5pcs/set
AKMG2501		250pcs Accessories of Mini Drill	250pcs accessories of mini drill 76pcs Cutting disk 60pcs Sanding paper 1pcs Rubber grinding wheel 10pcs Grinding wheel with shank 4pcs Rubber polishing wheel 5pcs Felt wheels 1pcs Felt wheel point 1pcs Cloth wheel 39pcs Sanding band 6pcs Brush 7pcs Diamond bits 2pcs Engraving bit 4pcs mandrel bits 2pcs Sanding shank 6pcs Hss drill bits 4pcs Collets 1pcs Flap wheel 1pcs Wrench 1pcs Dressing stone 2pcs Polishing Compound 12pcs Grinding wheels
HMH880100		Machinist hammer	Weight : 100g Drop-forged hammerhead Heat treatment, 45# carbon steel INGCO Style Fiberglass handle
HMH880200		Machinist hammer	Weight : 200g Drop-forged hammerhead Heat treatment, 45# carbon steel INGCO Style Fiberglass handle
HMH880300		Machinist hammer	Weight : 300g Drop-forged hammerhead Heat treatment, 45# carbon steel INGCO Style Fiberglass handle
HMH880500		Machinist hammer	Weight : 500g Drop-forged hammerhead Heat treatment, 45# carbon steel INGCO Style Fiberglass handle









Stock Code	Picture	Category	Description & Features
HMH881000		Machinist hammer	Weight : 1000g Drop-forged hammerhead Heat treatment, 45# carbon steel INGCO Style Fiberglass handle
HMH881500		Machinist hammer	Weight : 1500g Drop-forged hammerhead Heat treatment, 45# carbon steel INGCO Style Fiberglass handle
HMH882000		Machinist hammer	Weight : 2000g Drop-forged hammerhead Heat treatment, 45# carbon steel INGCO Style Fiberglass handle
HSTH8802		Stoning hammer	Weight : 1000g Drop-forged hammerhead Heat treatment, 45# carbon steel INGCO Style Fiberglass handle
HSTH8803		Stoning hammer	Weight : 1500g Drop-forged hammerhead Heat treatment, 45# carbon steel INGCO Style Fiberglass handle
HSTH8804		Stoning hammer	Weight : 2000g Drop-forged hammerhead Heat treatment, 45# carbon steel INGCO Style Fiberglass handle
HSLH8802		Sledge hammer	Weight : 2LB Drop-forged hammerhead Heat treatment, 45# carbon steel INGCO Style Fiberglass handle
HSLH8803		Sledge hammer	Weight : 3LB Drop-forged hammerhead Heat treatment, 45# carbon steel INGCO Style Fiberglass handle
HSLH8804		Sledge hammer	Weight : 4LB Drop-forged hammerhead Heat treatment, 45# carbon steel INGCO Style Fiberglass handle
HCH80808		Claw hammer	Weight : 8oz/220g Drop-forged hammerhead Heat treatment, 45# carbon steel INGCO Style Fiberglass handle
HCH80816		Claw hammer	Weight : 16oz/450g Drop-forged hammerhead Heat treatment, 45# carbon steel INGCO Style Fiberglass handle
<b>INDUSTRIAL</b> HCH8816		Claw hammer	INGCO Style Handle All steel drop-forged claw hammer Heat treatment 16oz/450g Packed by paper card
<b>INDUSTRIAL</b> HCH0820		Claw hammer	INGCO Style Handle All steel drop-forged claw hammer Heat treatment 20oz/560g Packed by paper card











Stock Code	Picture	Category	Description & Features
HBPH88016		Ball pein hammer	Weight : 16oz/450g Drop-forged hammerhead Heat treatment, 45# carbon steel INGCO Style Fiberglass handle
HBPH88024		Ball pein hammer	Weight : 24oz/660g Drop-forged hammerhead Heat treatment, 45# carbon steel INGCO Style Fiberglass handle
HBPH88032		Ball pein hammer	Weight : 32oz/900g Drop-forged hammerhead Heat treatment, 45# carbon steel INGCO Style Fiberglass handle
HBPH88048		Ball pein hammer	Weight : 48oz/1300g Drop-forged hammerhead Heat treatment, 45# carbon steel INGCO Style Fiberglass handle
HRUH8208		Rubber hammer	Weight : 8oz/220g INGCO Style Fiberglass handle
HRUH8216		Rubber hammer	Weight : 16oz/450g INGCO Style Fiberglass handle
<b>INDUSTRIAL</b> HRUH8308		Rubber hammer	Weight : 8oz/220g 45% Natural rubber,Soft Type INGCO Style Fiberglass handle
<b>INDUSTRIAL</b> HRUH8316		Rubber hammer	Weight : 16oz/450g 45% Natural rubber,Soft Type INGCO Style Fiberglass handle
HRPH8140		Rubber and plastic hammer	Hammer diameter:40mm INGCO Style Fiberglass handle
HAX0206008		Axe	Weight : 600g Drop-forged hammerhead Heat treatment, 45# carbon steel INGCO Style Fiberglass handle
HAX0208008		Axe	Weight : 800g Drop-forged hammerhead Heat treatment, 45# carbon steel INGCO Style Fiberglass handle
HAX02010008		Axe	Weight : 1000g Drop-forged hammerhead Heat treatment, 45# carbon steel INGCO Style Fiberglass handle








Stock Code	Picture	Category	Description & Features
HAX02012508		Axe	Weight : 1250g Drop-forged hammerhead Heat treatment, 45# carbon steel INGCO Style Fiberglass handle
HSM01498		Sledge hammer	Weight:10LB 45# carbon steel Drop-forged Heat treatment INGCO Style 900mm Fiberglass handle
HSM01598		Sledge hammer	Weight:12LB 45# carbon steel Drop-forged Heat treatment INGCO Style 900mm Fiberglass handle
HSTH03498		Stoning hammer	Weight:4kg 45# carbon steel Drop-forged Heat treatment INGCO Style 900mm Fiberglass handle
HSTH03598		Stoning hammer	Weight:5kg 45# carbon steel Drop-forged Heat treatment INGCO Style 900mm Fiberglass handle
HCP08168		Combination pliers	Size:6"/160mm Polish and anti-rust oil Two colour handle Packed by sliding card
HCP08188		Combination pliers	Size : 7"/180mm Polish and anti-rust oil Two colour handle Packed by sliding card
HCP08208		Combination pliers	Size : 8"/200mm Polish and anti-rust oil Two colour handle Packed by sliding card











Stock Code	Picture	Category	Description & Features
HDCP08168		Diagonal cutting pliers	Size : 6"/160mm Polish and anti-rust oil Two colour handle Packed by sliding card
HDCP08188		Diagonal cutting pliers	Size : 7"/180mm Polish and anti-rust oil Two colour handle Packed by sliding card
HLNP08168		Long nose pliers	Size : 6"/160mm Polish and anti-rust oil Two colour handle Packed by sliding card
<b>INDUSTRIAL</b> HCP28168		Combination pliers	Size : 6"/160mm Cr-V,black finish and polish TPR two colour handle Packed by PP hanger
<b>INDUSTRIAL</b> HCP28188		Combination pliers	Size : 7"/180mm Cr-V,black finish and polish TPR two colour handle Packed by PP hanger
<b>INDUSTRIAL</b> HCP28208		Combination pliers	Size : 8"/200mm Cr-V,black finish and polish TPR two colour handle Packed by PP hanger
<b>INDUSTRIAL</b> HDCP28168		Diagonal cutting pliers	Size : 6"/160mm Cr-V,black finish and polish TPR two colour handle Packed by PP hanger

Stock Code	Picture	Category	Description & Features
<b>INDUSTRIAL</b>			
HDCP28188		Diagonal cutting pliers	Size : 7"/180mm Cr-V,black finish and polish TPR two colour handle Packed by PP hanger
HHDCP28188		Heavy-duty diagonal cutting pliers	Size : 7"/180mm Cr-V,black finish and polish TPR two colour handle Packed by PP hanger
HLNP28168		Long nose pliers	Size : 6"/160mm Cr-V,black finish and polish TPR two colour handle Packed by PP hanger
HBNP28168		Bent nose pliers	Size : 6"/160mm Cr-V,black finish and polish TPR two colour handle Packed by PP hanger
HWSP28160		Wire stripping pliers	Size : 6"/160mm Cr-V,black finish and polish TPR two colour handle Packed by PP hanger
HECP28160		End cutting pliers	Size : 6"/160mm Cr-V,black finish and polish TPR two colour handle Packed by PP hanger
HPP28258		Pump pliers	Size:10"/250mm Max clamping open:40mm Cr-V,black finish and polish TPR two colour handle Packed by PP hanger
HPP03300		Pump pliers	Size : 12"/300mm Cr-V,black finish and polish TPR two colour handle Packed by PP hanger










Stock Code	Picture	Category	Description & Features
HFP3001		Fencing pliers	Size : 12"/300mm Satin finish Packed by half double blister
<b>INDUSTRIAL</b> HHCP28180		High leverage combination pliers	Size : 7"/180mm Cr-V,black finish and polish TPR two colour handle Saving 30% strength than normal pliers Packed by PP hanger
<b>INDUSTRIAL</b> HHCP28200		High leverage combination pliers	Size : 8"/200mm Cr-V,black finish and polish TPR two colour handle Saving 30% strength than normal pliers Packed by PP hanger
<b>INDUSTRIAL</b> HHCP28240		High leverage combination pliers	Size : 9.5"/240mm Cr-V,black finish and polish TPR two colour handle Saving 30% strength than normal pliers Packed by PP hanger
<b>INDUSTRIAL</b> HHLDCP28160		High leverage diagonal cutting pliers	Size : 6"/160mm Cr-V,black finish and polish TPR two colour handle Saving 30% strength than normal pliers Packed by PP hanger
<b>INDUSTRIAL</b> HHLDCP28180		High leverage diagonal cutting pliers	Size : 7"/180mm Cr-V,black finish and polish TPR two colour handle Saving 30% strength than normal pliers Packed by PP hanger
<b>INDUSTRIAL</b> HHHDCP28180		High leverage heavy-duty diagonal cutting pliers	Size : 7"/180mm Cr-V,black finish and polish TPR two colour handle Saving 30% strength than normal pliers Packed by PP hanger
<b>INDUSTRIAL</b> HHLNP28160		High leverage long nose pliers	Size : 6"/160mm Cr-V,black finish and polish TPR two colour handle Saving 30% strength than normal pliers Packed by PP hanger








Stock Code	Picture	Category	Description & Features
<b>INDUSTRIAL</b>			
HHLNP28200		High leverage long nose pliers	Size : 8"/200mm Cr-V,black finish and polish TPR two colour handle Saving 30% strength than normal pliers Packed by PP hanger
HKPS08318		3Pcs pliers set	Size: 8" Combination pliers 6" Long nose pliers 6" Diagonal cutting pliers Polish and anti-rust oil Two colour handle Packed by sliding card
<b>INDUSTRIAL</b>			
HKPS28318		3pcs pliers set	Size : 8" Combination pliers 6" Long nose pliers 6" Diagonal cutting pliers Cr-V,black finish and polish TPR two colour handle Packed by PP hanger
<b>INDUSTRIAL</b>			
HKHLPS2831		3pcs high leverage pliers set	Size : 8"/200mm high leverage combination pliers 7"/180mm high leverage diagonal cutting pliers 6"/160mm high leverage long nose pliers Cr-V,black finish and polish TPR two colour handle Saving 30% strength than normal pliers Packed by PP hanger
HMP501115		5pcs mini pliers set	1PCS 4.5" Combination pliers 1PCS 4.5" Diagonal cutting pliers 1PCS 4.5" End cutting pliers 1PCS 4.5" Long nose pliers 1PCS 4.5" Flat nose pliers Two colour handle Packed by double blister
<b>INDUSTRIAL</b>			
HECP02180		End cutting pliers	Size : 7"/180mm Cr-V,black finish and polish Packed by PP hanger
<b>INDUSTRIAL</b>			
HRP02200		Rabbit pliers	Size : 8"/200mm Cr-V,black finish and polish With plastic handle Packed by PP hanger








Stock Code	Picture	Category	Description & Features
<b>INDUSTRIAL</b> HRP02250		Rabbit pliers	Size : 10"/250mm Cr-V,black finish and polish With plastic handle Packed by PP hanger
<b>INDUSTRIAL</b> HCPP02200		Carpenter pliers	Size : 8"/200mm Cr-V,black finish and polish With plastic handle Packed by PP hanger
<b>INDUSTRIAL</b> HSPJP02160		Slip joint pliers	Size : 6"/160mm Black finish and polish Packed by PP hanger
<b>INDUSTRIAL</b> HSPJP02200		Slip joint pliers	Size : 8"/200mm Black finish and polish Packed by PP hanger
<b>INDUSTRIAL</b> HSPJP02250		Slip joint pliers	Size:10"/250mm Black finish and polish Packed by PP hanger
HICP01180		Insulated combination pliers	Size:7"/180mm Satin finish,insulated handle Stand high pressure,1000V Packed by PP hanger
HICP01200		Insulated combination pliers	Size:8"/200mm Satin finish,insulated handle Stand high pressure,1000V Packed by PP hanger
HIDCP01160		Insulated diagonal cutting pliers	Size:6"/160mm Satin finish,insulated handle Stand high pressure,1000V Packed by PP hanger
HILNP01200		Insulated long nose pliers	Size:8"/200mm Satin finish,insulated handle Stand high pressure,1000V Packed by PP hanger
HCJLW0210		Curved jaw locking plier	Carbon Steel Size:10" HRC38°-HRC48° Nickel plated With plastic handle Packed by half double blister


















Stock Code	Picture	Category	Description & Features
HCJLW0207	 <p>Carbon-steel</p> <p>Same function as HCJLW0107</p>	Curved jaw locking plier	Carbon Steel Size:7" HRC38°-HRC48° Nickel plated With plastic handle Packed by half double blister
HSJP0110	 <p>Carbon-steel</p> <p>Same function as HSJP0210</p>	Straight jaw plier	Carbon Steel Size:10" HRC38°-HRC48° Nickel plated With plastic handle Packed by half double blister
HWP0210	 <p>Carbon-steel</p> <p>Same function as HWP0110</p>	Welding Plier	Carbon Steel Size:10" Nickel plated Weight:592g Same function as HWP0110 Packed by plastic hanger
HLNP0209	 <p>Carbon-steel</p> <p>Same function as HLNP0109</p>	Long nose locking plier	Carbon Steel Size:9" HRC38°-HRC48° Nickel plated With plastic handle Packed by half double blister
HCCLW0211	 <p>Carbon-steel</p> <p>Same function as HCCLW0111</p>	C-clamp locking plier	Carbon Steel Size:11" Weight:710g Nickel plated Same function as HCCLW0111 Packed by plastic hanger
HWSP04		Wire stripper	Size:180mm/7" Blade material:65Mn Zinc alloy pack by double blister
<b>INDUSTRIAL</b>			
HWSP15608		Wire stripper	Stripper diameter:0.5mm~6mm With cutting function PP covered TPR handle 65Mn material blade Product size:175*85mm Packed by double blister









Stock Code	Picture	Category	Description & Features
HWSP851		Wire stripper	Size:8.5"/215mm with sharp edge for cutting wire With push down wire function With wire stripping function Can strip Seven kinds of Wire size Can cut five kinds of copper screw size Packed by sliding card
<b>INDUSTRIAL</b>			
HWSP101		Wire stripper	Size:10"/250mm with sharp edge for cutting wire With push down wire function With wire stripping function Can strip Six kinds of Wire size Can cut five kinds of copper screw size Packed by sliding card
HCCP011801		Circlip pliers	Straight head circlip Plier External circlip plier Size:7"/180mm Diameter of the head : 1.8mm Carbon steel Packed by PP hanger
HCCP011751		Circlip pliers	Bent head circlip Plier External circlip plier Size:7"/180mm Diameter of the head : 1.8mm Carbon steel Packed by PP hanger
HCCP011802		Circlip pliers	Straight head circlip Plier Internal circlip plier Size:7"/180mm Diameter of the head : 1.8mm Carbon steel Packed by PP hanger
HCCP011752		Circlip pliers	Bent head circlip Plier Internal circlip plier Size:7"/180mm Diameter of the head : 1.8mm Carbon steel Packed by PP hanger
HCCPS01180		4pcs circlip plier set	4Pcs Circlip Plier Set 2pcs of 180°, 2pcs of 90° Size:7"/180mm Carbon steel Packed by double blister










Stock Code	Picture	Category	Description & Features
<b>INDUSTRIAL</b>			
HSCRS2301		Multi-function Scissors	Size : 9"(230mm) Multi-function Scissors With 7 Function 1.Scissors 2.Wire cutter 3.Twine cutter 4.Power notch for rope 5.Pointed awl tip 6.Bottle opener 7.Knife Stainless steel blade Polished finish Comfortable handle Packed by sliding card
HPK02101		Pocket knife	The straight head Size:210mm,Special steel Thickness:2.5mm wooden handle Packed by sliding card
HPK01981		Pocket knife	The bend head Size:198mm,Special steel Thickness:2.5mm wooden handle Packed by sliding card
<b>INDUSTRIAL</b>			
HPW0808		Pipe wrench	Size:8"(200mm) Max clamping diameter:27mm Mobile jaw drop-forged with high quality carbon steel Inactivate treatment Body material:ductile cast iron Black finish and polish Solid rivet Packed by paper card
<b>INDUSTRIAL</b>			
HPW0810		Pipe wrench	Size:10"(250mm) Max clamping diameter:34mm Mobile jaw drop-forged with high quality carbon steel Inactivate treatment Body material:ductile cast iron Black finish and polish Solid rivet Packed by paper card
<b>INDUSTRIAL</b>			
HPW0812		Pipe wrench	Size:12" (300mm) Max clamping diameter:42mm Mobile jaw drop-forged with high quality carbon steel Inactivate treatment Body material:ductile cast iron Black finish and polish Solid rivet Packed by paper card
<b>INDUSTRIAL</b>			
HPW0814		Pipe wrench	Size:14" (350mm) Max clamping diameter:50mm Mobile jaw drop-forged with high quality carbon steel Inactivate treatment Body material:ductile cast iron Black finish and polish Solid rivet Packed by paper card

Stock Code	Picture	Category	Description & Features
<b>INDUSTRIAL</b>			
HPW0818		Pipe wrench	Size:18" (450mm) Max clamping diameter:60mm Mobile jaw drop-forged with high quality carbon steel Inactivate treatment Body material:ductile cast iron Black finish and polish Solid rivet Packed by paper card
HPW0824		Pipe wrench	Size:24" Max clamping diameter:76mm Mobile jaw drop-forged with high quality carbon steel Inactivate treatment Body material:ductile cast iron Black finish and polish Solid rivet Packed by paper card
HPW0836		Pipe wrench	Size:36" Max clamping diameter:85mm Mobile jaw drop-forged with high quality carbon steel Inactivate treatment Body material:ductile cast iron Black finish and polish Solid rivet
<b>INDUSTRIAL</b>			
HPW0848		Pipe wrench	Size:48" Max clamping diameter:110mm Mobile jaw drop-forged with high quality carbon steel Inactivate treatment Body material:ductile cast iron Black finish and polish Solid rivet
HPW04011		90° heavy duty swedish pipe wrench	90° Heavy duty type Size:1" Max clamping diameter:40mm Material:Carbon steel Inactivate treatment Solid rivet Packed by carton box
HPW04151		90° heavy duty swedish pipe wrench	90° Heavy duty type Size:1-1/2" Max clamping diameter:55mm Material:Carbon steel Inactivate treatment Solid rivet Packed by carton box
HPW04021		90° heavy duty swedish pipe wrench	90° Heavy duty type Size:2" Max clamping diameter:67mm Material:Carbon steel Inactivate treatment Solid rivet Packed by carton box













Stock Code	Picture	Category	Description & Features
<b>INDUSTRIAL</b>  HMB0808		Mini bolt cutter	Size:8" Cr-V blade Black finish and polish TPR two colour handle A lock at the end of handle Packed by sliding card
<b>INDUSTRIAL</b>  HBC0812		Bolt cutter	Size:12" Cr-V blade Black finish and polish TPR two colour handle Packed by paper card
<b>INDUSTRIAL</b>  HBC0814		Bolt cutter	Size:14" Cr-V blade Black finish and polish TPR two colour handle Packed by paper card
<b>INDUSTRIAL</b>  HBC0818		Bolt cutter	Size:18" Cr-V blade Black finish and polish TPR two colour handle Packed by paper card
<b>INDUSTRIAL</b>  HBC0824		Bolt cutter	Size:24" Cr-V blade Black finish and polish TPR two colour handle Packed by paper card
<b>INDUSTRIAL</b>  HBC0830		Bolt cutter	Size:30" Cr-V blade Black finish and polish TPR two colour handle Packed by paper card
<b>INDUSTRIAL</b>  HBC0836		Bolt cutter	Size:36" Cr-V blade Black finish and polish TPR two colour handle Packed by paper card
<b>INDUSTRIAL</b>  HBC0842		Bolt cutter	Size:42" Cr-V blade Black finish and polish TPR two colour handle Packed by paper card














Stock Code	Picture	Category	Description & Features
HHCT0170		Hydraulic crimping tool	Crimping range : Cu 4-70mm <sup>2</sup> Crimping force: 45KN Crimping type: hexagon crimping Stroke: 11mm Length: approx.310mm Weight: approx.1.80kg Weight of box: 1.1kg ACCESSORIES Crimping dies: 4,6,8,10,16,25,35,50,70mm <sup>2</sup> Sealing O-ring: one set packed by BMC
HHCT01240		Hydraulic crimping tool	Crimping range : Cu 16-240mm <sup>2</sup> Crimping force: 70kN Crimping type: hexagon crimping Stroke: 18mm Length: approx.475mm Weight: approx.3.6kg Weight of box: approx.1.8kg ACCESSORIES Crimping dies: 16,25,35,50,70,95,120,150,185,240mm <sup>2</sup> Sealing O-ring: one set packed by BMC
HHSC0112		Hydraulic steel cutter	Crimping range : $\phi$ 4- $\phi$ 12mm Output : 45KN Stroke: 15mm Length: approx.315mm Weight: 1.90kg Weight of case: approx.0.56Kg packed by BMC
HHSC0112B	 <b>Suitable for HHSC0112</b>	Hydraulic steel cutter blades	Cutting diameter : 4-12mm Material : CR12MOV heat treat Suitable for INGC item HHSC0112 packed by sliding card
HHSC0122		Hydraulic steel cutter	Crimping range : $\phi$ 4- $\phi$ 22mm Output : 100KN Stroke: 24mm Length: approx.480mm Weight: 4.20kg Weight of case: approx.1.20Kg packed by BMC
HHSC0122B	 <b>Suitable for HHSC0112</b>	Hydraulic steel cutter blades	Cutting diameter : 4-22mm Material : CR12MOV heat treat Suitable for INGC item HHSC0122 packed by sliding card





Stock Code	Picture	Category	Description & Features
<b>INDUSTRIAL</b> HCCB0206	 <p>Copper and aluminum cables</p>	Cable cutter	Size:6"/160mm Black finish and polish 55# Carbon steel Packed by half double blister
<b>INDUSTRIAL</b> HCCB0208	 <p>Copper and aluminum cables</p>	Cable cutter	Size:8"/200mm Black finish and polish 55# Carbon steel Packed by half double blister
<b>INDUSTRIAL</b> HCCB0210	 <p>Copper and aluminum cables</p>	Cable cutter	Size:10"/250mm Black finish and polish 55# Carbon steel Packed by half double blister
<b>INDUSTRIAL</b> HCCB0124	 <p>Comfortable Rubber Handle</p> <p>65Mn</p> <p>Copper and aluminum cables</p> <p><b>New Model</b></p>	Cable cutter	Size:24" Blades Material:65Mn Used for cutting copper and aluminum cable Not for cutting ACSR , wire rope,steel or self supporting strand Cutting Area:240mm2 Body heat treatment,cutting edges induction quenched Packed by paper card
HPC0543	 <p>Automatic open</p>	PVC Pipe cutter	Length:193mm Material : 3cr13 Cutting diameter:3-42mm Auto-open function Packed by double blister
<b>INDUSTRIAL</b> HPC0442	 <p>Automatic open</p>	PVC Pipe cutter	Length:225mm Cutting diameter:3-42mm Auto-open function Packed by double blister
<b>INDUSTRIAL</b> HPC0232	 <p>Aluminium knob</p>	Pipe cutter	Copper and aluminum pipe cutter Cutting diameter:3-32mm With high Quality blade Aluminium knob Packed by sliding card
<b>INDUSTRIAL</b> HPC0142		Pipe cutter	Can cut copper pipe & aluminum pipe & steel pipe Cutting diameter:10-42mm With high Quality blade Packed by carton box
HPC0535		PVC Pipe cutter	Length:210mm Cutting diameter:3-35mm Material : Aluminum packed by double blister






Stock Code	Picture	Category	Description & Features
HKSD0458		4 pcs screwdriver set	4 pcs screwdriver set INGCO new design handle Material:CR-V Round blade 1pcs SL5X100mm 1pcs SL6X150mm 1pcs PH1X100mm 1pcs PH2X150mm Packed by plastic hanger
HKSD0658		6 pcs screwdriver set	6 pcs screwdriver set INGCO new design handle Material:CR-V Round blade 1pcs SL5X75mm 1pcs SL5X100mm 1pcs SL6X150mm 1pcs PH1X75mm 1pcs PH1X100mm 1pcs PH2X150mm with 1 pcs plastic frame Packed by double blister
HKSD2658		26 Pcs screwdriver set	26 pcs screwdriver set Material : CR-V Round blade include : 7PCS Slotted screwdriver : SL6*38 ; SL3*75 ; SL5.5*100 ; SL5.5*100 ; SL6.5*125 ; SL6.5*150 ; SL8*200 ; 11PCS Phillips screwdriver : PH2*38 ; PH00*75 ; PH0*75 ; PH1*75 ; PH1*100 ; PH1*100 ; PH2*100 ; PH2*125 ; PH2*150 ; PH3*150 ; PH3*200 ; 6PCS Torx screwdriver : T15*100 ; T20*100 ; T25*100 ; T27*125 ; T30*125 ; T40*125 2PCS Square screwdriver : S1*100 ; S2*100 With 1 pcs plastic frame
INDUSTRIAL HS282038		Slotted screwdriver	Cr-V, Round shank Slotted : 6.5mm Diameter : 6.0mm Length : 38mm Packed by poly bag
INDUSTRIAL HS284100		Slotted screwdriver	Slotted : 4.0mm Diameter : 4.0mm Length : 100mm Packed by poly bag
INDUSTRIAL HS285075		Slotted screwdriver	Slotted : 5.5mm Diameter : 5.0mm Length : 75mm Packed by poly bag
INDUSTRIAL HS285100		Slotted screwdriver	Slotted : 5.5mm Diameter : 5.0mm Length : 100mm Packed by poly bag
INDUSTRIAL HS286125		Slotted screwdriver	Slotted : 6.5mm Diameter : 6.0mm Length : 125mm Packed by poly bag






Stock Code	Picture	Category	Description & Features
<b>INDUSTRIAL</b> HS286150		Slotted screwdriver	Slotted : 6.5mm Diameter : 6.0mm Length : 150mm Packed by poly bag
<b>INDUSTRIAL</b> HS288150		Slotted screwdriver	Slotted : 8.0mm Diameter : 8.0mm Length : 150mm Packed by poly bag
<b>INDUSTRIAL</b> HS288200		Slotted screwdriver	Slotted : 8.0mm Diameter : 8.0mm Length : 200mm Packed by poly bag
<b>INDUSTRIAL</b> HS28PH2038		Phillips screwdriver	CR-V,PH2, Round shank Diameter : 6.0mm length : 38mm Packed by poly bag
<b>INDUSTRIAL</b> HS28PH0075		Phillips screwdriver	CR-V,PH0, Round shank Diameter : 3.0mm length : 75mm Packed by poly bag
<b>INDUSTRIAL</b> HS28PH1075		Phillips screwdriver	CR-V,PH1, Round shank Diameter : 5.0mm length : 75mm Packed by poly bag
<b>INDUSTRIAL</b> HS28PH1100		Phillips screwdriver	CR-V,PH1, Round shank Diameter : 5.0mm length : 100mm Packed by poly bag
<b>INDUSTRIAL</b> HS28PH2125		Phillips screwdriver	CR-V,PH2, Round shank diameter : 6.0mm length : 125mm Packed by poly bag
<b>INDUSTRIAL</b> HS28PH2150		Phillips screwdriver	CR-V,PH2, Round shank diameter : 6.0mm length : 150mm Packed by poly bag
<b>INDUSTRIAL</b> HS28PH3150		Phillips screwdriver	CR-V,PH3, Round shank Diameter : 8.0mm length : 150mm Packed by poly bag
<b>INDUSTRIAL</b> HS28PH3200		Phillips screwdriver	CR-V,PH3, Round shank Diameter : 8.0mm length : 200mm Packed by poly bag
<b>INDUSTRIAL</b> HS28T10100		Torx screwdriver	CR-V,T10, Round shank diameter : 5.0mm length : 100mm Packed by poly bag






Stock Code	Picture	Category	Description & Features
<b>INDUSTRIAL</b> HS28T20150		Torx screwdriver	CR-V,T20, Round shank diameter : 6.0mm length : 150mm Packed by poly bag
<b>INDUSTRIAL</b> HS28PZ1100		Pozidriv screwdriver	CR-V,PZ1, Round shank diameter : 5.0mm length : 100mm Packed by poly bag
<b>INDUSTRIAL</b> HS28PZ2150		Pozidriv screwdriver	CR-V,PZ2, Round shank diameter : 6.0mm length : 150mm Packed by poly bag
<b>INDUSTRIAL</b> HGTS286100		Slotted Go-Through Screwdriver	S2 industrial steel , Hex shank Slotted : 6.5mm Shank : 6.0mm Length : 100mm Packed by poly bag
<b>INDUSTRIAL</b> HGTS286150		Slotted Go-Through Screwdriver	S2 industrial steel , Hex shank Slotted : 6.5mm Shank : 6.0mm Length : 150mm Packed by poly bag
<b>INDUSTRIAL</b> HGTS288150		Slotted Go-Through Screwdriver	S2 industrial steel , Hex shank Slotted : 8.0mm Shank : 8.0mm Length : 150mm Packed by poly bag
<b>INDUSTRIAL</b> HGTS288200		Slotted Go-Through Screwdriver	S2 industrial steel , Hex shank Slotted : 8mm Shank : 8.0mm Length : 200mm Packed by poly bag
<b>INDUSTRIAL</b> HGTSPH2100		Phillips Go-Through Screwdriver	S2 industrial steel , Hex shank,PH2 Shank : 6.0mm length : 100mm Packed by poly bag
<b>INDUSTRIAL</b> HGTSPH2150		Phillips Go-Through Screwdriver	S2 industrial steel , Hex shank,PH2 Shank : 6.0mm length : 150mm Packed by poly bag
<b>INDUSTRIAL</b> HGTSPH3150		Phillips Go-Through Screwdriver	S2 industrial steel , Hex shank,PH3 Shank : 8.0mm length : 150mm Packed by poly bag
<b>INDUSTRIAL</b> HGTSPH3200		Phillips Go-Through Screwdriver	S2 industrial steel , Hex shank,PH3 Shank : 8.0mm length : 200mm Packed by poly bag





Stock Code	Picture	Category	Description & Features
INDUSTRIAL HKSD0248		2 pcs screwdriver set	2 pcs screwdriver set Material : CR-V Round blade 1pcs SL6.5*6*125 1pcs PH2*6*125 Packed by plastic hanger
INDUSTRIAL HKSD0628 INDUSTRIAL		6 pcs screwdriver set	6 pcs screwdriver set INGCO new design handle Material : CR-V Round blade 1pcs SL5.5*5*75 1pcs SL5.5*5*100 1pcs SL6.5*6*150 1pcs PH1*5*75 1pcs PH1*5*100 1pcs PH2*6*150 Packed by PP hanger
INDUSTRIAL HSGT280608		6Pcs go-through screwdriver set	6Pcs Go-Through Screwdriver Set S2 industrial steel Hex shank 1pcs SL6.5*6*100 1pcs SL6.5*6*150 1pcs SL8.0*8*200 1pcs PH2*6*100 1pcs PH2*6*150 1pcs PH3*8*200 Packed by PP hanger
INDUSTRIAL HKSD0828		8 Pcs screwdriver set	8 pcs screwdriver set INGCO new design handle Material : CR-V Round blade 1pcs SL3.0*3*75 1pcs SL5.5*5*100 1pcs SL6.5*6*150 1pcs SL6.5*6*38 1pcs PH0*3*75 1pcs PH1*5*75 1pcs PH2*6*125 1pcs PH2*6*38 Packed by PP hanger





Stock Code	Picture	Category	Description & Features
INDUSTRIAL			
HKSD1828		18 Pcs screwdriver and precision screwdriver set	<p>18 Pcs screwdriver and precision screwdriver set</p> <p>INGCO new design handle</p> <p>Material : CR-V, Round blade</p> <p>8 Pcs screwdriver :</p> <p>1pcs SL5.5*5*75</p> <p>1pcs SL6.5*6*100</p> <p>1pcs SL8.0*8*150</p> <p>1pcs SL6.5*6*38</p> <p>1pcs PH1*5*75</p> <p>1pcs PH2*6*100</p> <p>1pcs PH3*8*150</p> <p>1pcs PH2*6*38</p> <p>10Pcs precision screwdriver</p> <p>SL1.5*50 SL2*50 SL2.5*50 SL3*50</p> <p>PH000*50 PH00*50 PH0*50</p> <p>T6*50 T8*50 T10*50</p> <p>With 1pcs plastic frame</p> <p>Packed by double blister</p>
INDUSTRIAL			
AKISD0608		6 IN 1 Screwdriver set	<p>6 IN 1 Screwdriver set</p> <p>INGCO Style Handle</p> <p>2 pcs two-way bit :</p> <p>6.35*65mm,PH1+SL5</p> <p>8.00*75mm,PH2+SL6</p> <p>2pcs socket : 6mm, 8mm</p> <p>Material:CR-V</p> <p>With 1pcs interchangeable handle</p> <p>Packed by Display colour box</p>
AKSDFL1208		12 Pcs Flexible shaft screwdriver set	<p>12 Pcs Flexible shaft screwdriver set</p> <p>Include:</p> <p>1Pcs Flexible shaft handle</p> <p>1Pcs 4-6mm(25mm)bits adaptor</p> <p>10Pcs 6.35X25mm screwdriver bits :</p> <p>SL5,SL6,SL7,PH1,PH2,PH3,T10,T15,T20,T25</p> <p>1Pcs 4-6 adaptor</p>
INDUSTRIAL			
AKISD0901		9 Pcs interchangeable screwdriver set	<p>Interchangeable screwdriver set</p> <p>Include:</p> <p>3pcs SL3X65 SL5X65 SL6X65</p> <p>3pcs PH0X65 PH1X65 PH2X65</p> <p>1pcs 5X65 tack remover</p> <p>1pcs 3X65 scratch awl</p> <p>Material : CR-V</p> <p>with 1pcs INGCO Style Interchangeable Handle</p> <p>Packed by plastic box</p>
INDUSTRIAL			
HKSD0718		7Pcs precision screwdriver set	<p>7PCS precision screwdriver set</p> <p>INGCO new design handle,New plastic box</p> <p>Include:</p> <p>SL2.0*50, SL2.5*50, SL3.0*50, PH00*50, PH0*50</p> <p>. T6*50, T8*50</p> <p>Material:CR-V</p> <p>Ergonomic comfort-grip handle</p> <p>Packed by plastic box</p>








Stock Code	Picture	Category	Description & Features
<b>INDUSTRIAL</b>			
AKISD0808		8 Pcs ratchet screwdriver set	8 pcs Ratchet Screwdriver Set Include: 1pcs High Quality Ratchet Handle(INGCO new design) 7pcs 25mm Screwdriver bits SL5,SL6,PH1,PH2,PH3,T15,T20 Packed by half double blister
AKISD1208		13 IN 1 Ratchet screwdriver set	13 IN 1 Ratchet Screwdriver set Include: 1 Pcs INGCO Style ratchet handle Folding handle, high quality ratchet 12 Pcs 6.35*25mm screwdriver bits Size : SL4,SL5,SL6,SL7, PH0, PH1,PH2,PH3,PZ0,PZ1,PZ2,PZ3 Material : CR-V Packed by display colour box
HKSD0188		24PCS T-handle wrench screwdriver set	24PCS T-handle wrench screwdriver set Include : 15pcs 6.35x25MM CR-V screwdriver bit: SL3,SL4,SL5,SL6,PH0,PH1,PH2,PH3,PZ1,PZ2,T15,T20,H4,H5,H6 1PC 5X100MM bit holder with strong magnetic 1PC INGCO Style T-handle Ratchet wrench 1PC 4-6mm(25mm)bits adaptor 6PC 1/4" socket: 5,6,7,8,9,10 Packed by plastic box
<b>INDUSTRIAL</b>			
HKSD0268		26 Pcs screwdriver bit set	26 PCS screwdriver bit set Include : 1pcs INGCO Style Ratchet Holder 18pcs 65mm Screwdriver bit PH0, PH1, PH2, PH3, PZ1, PZ2, PZ3, SL3, SL4, SL5, SL6, SL7, T10, T15, T20, T25, T27, T30 6pcs Power sleeve 5mm, 6mm, 7mm, 8mm, 9mm, 10mm,Material : C R-V 1pcs pouch colour box for presentation Packed by double blister
<b>INDUSTRIAL</b>			
HKTH10258		25pcs handtools set	25pcs handtools set Include : 1pcs 7" Combination plier 1pcs 6" Diagonal cutting pliers 1pcs 8" Adjustable wrench 1pcs 3mx16mm steel measuring tape 1pcs 100mm magnetic shank 20pcs screwdriver bits Size : SL3 SL4 SL5 SL6 PH0 PH1 PH2 PH3 PZ0 PZ1 PZ2 PZ3 T10 T15 T20 T30 H3 H4 H5 H6 Packed by plastic box










Stock Code	Picture	Category	Description & Features
HKTHP21171		117 Pcs tools set	<p>117 Pcs Tools Set Include :</p> <ul style="list-style-type: none"> <li>1 Pcs 8Oz Claw hammer</li> <li>1 Pcs 6" Combination Pliers</li> <li>1 Pcs 6" Long nose pliers</li> <li>1 Pcs SL5.5*100 Screwdriver</li> <li>1 Pcs PH1*100 Screwdriver</li> <li>1 Pcs Screwdriver tester</li> <li>1 Pcs 8" Adjustable Wrench</li> <li>1 Pcs 3M Steel measuring tape</li> <li>1 Pcs Mini Hacksaw frame</li> <li>9 Pcs Hex key 1.5-2-2.5-3-4-5-6-8-10MM</li> <li>1 Pcs 100mm magnetic shank</li> <li>20Pcs screwdriver bits</li> <li>Size : SL3 SL4 SL5 SL6 PH0 PH1 PH2 PH3 PZ0 PZ1 PZ2 PZ3 T10 T15 T20 T30 H3 H4 H5 H6</li> <li>1 Pcs Snap-off blade knife</li> <li>10Pcs knife blades</li> <li>6 Pcs 1/4" Hexagonal Socket 5mm 6mm 8mm 9mm 10mm 11mm</li> <li>1 Pcs 4-6mm(25mm) socket adaptor</li> <li>10 Pcs 4*30 Screw</li> <li>10 Pcs 5*50 Screw</li> <li>10 Pcs 4.2*19 self-tapping screw</li> <li>10 Pcs 4.2*38 self-tapping screw</li> <li>10 Pcs 5.5*32Hex Self drilling screw</li> <li>10 Pcs 5.5*50Hex Self drilling screw</li> </ul>
INDUSTRIAL			
HKTS14451		45Pcs 1/4" socket set	<p>1/4" Dr 45Pcs/set</p> <p>45PCS 1/4" Socket set Include :</p> <ul style="list-style-type: none"> <li>1Pcs 1/4" Ratchet wrench,45T</li> <li>13Pcs 1/4"Dr Socket:4-4.5-5-5.5-6-7-8-9-10-11-12-13-14mm</li> <li>1Pcs 1/4" Dr. Universal joint</li> <li>2Pcs 1/4"Dr Extension Bar : 50mm &amp;100mm</li> <li>1Pcs 1/4"*150mm Spinner handle</li> <li>20Pcs Screwdriver bits:PH1-PH2-PH3-PZ1-PZ2-PZ3-SL4-SL5-SL6-H1.5-H2-H3-H4-H5-H6-T10-T15-T20-T25-T30</li> <li>1Pcs Screwdriver Bits holder</li> <li>1Pcs 1/4"*150mm Flexible extension bar</li> <li>1Pcs 1/4"*114mm Sliding T bar</li> <li>4Pcs Hex Key Wrench: 1.5-2.0-2.5-3.0mm</li> </ul> <p>Material: CR-V(50BV20) heat treated</p>
INDUSTRIAL			
HKTS12122		12Pcs 1/2" socket set	<p>12PCS 1/2" Socket set</p> <p>12PCS 1/2" Socket set Include :</p> <ul style="list-style-type: none"> <li>10pcs socket:10,11,12,13,14,15,17,19,21,24mm</li> <li>1pcs 1/2" 45T quick release ratchet handle</li> <li>1pcs 5" extention bar</li> <li>50BV30 High quality CrV steel</li> <li>Micro finished and chromed plated</li> <li>Packed by plastic hanger</li> </ul>









Stock Code	Picture	Category	Description & Features
HKTS0243		24Pcs 1/2" socket set	24pcs Socket set 1/2" Include : 18pcs 1/2" CRV DR. Sockets: 10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,27,30,32 2pcs 1/2" DR. Extension bar 1pcs 1/2" DR. Sliding T bar 1pcs 1/2" DR. Universal joint 1pcs 1/2" DR. Speeder handle 1pcs 1/2" DR. Quick ratchet handle Packed by metal box
INDUSTRIAL			
HKTS12251		25Pcs 1/2" socket set	25Pcs 1/2" Socket set Include : 1Pcs 1/2"Dr Ratchet wrench,45T 18Pcs 1/2"Dr Socket : 10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-27-30-32mm 1Pcs 1/2"Dr Universal Joint 2Pcs 1/2"Dr Extension Bar : 125mm & 250mm 2Pcs Spark Plug Socket : 16mm & 21mm 1Pcs 1/2"*250mm Sliding T bar Material : CR-V(50BV30),heat treated Packed by BMC
INDUSTRIAL			
HKTS42441		44Pcs 1/4"+1/2" socket set	44PCS 1/4"+1/2" Socket set Include : 1Pcs 1/4"Dr Ratchet wrench,45T 13Pcs 1/4"Dr Socket:4-4.5-5-5.5-6-7-8-9-10-11-12-13-14mm 1Pcs 1/4"Dr Universal Joint 2Pcs 1/4"Dr Extension Bar : 50mm & 100mm 1Pcs 1/4"*114mm Sliding T bar 1Pcs 1/4"*150mm Flexible Extension Bar 1Pcs 1/2"Dr Ratchet wrench,45T 18Pcs 1/2"Dr Socket : 8-10-12-13-14-15-16-17-18-19-20-21-22-23-24-27-30-32mm 1Pcs 1/2"Dr Universal Joint 2Pcs 1/2"Dr Extension Bar : 125mm & 250mm 1Pcs 1/2"*250mm Sliding T bar 2Pcs Spark Plug Socket : 16mm & 21mm Material : CR-V(50BV30),heat treated
INDUSTRIAL			
HTB03		Tool box	Size:400x200x195mm 3 layers Steel thickness : 0.6~0.8mm








Stock Code	Picture	Category	Description & Features
INDUSTRIAL HTB02		Tool box	Size:495x200x290mm 3 layers Steel thickness : 0.6~0.8mm
INDUSTRIAL HTBG05		Tool bag	Size:13" Rigid frame for easy opening and access Internal & external pockets for additional storage capacity Packed by paper card
INDUSTRIAL HTBG03		Tool bag	Size:16" Rigid frame for easy opening and access Reinforced plastic base for durability Internal pockets for additional storage capacity Adjustable shoulder strap included Packed by paper card
INDUSTRIAL NEW HBP0101		Arrival June Tools Backpack	Size : L34cm* W17cm*H45cm With 1pcs handle bag inside Material : polyester oxford 600D Rigid frame for easy opening and access Internal External pockets for additional storage capacity
HTSDT1408		Test pencil	Test Voltage:AC 100-500V Slotted size: 3x140mm Packed by plastic hanger











Stock Code	Picture	Category	Description & Features
HSDT1908		Test pencil	Test Voltage:AC 100-500V Slotted size: 4x190mm Packed by plastic hanger
HSDT1909		Digital test pencil	Test Voltage:AC 12-250V/DC 1.5-36V Slotted size:4x133mm Induction test to find phase line,ground line and breakpoint of phase line No need to install battery Packed by double blister
<b>INDUSTRIAL</b> HISD813075		Insulated Screwdriver	CR-V,SL3.0×75 INGCO new design handle Round shank 1000V,VDE Certification Packed by plastic hanger
<b>INDUSTRIAL</b> HISD814100		Insulated Screwdriver	CR-V,SL4.0×100 INGCO new design handle Round shank 1000V,VDE Certification Packed by plastic hanger
<b>INDUSTRIAL</b> HISD815125		Insulated Screwdriver	CR-V,SL5.5×125 INGCO new design handle Round shank 1000V,VDE Certification Packed by plastic hanger
<b>INDUSTRIAL</b> HISD816150		Insulated Screwdriver	CR-V,SL6.5×150 INGCO new design handle Round shank 1000V,VDE Certification Packed by plastic hanger
<b>INDUSTRIAL</b> HISD81PH060		Insulated Screwdriver	CR-V,PH0×60 INGCO new design handle Round shank 1000V,VDE Certification Packed by plastic hanger












Stock Code	Picture	Category	Description & Features
<b>INDUSTRIAL</b> HISD81PH180		Insulated Screwdriver	CR-V,PH1×80 INGCO new design handle Round shank 1000V,VDE Certification Packed by plastic hanger
<b>INDUSTRIAL</b> HISD81PH2100		Insulated Screwdriver	CR-V,PH2×100 INGCO new design handle Round shank 1000V,VDE Certification Packed by plastic hanger
<b>INDUSTRIAL</b> HISD81PZ2100		Insulated Screwdriver	CR-V,PZ2×100 INGCO new design handle Round shank 1000V,VDE Certification Packed by plastic hanger
<b>INDUSTRIAL</b> HKISD0608		6 PCS Insulated Screwdriver Set	6 PCS Insulated Screwdriver Set SL3.0×75 SL4.0×100 SL6.5×150 PH0×60 PH1×80 PH2×100 INGCO new design handle Use Aluminum frame with 4pcs Screw and 4pcs Screw Plug Round shank 1000V,VDE Certification Packed by double blister
<b>INDUSTRIAL</b> HPET1101		PVC Insulating tape	Pure PVC Real Length:10yards(9.15m) colour:Black Width:18mm Thickness:0.19mm
<b>INDUSTRIAL</b> HGC0104		G clamp	Size:4"/100mm Body malleable cast iron T-shaped thread Packed by paper card
<b>INDUSTRIAL</b> HGC0105		G clamp	Size:5"/125mm Body malleable cast iron T-shaped thread Packed by paper card











Stock Code	Picture	Category	Description & Features
<b>INDUSTRIAL</b> HGC0106		G clamp	Size:6"/150mm Body malleable cast iron T-shaped thread Packed by paper card
<b>INDUSTRIAL</b> HFC020501		F clamp	Clamp size:50x150mm Max clamp force: 170KGS Thickness and width of iron ruler:5X15mm Diameter of screw thread:11mm Packed by paper card
<b>INDUSTRIAL</b> HFC020503		F clamp	Clamp size:50x250mm Max clamp force: 170KGS Thickness and width of iron ruler:5X15mm Diameter of screw thread:11mm Packed by paper card
<b>INDUSTRIAL</b> HFC020802		F clamp	Clamp size:80x300mm Max clamp force: 270KGS Thickness and width of iron ruler:6X22mm Diameter of screw thread:13.5mm Packed by paper card
<b>INDUSTRIAL</b> HFC021201		F clamp	Clamp size:120x300mm Max clamp force: 450KGS Thickness and width of iron ruler:8X30mm Diameter of screw thread:15.3mm Packed by paper card
<b>INDUSTRIAL</b> HFC021204		F clamp	Clamp size:120x400mm Max clamp force: 450KGS Thickness and width of iron ruler:8X30mm Diameter of screw thread:15.3mm Packed by paper card
<b>INDUSTRIAL</b> HFC021202		F clamp	Clamp size:120x500mm Max clamp force: 450KGS Thickness and width of iron ruler:8X30mm Diameter of screw thread:15.3mm Packed by paper card
<b>INDUSTRIAL</b> HFC021203		F clamp	Clamp size:120x800mm Max clamp force: 450KGS Thickness and width of iron ruler:8X30mm Diameter of screw thread:15.3mm Packed by paper card






Stock Code	Picture	Category	Description & Features
<b>INDUSTRIAL</b>			
HFC021404		F clamp	Clamp size:140x1000mm Max clamp force: 550KGS Thickness and width of iron ruler:10X35mm Diameter of screw thread:17.8mm Packed by paper card
HFC021401		F clamp	Clamp size:140x1200mm Max clamp force: 550KGS Thickness and width of iron ruler:10X35mm Diameter of screw thread:17.8mm Packed by paper card
<b>NEW</b> HQSC0204		Spring clamp	Size:4" Length : 110mm Clamping force:12KGS Black clip body Max open mouth : 50mm
<b>NEW</b> HQSC0206		Spring clamp	Size:6" Length : 150mm Clamping force:15KGS Black clip body Max open mouth : 68mm
<b>INDUSTRIAL</b> HGP08023		Two Jaws Puller	Size:3", 2Jaws,Maxforce:2000KG material : Cr-v,heat treated surface treatment : chrome-plated range of application: A=80MM,L1=40MM,L2=44MM Packed by carton box
HBV084		Bench vice	Swivel base Size : 4" Weight:6.7kg Max clamping force:1300KGS With anvil Packed by carton box
HBV086		Bench vice	Swivel base Size : 6" Weight:11.2kg Max clamping force:1600KGS With anvil Packed by carton box








Stock Code	Picture	Category	Description & Features
HBV088		Bench vice	Swivel base Size : 8" Weight:21kg Max clamping force:2500KGS With anvil Packed by carton box
<b>INDUSTRIAL</b> HWC0806		Wood Chisel	Width:6mm Length : 140mm Wood Chisel, CRV Packed by double blister
<b>INDUSTRIAL</b> HWC0809		Wood Chisel	Width:9mm Length : 140mm Wood Chisel, CRV Packed by double blister
<b>INDUSTRIAL</b> HWC0812		Wood Chisel	Width:12mm Length : 140mm Wood Chisel, CRV Packed by double blister
<b>INDUSTRIAL</b> HWC0814		Wood Chisel	Width:14mm Length : 140mm Wood Chisel, CRV Packed by double blister
<b>INDUSTRIAL</b> HWC0816		Wood Chisel	Width:16mm Length : 140mm Wood Chisel, CRV Packed by double blister
<b>INDUSTRIAL</b> HWC0819		Wood Chisel	Width:19mm Length : 140mm Wood Chisel, CRV Packed by double blister
<b>INDUSTRIAL</b> HWC0822		Wood Chisel	Width:22mm Length : 140mm Wood Chisel, CRV Packed by double blister
<b>INDUSTRIAL</b> HWC0825		Wood Chisel	Width:25mm Length : 140mm Wood Chisel, CRV Packed by double blister
<b>INDUSTRIAL</b> HKTWC0401		4 Pcs wood chisel set	4 pcs Wood Chisel Set Width:6mm, 12mm, 19mm, 25mm Length : 140mm Wood Chisel, CRV Packed by Sliding card












Stock Code	Picture	Category	Description & Features
HCCL082210		Cold chisel	INGCO Style Handle Head size:22mm Handle size:16mm Length:250mm Material : 45# Carbon steel Drop forged and heat treatment Packed by plastic hanger
HCCL082412		Cold chisel	INGCO Style Handle Head size:24mm Handle size:18mm Length:300mm Material : 45# Carbon steel Drop forged and heat treatment Packed by plastic hanger
HCC0841016		Concrete chisel	INGCO Style Handle Head size:4mm Handle size:16mm Length:250mm Material : 45# Carbon steel Drop forged and heat treatment Packed by plastic hanger
HCC0841218		Concrete chisel	INGCO Style Handle Head size:4mm Handle size:18mm Length:300mm Material : 45# Carbon steel Drop forged and heat treatment Packed by plastic hanger
<b>INDUSTRIAL</b> HCCL811910		Cold chisel	Head size:19mm Handle size:16mm Length:254mm  Packed by plastic hanger
<b>INDUSTRIAL</b> HCCL812512		Cold chisel	Head size:25mm Handle size:19mm Length:305mm  Packed by plastic hanger
<b>INDUSTRIAL</b> HCC8141219		Concrete chisel	Head size:4mm Handle size:19mm Length:305mm  Packed by plastic hanger
<b>INDUSTRIAL</b> HCCL844410		Masonry Chisel	Head size:44mm Handle size:19mm Length:215mm  Packed by plastic hanger
<b>INDUSTRIAL</b> HCCL837610		Brick Chisel	Head size:76mm Handle size:19mm Length:215mm  Packed by plastic hanger

Stock Code	Picture	Category	Description & Features
<b>INDUSTRIAL</b> HWBA01142		Wrecking Bar	Size (AxBxC) : 14"(350mm)x7/8"(22mm)x1/2"(12.0mm) Oval shank with notch (30°, 68°)
<b>INDUSTRIAL</b> HWBA01242		Wrecking Bar	Size (AxBxC) : 24"(600mm)x1-1/8"(29mm)x19/32"(15.0mm) Oval shank with notch (30°, 68°)
<b>INDUSTRIAL</b> HWBA01362		Wrecking Bar	Size (AxBxC) : 36"(900mm)x1-1/8"(29mm)x19/32"(15.0mm) Oval shank with notch (30°, 68°)
<b>INDUSTRIAL</b> HWBA01482		Wrecking Bar	Size (AxBxC) : 48"(1200mm)x1-1/8"(29mm)x19/32"(15.0mm) Oval shank with notch (30°, 68°)
HR104		Hand riveter	Size:10.5" Applicable rivet size:2.4mm, 3.2mm,4mm,4.8mm Packed by sliding card
HR101		Hand riveter	L:260mm,10" Applicable rivet size:2.4mm, 3.2mm,4mm,4.8mm Packed by sliding card
<b>INDUSTRIAL</b> HR105		Hand riveter	Size:10.5" Aluminium alloy body Applicable rivet size:2.4mm, 3.2mm,4mm,4.8mm Packed by double blister
<b>INDUSTRIAL</b> SHHR106		360°Swivel head-hand Riveter	Size:10.5" 360 degrees of rotation in the head Applicable rivet size:2.4mm,3.2mm,4mm,4.8mm Material : Steel+Aluminum Packed by double blister
<b>INDUSTRIAL</b> HFOR321		Folding hand riveter	Size:815mm,32" Applicable rivet size:3.2mm,4mm,4.8mm,6mm,6.4mm Packed by colour box
HR171		Hand riveter	Size:420mm,17" Applicable rivet size:3.2mm,4mm,4.8mm Material : Steel+Aluminum With INGCO Style Rubber hand Packed by colour box






Stock Code	Picture	Category	Description & Features
HWRT3200811		Rivet	3.2x8mm 300 pcs in a bottle Open end style
HWRT3201011		Rivet	3.2x10mm 300 pcs in a bottle Open end style
HWRT4001011		Rivet	4x10mm 200 pcs in a bottle Open end style
HWRT4001211		Rivet	4x12mm 180 pcs in a bottle Open end style
HWRT4801211		Rivet	4.8x12mm 100 pcs in a bottle Open end style

Stock Code	Picture	Category	Description & Features
HWRT4801611		Rivet	4.8x16mm 100 pcs in a bottle Open end style
HLHP01		Leather Hole Punch	Auto-release feature ergonomic handle Punch hole sizes : 2.5mm, 3mm, 3.5mm, 4mm, 4.5mm, 5mm Packed by Half double blister
HSG1403		Staple gun	Staple gun Adjustable driving force Wire:0.7mm Crown:11.3mm Length : 4-14mm Packed by double blister
<b>INDUSTRIAL</b>			
HSG1404		Heavy duty staple gun	Heavy duty staple gun Wire:1.2mm Crown:10.6mm or 11.3mm Length : 4-14mm With 1000PCS nails Packed by double blister
STS0108		Staple	1000pcs saples(for INGCO HSG1403) size:8mm width:0.7mm Packed by colour box
STS0110		Staple	1000pcs saples(for INGCO HSG1403) size:10mm width:0.7mm Packed by colour box
STS0112		Staple	1000pcs saples(for INGCO HSG1403) Size:12mm width:0.7mm Packed by colour box








Stock Code	Picture	Category	Description & Features
STS0208		Staple	1000pcs staples(for INGCO HSG1404) size:8mm width:1.2mm Packed by colour box
STS0210		Staple	1000pcs staples(for INGCO HSG1404) size:10mm width:1.2mm Packed by colour box
STS0212		Staple	1000pcs staples(for INGCO HSG1404) size:12mm width:1.2mm Packed by colour box
MHHF1503		Mini Hacksaw Frame	Mini Hacksaw Size : 150mm (6") Comfortable handle Aluminum body With 1 pcs blade Packed in paper card
MHSB1521		Mini Hacksaw Blade	Size : 152mm (6") Number of teeth : 24T 10Pcs/Set Material : 65Mn Suitable for INGCO item MHHF1501 MHHF1502 MHHF1503 Packed by Plastic bag
HHF3038		Hacksaw Frame	Size:300mm/12" INGCO Style Hacksaw frame Including 1pcs 65Mn saw blade Packed by paper card
HHF3028		Hacksaw frame	Size:300mm/12" handle hacksaw frame, adjustable With Soft grip Including 1pcs 65Mn saw blade Packed by paper card
HHF3008		Hacksaw frame	Size:300mm/12" Heavy duty steel frame Aluminum + TPR handle,Strong and Comfortable Adjustable tension Quick-release blade changing mechanism Including 1pcs 65Mn saw blade Packed by paper card
HHF3088		Hacksaw frame	INGCO Style INDUSTRIAL Hacksaw frame Size:300mm/12" Heavy duty steel frame Aluminum + ABS + TPR handle,Strong and Comfortable Adjustable tension Quick-release blade changing mechanism








Stock Code	Picture	Category	Description & Features
HHAS08400		Hand saw	Length : 400mm, Thickness : 0.9mm, 7TPI With teeth protector Heat treatment Packed by paper card
HHAS08450		Hand saw	Length : 450mm, Thickness : 0.9mm, 7TPI With teeth protector Heat treatment Packed by paper card
HHAS08500		Hand saw	Length : 500mm, Thickness : 0.9mm, 7TPI With teeth protector Heat treatment Packed by paper card
HHAS08550		Hand saw	Length : 550mm, Thickness : 0.9mm, 7TPI With teeth protector Heat treatment Packed by paper card
<b>INDUSTRIAL</b> HHAS28500		Hand saw	Size:20"/500mm Material : Taiwan SK5 7TPI,heat treatment teeth Triple teeth(Precision ground teeth 3 edges) Two colour soft handle Fast cut and long life
HMBSB3008		Back Saw	INGCO Style new design handle Length : 300mm (12") Thickness : 0.8mm, 11TPI With teeth protector Heat treatment Packed by paper card
HMBS3008		Mitre box and back saw set	Plastic mitre box with back saw set 1pcs plastic mitre box Size:300×140×80 thickness:20mm 1pcs back saw Size:300mm/12", 11TPI INGCO Style new design handle
<b>INDUSTRIAL</b> HCS3008		Compass saw	Size:12"/300mm Material : Taiwan SK5 7TPI,heat treatment teeth Precision ground teeth 2 edges Fast cut and long life
<b>INDUSTRIAL</b> HWBSW68		Wall board saw	Size:6"/150mm Material : Taiwan SK5 8TPI,heat treatment teeth Triple teeth(Precision ground teeth 3 edges) Fast cut and long life








Stock Code	Picture	Category	Description & Features
HKNS16518		Snap-off blade knife	Blade Size:18mmx100mm With 1 pcs SK5 blade Length:173mm With flat push button Packed by sliding card
HKNS16618		Snap-off blade knife	Blade Size:18mmx100mm With 1 pcs SK5 blade Length:158mm With round push button Packed by sliding card
HKNS16538		Snap-off blade knife	Blade Size:18mmx100mm With 3 pcs SK5 blades Length:169mm With flat push button Packed by sliding card
<b>INDUSTRIAL</b> HKNS1808		Snap-off blade knife	Blade:100mm(L)x18mm(W) With 6 pcs SK5 blades Aluminum alloy shell With blade locking bolt With flat push button Net weight:190g Packed by double blister
HUK6128		Utility knife	Blade size:61x19mm SK5 blade With 6PCS blades Pack by double blister
<b>INDUSTRIAL</b> HUK6118		Utility knife	Size:180x45mm Blade size:61x19mm SK5 blade With 5 blades Pack by double blister













Stock Code	Picture	Category	Description & Features
<b>INDUSTRIAL</b>			
HUK614	 The image shows the retail packaging for the Incco HUK614 utility knife, which is orange and black. Next to it is the knife itself with an orange handle and a silver blade. Five spare SK5 blades are shown separately, labeled '5PCS SK5 blades'.	Utility knife	Blade size:61x19mm With 5PCS SK5 blades Zinc alloy body Pack by double blister
<b>INDUSTRIAL</b>			
HUK618	 The image shows the retail packaging for the Incco HUK618 utility knife, which is orange and black. Next to it is the knife itself with a black handle and a silver blade. Six spare SK5 blades are shown separately, labeled '6PCS SK5 blades'. The text 'Zinc Alloy' is printed above the blades.	Utility knife	Blade size:61x19mm SK5 blade with 6 blades Zinc alloy shell Net weight:256g pack by double blister Packed by double blister
HUK615	 The image shows the retail packaging for the Incco HUK615 utility knife, which is orange and black. Next to it is the knife itself with a silver blade and a black handle. The blade has the 'incco' logo on it.	Utility knife	Zinc alloy body 65MN Tool carrier With 1 pcs SK5 blade, Auto-Lock Blade:61mm(L)x19mm(W)x0.6(T) Weight:110g Packed by sliding card
HKNS1806	 The image shows the retail packaging for the Incco HKNS1806 snap-off blade, which is orange and black. Next to it is the blade itself, which is long and thin with a yellow push button.	Snap-off blade knife	Blade:9mm(L)x80mm(W) Stainless steel body With 1 pcs blade,Auto-Lock Length:129mm With flat push button Packed by bulk
HKNS1807	 The image shows the retail packaging for the Incco HKNS1807 snap-off blade, which is orange and black. Next to it is the blade itself, which is long and thin with a silver push button.	Snap-off blade knife	Blade:18mm(L)x100mm(W) Zinc alloy body With 1pcs SK5 blade,Auto-Lock  Length:158mm With flat push button Packed by plastic hanger
HUK613	 The image shows the retail packaging for the Incco HUK613 folding knife, which is orange and black. Next to it is the knife itself with a silver blade and a black handle.	Folding knife	Folding knife Aluminum alloy handle  Blade size:61x19mm With 5PCS SK5 blades Packed by double blister










Stock Code	Picture	Category	Description & Features
HKNSB181		10pcs blades set	With 10pcs blade Size:18x100mm  Packed by plastic box
HUKB611		10pcs utility knife blades set	With 10pcs SK5 blade Size:61x19mm Suitable for INGCO item HUK611 and HUK618 Packed by plastic box
HGS3008		Metal scraper	Material:ABS&TPR Handle,Zinc alloy knife plate With 6pcs SK5 knife Blade Blade size:18*100mm Length:300mm Weight:260G Packed by half double blister
HMFk8158		Multi-function Knife	Multi-function Knife With 15 Function 1.Large knife 2.Can opener 3.Phillips screwdriver 4.Leather punch 5.Bottle Opener 6.Scissors 7.Needle 8.Slotted Screwdriver 9.Fish scaler 10.Hook remover 11.Saw 12.corkscrew 13.Nail cleaner 14.Nail file 15.Key ring Strong Aluminium Handle Product size : 9.5cm Packed by display colour box
HFMFT0115		Foldable multi-function tool	Stainless steel handle with soft rubber grip Stainless steel components Foldable, easy to carry Includes 1pcs nylon belt pouch Overall size : 155mm closed size : 100mm With 15 Function 1.Flat nose Pliers 2.Regular pliers 3.Wire Cutters 4.Sharp knife 5.3# Screwdriver 6.Bottle opener 7.5# Screwdriver 8.7# Screwdriver 9.Serrated knife 10.Wood Saw 11.Multi-purpose Hook 12.Hook remover 13.Phillips Screwdriver 14.Can Opener 15.Metal/Wood File Packed by double blister








Stock Code	Picture	Category	Description & Features
HMFH0121		Multi-function hammer	Multi-function hammer With 12 Function 1.Claw hammer 2.Flat nose Pliers 3.Regular pliers 4.Wire Cutters 5.Large knife 6.Wood Saw 7.Hook remover 8.Phillips Screwdriver 9.Metal File 10.Wood File 11.SL5 Slotted screwdriver 12.Hex key Strong Aluminum Handle Packed by double blister
HGCT02		Glass cutter	Wooden handle Glass cutter with 6pcs wheels blade Total cutting length : 3000x6=18000m length:130mm Packed by sliding card
HGCT03		Heavy duty glass cutter	Iron body Auto oil feed cutter With 1pcs oil suction pipe Total cutting length:5000m length:178mm Packed by sliding card
HTSN0110L		Aviation snip	INGCO Style two tone soft handle Aviation snip (Left) Length:250mm (10") Max.cutting thickness: Carbon steel ≤1.2mm Stainless steel ≤0.7mm Packed by half double blister
HTSN0110S		Aviation snip	INGCO Style two tone soft handle Aviation snip( Straight) Length:250mm (10") Max.cutting thickness: Carbon steel ≤1.2mm Stainless steel ≤0.7mm Packed by half double blister
HTSN0110R		Aviation snip	INGCO Style two tone soft handle Aviation snip( Right) Length:250mm (10") Max.cutting thickness: Carbon steel ≤1.2mm Stainless steel ≤0.7mm Packed by half double blister
HTSNK0110		Aviation snip set	Two tone soft handle 3Pcs Aviation snip (Left,Straight,Right) Length:250mm (10") Max.cutting thickness: Carbon steel ≤1.2mm Stainless steel ≤0.7mm







Stock Code	Picture	Category	Description & Features
HTSN0112S		Long straight aviation snip	Aviation snip( Straight) Length:300mm (12") INGCO Style two tone soft handle Cutting plastic or rubber or 0.5mm brass wire net Packed by half double blister
HTS0410		Tin snip	Size:10" Max.cutting thickness: Carbon steel $\leq 1.2\text{mm}$ Stainless steel $\leq 0.5\text{mm}$ Drop-forged steel Double dipped grip handle Packed by half double blister
HTS0412		Tin snip	Size:12" Max.cutting thickness: Carbon steel $\leq 1.2\text{mm}$ Stainless steel $\leq 0.5\text{mm}$ Drop-forged steel Double dipped grip handle Packed by half double blister
HWB02250		Wire brusher	Plastic handle Coated Copper Length:250mm Packed by double blister
HWB024250		Wire brush	Wood handle, length:250mm,4line Packed by paper card
HBP02250		Block plane	Length:250mm Bolck plane It can be changed blade Packed by paper hanger
HPLB2501		Blade	Length:250mm,carbon steel,black plat Matched with HBP02250 Packed by polybag+header







Stock Code	Picture	Category	Description & Features
NEW HPL01300		Arrival August Planer	Length:235mm Steel Q195 Planing width&depth:44x2mm Packed by hanger card
NEW HPLB301		Arrival August Planer blade	Length:81x44 Matched with HPL01300 Packed by bulk
INDUSTRIAL HSFF088		Flat steel file	Length:200mm T12 Steel Packed by poly bag
INDUSTRIAL HSHF088		Half round steel file	Length:200mm T12 Steel Packed by poly bag
INDUSTRIAL HSRF088		Round steel file	Length:200mm T12 Steel Packed by poly bag
INDUSTRIAL HSTF088		Triangle steel file	Length:200mm T12 Steel Packed by poly bag
INDUSTRIAL HSSF088		Square steel file	Length:200mm T12 Steel Packed by poly bag
INDUSTRIAL HWFF088		Flat wood file	Length:200mm T12 Steel Packed by poly bag
INDUSTRIAL HWHF088		Half round wood file	Length:200mm T12 Steel Packed by poly bag
INDUSTRIAL HWRF088		Round wood file	Length:200mm T12 Steel Packed by poly bag
INDUSTRIAL HKTFS1308		3pcs steel file set	Size:8"/200mm T12 Steel Flat steel file 1pcs Round steel file 1pcs Half round steel file 1pcs Packed by double blister
INDUSTRIAL HKTFS0508		5pcs steel file set	Length:8"/200mm, T12 Steel Flat steel file 1pcs Half round steel file 1pcs Round steel file 1pcs Triangle steel file 1pcs Square steel file 1pcs Packed by double blister









Stock Code	Picture	Category	Description & Features
<b>INDUSTRIAL</b>			
HKTFW0308		3pcs wood file set	Length:8"/200mm Flat wood file 1pcs Half round wood file 1pcs Round wood file 1pcs Packed by double blister
HKTF63		6pcs file set	6pcs File set Length : 140mm Diameter : 3mm Flat,Round,Half round,Square,Triangle,Knife With two colour handle Packed by double blister
HCG0309		Caulking gun	9" caulking gun Iron shank with teeth Thickness : 0.8mm Length:235mm Diameter:51mm
HCG0909		Caulking gun	9" caulking gun Thickness : 1.0mm Length: 235mm Diameter:51mm With cutting function
HCG1409		Caulking gun	9" caulking gun Aluminum handle Double push plate With needle Thickness : 2.2mm Length:235mm Diameter:55mm Packed by paper card
<b>INDUSTRIAL</b>			
HCG0112		Aluminum caulking gun	12" aluminum caulking gun Length:305mm Diameter:51mm With 1pcs plastic adaptor Packed by paper card
<b>INDUSTRIAL</b>			
HCG0115		Aluminum caulking gun	15" aluminum caulking gun Length:380mm Diameter:51mm With 1pcs plastic adaptor Packed by paper card







Stock Code	Picture	Category	Description & Features
HSGU3122		Super Glue (Included 12pcs)	Material:100% purity glue Hardening time : 10 seconds Net weight:3g One year guarantee 3 parts big cap colour:Clear Application:Plastics,leather,metal,ceramic and wood. 12Pcs/Set Packed by blister card
GRG015001		Grease Gun	Heavy-Duty Grease Gun Taiwan Quality Capacity : 400CC / 14Oz Loading way : 14Oz Cartridge / 400CC Bulk Working Pressure : 4500psi Burst Pressure : 10000psi Material : 1.2mm Steel tube + Aluminum-Cast Standard Accessory : 1pcs 12" High Pressure Flexible Nylon Hose 1pcs Metallic Bend Spout Packed by colour box
HPUT68050		Putty trowel	Size:50(2")mm Carbon steel Heat treatment Fine polished
HPUT68063		Putty trowel	Size:63(2.5")mm Carbon steel Heat treatment Fine polished
HPUT68075		Putty trowel	Size:75(3")mm Carbon steel Heat treatment Fine polished
HPUT68100		Putty trowel	Size:100(4")mm Carbon steel Heat treatment Fine polished
HPUT68125		Putty trowel	Size:125(5")mm Carbon steel Heat treatment Fine polished






Stock Code	Picture	Category	Description & Features
INDUSTRIAL HPUT08060		Putty trowel	Size:60mm Stainless steel Heat treatment Fine polished Double colour plastic handle
INDUSTRIAL HPUT08080		Putty trowel	Size:80mm Stainless steel Heat treatment Fine polished Double colour plastic handle
INDUSTRIAL HPUT08100		Putty trowel	Size:100mm Stainless steel Heat treatment Fine polished Double colour plastic handle
INDUSTRIAL HPUT08125		Putty trowel	Size:125mm Stainless steel Heat treatment Fine polished Double colour plastic handle
INDUSTRIAL HPUT08150		Putty trowel	Size:150mm Stainless steel Heat treatment Fine polished Double colour plastic handle
INDUSTRIAL HPUT08060M		Multifunction Putty trowel	Size:60mm 1.5mm thickness stainless steel Heat treatment Fine polished  NO.1 Clean roller cover NO.2 Scrapes NO.3 Spreads NO.4 Knock NO.5 Convex scraper








Stock Code	Picture	Category	Description & Features
HBT718		Bricklaying trowel	Size: 7"/180mm(plastic handle) Diameter of connecting rod:9.5mm INGCO unique design handle
HBT818		Bricklaying trowel	Size: 8"/200mm(plastic handle) Diameter of connecting rod:9.5mm INGCO unique design handle
HBT1018		Bricklaying trowel	Size:10"/250mm Diameter of connecting rod:9.5mm INGCO unique design handle
HBT1118		Bricklaying trowel	Size:11"/275mm Diameter of connecting rod:11.5mm INGCO unique design handle
HPT23108		Plastering trowel	Size:230x100mm Carbon steel
HPTT23108		Plastering trowel with teeth	Size:230x100mm Teeth:10*6mm Carbon steel









Stock Code	Picture	Category	Description & Features
HPT28138		Plastering trowel	Plastering trowel Size:280x130mm INGCO unique design handle
HPTT28138		Plastering trowel with teeth	Plastering trowel with teeth Size:280x130mm Teeth:10*10mm INGCO unique design handle
<b>INDUSTRIAL</b> HPT28138S		Plastering trowel	Stainless steel blade Size:280x130mm INGCO unique design handle Packed by paper hanger
<b>INDUSTRIAL</b> HPTT28138S		Plastering trowel with teeth	Stainless steel blade Size:280x130mm Teeth:10*10mm INGCO unique design handle Packed by paper hanger
HSFR24108		Rubber grout float	Size:240mmx100mm EVA Thickness:19mm Pure PP handle Aluminium base plate
<b>INDUSTRIAL</b> HSFR24008	 Foam rubber base plate	Fine Rubber Float	Size:230mm(L)*100mm(W) Rubber Thickness:15mm Pure PP handle Aluminium base plate Cleaning function Sanding cement wall function

Stock Code	Picture	Category	Description & Features
HCLR0130		Chalk line reel	Chalk line reel Length: 30m With 1 bottle chalk With 1 pcs spirit bubble Packed by double blister
CHPTB0101		Paint brush	Width : 1" For Oil-Based paint Bristle length: 44mm Thickness: 12.5mm Wooden handle Packed by plastic bag
CHPTB0115		Paint brush	Width : 1.5" For Oil-Based paint Bristle length: 44mm Thickness: 13.5mm Wooden handle Packed by plastic bag
CHPTB0102		Paint brush	Width : 2" For Oil-Based paint Bristle length: 51mm Thickness: 14.5mm Wooden handle Packed by plastic bag
CHPTB0125		Paint brush	Width : 2.5" For Oil-Based paint Bristle length: 51mm Thickness: 15.5mm Wooden handle Packed by plastic bag
CHPTB0103		Paint brush	Width : 3" For Oil-Based paint Bristle length: 57mm Thickness: 16mm Wooden handle Packed by plastic bag

Stock Code	Picture	Category	Description & Features
CHPTB0104		Paint brush	Width : 4" For Oil-Based paint Bristle length: 57mm Thickness:17.5mm Wooden handle Packed by plastic bag
CHPTB0114091		9pcs paint brush set	9pcs paint brush set For Oil-Based paint 3pcs 1" 2pcs 1.5" 2pcs 2.0" 1pcs 3.0" 1pcs 4.0" Wooden handle Packed by double blister
CHPTB68701		Paint brush	Width:1" For Oil-Based paint INGCO unique design plastic handle Bristle length: 45mm Thickness: 10mm
CHPTB68715		Paint brush	Width:1.5" For Oil-Based paint INGCO unique design plastic handle Bristle length: 45mm Thickness: 11mm
CHPTB68702		Paint brush	Width:2" For Oil-Based paint INGCO unique design plastic handle Bristle length: 51mm Thickness: 11mm








Stock Code	Picture	Category	Description & Features
CHPTB68703		Paint brush	Width:3" For Oil-Based paint INGCO unique design plastic handle Bristle length: 57mm Thickness: 12mm
CHPTB68704		Paint brush	Width:4" For Oil-Based paint INGCO unique design plastic handle Bristle length: 57mm Thickness: 14mm
<b>INDUSTRIAL</b> CHPTB8701		Paint brush	Width : 1" For Oil-Based paint High quality bristles INGCO unique design plastic handle Bristle length: 51mm Thickness: 16mm Packed by colour sleeve
<b>INDUSTRIAL</b> CHPTB8715		Paint brush	Width : 1.5" For Oil-Based paint High quality bristles INGCO unique design plastic handle Bristle length: 51mm Thickness: 18mm Packed by colour sleeve
<b>INDUSTRIAL</b> CHPTB8702		Paint brush	Width : 2" For Oil-Based paint High quality bristles INGCO unique design plastic handle Bristle length: 57mm Thickness: 18mm Packed by colour sleeve
<b>INDUSTRIAL</b> CHPTB8725		Paint brush	Width : 2.5" For Oil-Based paint High quality bristles INGCO unique design plastic handle Bristle length: 57mm Thickness: 20mm Packed by colour sleeve
<b>INDUSTRIAL</b> CHPTB8703		Paint brush	Width : 3" For Oil-Based paint High quality bristles INGCO unique design plastic handle Bristle length: 64mm Thickness: 22mm Packed by colour sleeve









Stock Code	Picture	Category	Description & Features
<b>INDUSTRIAL</b>			
CHPTB8704	 A paintbrush with a yellow handle and a white sleeve. The sleeve has '100mm(4")' and 'CHPTB8704' printed on it. There are also 'Oil-Based' and 'INDUSTRIAL' labels.	Paint brush	Width : 4" For Oil-Based paint High quality bristles INGCO unique design plastic handle Bristle length: 70mm Thickness: 22mm Packed by colour sleeve
HCLB100308	 A ceiling brush with a yellow handle and a white sleeve. The sleeve has '100mm(4")' and 'HCLB100308' printed on it. There are also 'Oil-Based' and 'INDUSTRIAL' labels.	Ceiling brush	Size:4"(100*30mm) For Oil-Based paint Bristle length:70mm Thickness: 28mm High quality bristles INGCO unique design plastic handle Packed by colour sleeve
HCLB120308	 A ceiling brush with a yellow handle and a white sleeve. The sleeve has '120mm(5")' and 'HCLB120308' printed on it. There are also 'Oil-Based' and 'INDUSTRIAL' labels.	Ceiling brush	Size:5"(120*30mm) For Oil-Based paint Bristle length:70mm Thickness: 28mm High quality bristles INGCO unique design plastic handle Packed by colour sleeve
<b>INDUSTRIAL</b>			
HRHT061001D	 A mini cylinder brush with a yellow handle and a white sleeve. The sleeve has '100mm(4")' and 'HRHT061001D' printed on it. There are also '12mm Fibre height', 'Inner wall + Middle coarse surface', and 'Micro Fibre' labels.	Mini cylinder brush (Inner wall)	Material:Micro fibre Size:100mm/4" Fibre height:12mm Suitable for inner wall 6mm central shank With 1pcs roller cover Match with INGCO unique handle Packed by plastic bag
<b>INDUSTRIAL</b>			
HRHT052301	 A cylinder brush with a yellow handle and a white sleeve. The sleeve has '230mm(9")' and 'HRHT052301' printed on it. There are also '7mm Fibre height', 'Inner wall + Smooth surface', and 'Acrylic' labels.	Cylinder brush (Inner wall)	Material:Acrylic Size:230mm/9" Fibre height:7mm Suitable for inner wall 6mm central shank With 1pcs roller cover With 4pcs assistant shank Match with INGCO unique handle Packed by plastic bag
<b>INDUSTRIAL</b>			
HRHT042301D	 A cylinder brush with a yellow handle and a white sleeve. The sleeve has '230mm(9")' and 'HRHT042301D' printed on it. There are also '12mm Fibre height', 'Inner wall + Middle coarse surface', and 'Micro Fibre' labels.	Cylinder brush (Inner wall)	Material:Micro fibre Size:230mm/9" Fibre height:12mm Suitable for inner wall 6mm central shank With 1pcs roller cover With 4pcs assistant shank Match with INGCO unique handle Packed by plastic bag












Stock Code	Picture	Category	Description & Features
<b>INDUSTRIAL</b>			
HRHT042302D		Cylinder brush (Outer wall)	Material: Micro fibre Size: 230mm/9" Fibre height: 18mm Suitable for outer wall 8mm central shank Match with INGCO unique handle With 1pcs roller cover With 4pcs assistant shank Packed by plastic bag
<b>INDUSTRIAL</b>			
HRHT092551		Cylinder brush (Outer wall)	Material: Acrylic Size: 255mm/10" Supper bigger size Fibre height: 22mm Suitable for outer wall 8mm central shank Match with INGCO unique handle With 1pcs roller cover Packed by plastic bag
HRHT061001		Mini cylinder brush (Inner wall)	Material: Acrylic Size: 100mm/4" Fibre height: 12mm Suitable for inner wall 6mm central shank With 1pcs roller cover Packed by plastic bag
HRHT042301		Cylinder brush (Inner wall)	Material: Acrylic Size: 230mm/9" Fibre height: 12mm Suitable for inner wall 6mm central shank With 1pcs roller cover With 4pcs assistant shank Packed by plastic bag
HRHT042302		Cylinder brush (Outer wall)	Material: Acrylic Size: 230mm/9" Fibre height: 18mm Suitable for outer wall 8mm central shank With 1pcs roller cover With 4pcs assistant shank Packed by plastic bag












Stock Code	Picture	Category	Description & Features
HRHT442302T		Telescoping Cylinder brush	Material: Micro fibre Size: 230mm/9" Fibre height: 12mm Suitable for inner wall Mini length: 440mm Max length: 880mm With 1pcs roller cover With 4pcs assistant shank 8mm central shank With 3 parts telescoping aluminum tube Packed by plastic bag
HKTCB121001		Cylinder brush 12 in 1 set (Inner wall)	Material: Acrylic + polyester foam Size: 100mm/4" Suitable for inner wall and smooth surface 6mm central shank With 5pcs 12mm acrylic mini rollers With 5pcs polyester foam rollers Packed by double blister
HKTCB041002		Cylinder brush 4 in 1 set (Inner wall)	Material: Polyester foam Size: 100mm/4" Suitable for inner wall or smooth surface With 2pcs polyester foam rollers 6mm central shank With 1pcs 4" paint tray Packed by shrink
HKTCB032301		Cylinder brush 3 in 1 set (Inner wall)	Material: Acrylic Cylinder brush size: 230mm/9" Bigger size roller cover Fibre height: 12mm Suitable for inner wall 6mm central shank With 1pcs 10" paint tray With 1pcs acrylic cylinder brush Paint tray size: 435x300x7.5mm Packed by shrink
HKTCB83230132		Cylinder brush 13 in 1 set (Inner wall)	Suitable for inner wall 3pcs 230mm(9") 12mm roller covers 5pcs 100mm(4") 12mm roller covers 2pcs 100mm(4") polyester foams 1pcs 230mm(9") cylinder brush bracket 1pcs 100mm(4") cylinder brush bracket 1pcs INGCO unique design paint tray Paint tray size: 435x300x75mm Packed by shrink












Stock Code	Picture	Category	Description & Features
HKTCB83230083		Cylinder brush 8 in 1 set (Inner wall and outer wall)	<p>Suitable for inner wall and outer wall</p> <p>1pcs 230mm(9") 7mm roller cover</p> <p>3pcs 230mm(9") 12mm roller cover</p> <p>1pcs 230mm(9") 18mm roller cover</p> <p>1pcs 230mm(9") cylinder brush bracket</p> <p>1pcs 25mm(1")INGCO unique design paint brush</p> <p>1pcs INGCO unique design paint tray</p> <p>Paint tray size:435*300*75mm</p> <p>Packed by shrink</p>
CHPTT082551		Paint tray	<p>Pure material</p> <p>Net weight:395g</p> <p>Size:435*300*75mm</p> <p>Match with 9inch cylinder brush</p> <p>With volume mark function</p> <p>INGCO unique design paint tray</p> <p>Special flow channel design</p>
HRC3610012		Roller cover (Inner wall)	<p>Suitable for HRHT061001D and HRHT061001</p> <p>Material:Micro fibre</p> <p>Size:100mm/4"</p> <p>Fibre height:12mm</p> <p>Suitable for inner wall</p> <p>Packed by plastic bag</p>
HRC0523007		Roller cover(Inner wall)	<p>Suitable for HRHT052301</p> <p>Material:Acrylic</p> <p>Size:230mm/9"</p> <p>Fibre height:7mm</p> <p>Suitable for inner wall</p> <p>Packed by plastic bag</p>
HRC3323014		Roller cover (Inner wall)	<p>Suitable for HRHT042301D ,HRHT042301 and HRHT442302T</p> <p>Material:Micro fibre</p> <p>Size:230mm/9"</p> <p>Fibre height:12mm</p> <p>Used for inner wall</p> <p>Packed by plastic bag</p>
HRC3323018		Roller cover(Outer wall)	<p>Suitable for HRHT042302D and HRHT042302</p> <p>Material:Micro fibre</p> <p>Size:230mm/9"</p> <p>Fibre height:18mm</p> <p>Suitable for outer wall</p> <p>Packed by plastic bag</p>
HRC0925522		Roller cover(Outer wall)	<p>Suitable for HRHT092551</p> <p>Material:Acrylic</p> <p>Size:255mm/10"</p> <p>Super bigger size</p> <p>Fibre height:22mm</p> <p>Suitable for outer wall</p> <p>Packed by plastic bag</p>














Stock Code	Picture	Category	Description & Features
HRCEP0205		Telescopic rod	Material:Aluminum Total Length:200cm With screw connection function With insert function
HKSPA1088-I		Combination spanner set	8pcs combination spanner set Size:6-19mm 6mm,8mm,10mm,13mm,14mm,15mm,17mm,19mm  Fine polished Packed by plastic hanger
HKSPA2088		Double open end spanner set	8pcs double open end spanner set Size:6-22mm 6x7mm,8x9mm,10x11mm,12x13mm,14x15mm,16x17mm,18x19mm,20x22mm Fine polished Packed by plastic hanger
HKSPA3088		Offset ring spanner set	8pcs offset ring spanner set Size:6-22mm 6x7mm,8x9mm,10x11mm, 12x13mm,14x15mm,16x17mm,18x19mm, 20x22mm Fine polished Packed by plastic hanger
HKSPAR1082		Ratchet spanner set	8pcs Ratchet Spanner Set High quality Cr-Mo Ratchet Size:8-19mm  8mm,10mm,12mm,13mm,14mm,15mm,17mm,19mm Fine polished ,CR-V Packed by plastic hanger
HKSPA1142		Combination spanner set	12pcs combination spanner set Size:6-24mm 6mm,8mm,10mm,11mm, 12mm,13mm,14mm,15mm,17mm,19mm,22mm,24mm Fine polished Packed by canvas bag








Stock Code	Picture	Category	Description & Features
<b>INDUSTRIAL</b> HCSPA061		Combination spanner	Size:6mm Length:101mm Material:Cr-V Chrome plated,matt finish Packed by paper card
<b>INDUSTRIAL</b> HCSPA071		Combination spanner	Size:7mm Length:111mm Material:Cr-V Chrome plated,matt finish Packed by paper card
<b>INDUSTRIAL</b> HCSPA081		Combination spanner	Size:8mm Length:121mm Material:Cr-V Chrome plated,matt finish Packed by paper card
<b>INDUSTRIAL</b> HCSPA091		Combination spanner	Size:9mm Length:131mm Material:Cr-V Chrome plated,matt finish Packed by paper card
<b>INDUSTRIAL</b> HCSPA101		Combination spanner	Size:10mm Length:141mm Material:Cr-V Chrome plated,matt finish Packed by paper card
<b>INDUSTRIAL</b> HCSPA111		Combination spanner	Size:11mm Length:152mm Material:Cr-V Chrome plated,matt finish Packed by paper card
<b>INDUSTRIAL</b> HCSPA121		Combination spanner	Size:12mm Length:161mm Material:Cr-V Chrome plated,matt finish Packed by paper card
<b>INDUSTRIAL</b> HCSPA131		Combination spanner	Size:13mm Length:172mm Material:Cr-V Chrome plated,matt finish Packed by paper card
<b>INDUSTRIAL</b> HCSPA141		Combination spanner	Size:14mm Length:183mm Material:Cr-V Chrome plated,matt finish Packed by paper card
<b>INDUSTRIAL</b> HCSPA151		Combination spanner	Size:15mm Length:191mm Material:Cr-V Chrome plated,matt finish Packed by paper card
<b>INDUSTRIAL</b> HCSPA161		Combination spanner	Size:16mm Length:201mm Material:Cr-V Chrome plated,matt finish Packed by paper card

Stock Code	Picture	Category	Description & Features
<b>INDUSTRIAL</b> HCSPA171		Combination spanner	Size: 17mm Length: 211mm Material: Cr-V Chrome plated, matt finish Packed by paper card
<b>INDUSTRIAL</b> HCSPA181		Combination spanner	Size: 18mm Length: 221mm Material: Cr-V Chrome plated, matt finish Packed by paper card
<b>INDUSTRIAL</b> HCSPA191		Combination spanner	Size: 19mm Length: 231mm Material: Cr-V Chrome plated, matt finish Packed by paper card
<b>INDUSTRIAL</b> HCSPA201		Combination spanner	Size: 20mm Length: 242mm Material: Cr-V Chrome plated, matt finish Packed by paper card
<b>INDUSTRIAL</b> HCSPA211		Combination spanner	Size: 21mm Length: 253mm Material: Cr-V Chrome plated, matt finish Packed by paper card
<b>INDUSTRIAL</b> HCSPA221		Combination spanner	Size: 22mm Length: 262mm Material: Cr-V Chrome plated, matt finish Packed by paper card
<b>INDUSTRIAL</b> HCSPA241		Combination spanner	Size: 24mm Length: 287mm Material: Cr-V Chrome plated, matt finish Packed by paper card
<b>INDUSTRIAL</b> HCSPA271		Combination spanner	Size: 27mm Length: 331mm Material: Cr-V Chrome plated, matt finish Packed by paper card
<b>INDUSTRIAL</b> HCSPA301		Combination spanner	Size: 30mm Length: 384mm Material: Cr-V Chrome plated, matt finish Packed by paper card
<b>INDUSTRIAL</b> HCSPA321		Combination spanner	Size: 32mm Length: 405mm Material: Cr-V Chrome plated, matt finish Packed by paper card
<b>INDUSTRIAL</b> HCSPA361		Combination spanner	Size: 36mm Length: 460mm Material: Cr-V Chrome plated, matt finish Packed by paper card







Stock Code	Picture	Category	Description & Features
<b>INDUSTRIAL</b> HCSPAR061		Ratchet Spanner	Size:6mm Length : 125mm Material:Cr-V Chrome plated,matt finish Packed by paper card
<b>INDUSTRIAL</b> HCSPAR081		Ratchet Spanner	Size:8mm Length : 140mm Material:Cr-V Chrome plated,matt finish Packed by paper card
<b>INDUSTRIAL</b> HCSPAR101		Ratchet Spanner	Size:10mm Length : 159mm Material:Cr-V Chrome plated,matt finish Packed by paper card
<b>INDUSTRIAL</b> HCSPAR111		Ratchet Spanner	Size:11mm Length : 165mm Material:Cr-V Chrome plated,matt finish Packed by paper card
<b>INDUSTRIAL</b> HCSPAR121		Ratchet Spanner	Size:12mm Length : 171mm Material:Cr-V Chrome plated,matt finish Packed by paper card
<b>INDUSTRIAL</b> HCSPAR131		Ratchet Spanner	Size:13mm Length : 178mm Material:Cr-V Chrome plated,matt finish Packed by paper card
<b>INDUSTRIAL</b> HCSPAR141		Ratchet Spanner	Size:14mm Length : 191mm Material:Cr-V Chrome plated,matt finish Packed by paper card
<b>INDUSTRIAL</b> HCSPAR151		Ratchet Spanner	Size:15mm Length : 200mm Material:Cr-V Chrome plated,matt finish Packed by paper card
<b>INDUSTRIAL</b> HCSPAR161		Ratchet Spanner	Size:16mm Length : 209mm Material:Cr-V Chrome plated,matt finish Packed by paper card
<b>INDUSTRIAL</b> HCSPAR171		Ratchet Spanner	Size:17mm Length : 225mm Material:Cr-V Chrome plated,matt finish Packed by paper card
<b>INDUSTRIAL</b> HCSPAR191		Ratchet Spanner	Size:19mm Length : 245mm Material:Cr-V Chrome plated,matt finish Packed by paper card








Stock Code	Picture	Category	Description & Features
<b>INDUSTRIAL</b> HCSPAR211		Ratchet Spanner	Size:21mm Length : 290mm Material:Cr-V Chrome plated,matt finish Packed by paper card
<b>INDUSTRIAL</b> HCSPAR241		Ratchet Spanner	Size:24mm Length : 335mm Material:Cr-V Chrome plated,matt finish Packed by paper card
<b>INDUSTRIAL</b> HCSPAR271		Ratchet Spanner	Size:27mm Length : 359mm Material:Cr-V Chrome plated,matt finish Packed by paper card
HBWS110808		Bent wrench	1 PCS double open end wrench, 9-14mm,15-22mm 1 PCS single open end wrench, 23-32mm Chrome plated Two colour handle Packed by sliding card
HADW131062		Adjustable wrench	Length:150mm(6") Adjustable clamp size:0-19.2mm Packed by paper card
HADW131082		Adjustable wrench	Length:200mm(8") Adjustable clamp size:0-24mm Packed by paper card
HADW131102		Adjustable wrench	Length:250mm(10") Adjustable clamp size:0-30mm Packed by paper card
HADW131122		Adjustable wrench	Length:300mm(12") Adjustable clamp size:0-35mm Packed by paper card
<b>INDUSTRIAL</b> HADW131068		Adjustable wrench	Length:150mm(6"),CrV Adjustable clamp size:0-24mm INGCO style two tone soft handle Packed by plastic hanger
<b>INDUSTRIAL</b> HADW131088		Adjustable wrench	Length:200mm(8"),CrV Adjustable clamp size:0-30mm INGCO style two tone soft handle Packed by plastic hanger
<b>INDUSTRIAL</b> HADW131108		Adjustable wrench	Length:250mm(10"),CrV Adjustable clamp size:0-35mm INGCO style two tone soft handle Packed by plastic hanger






Stock Code	Picture	Category	Description & Features
<b>INDUSTRIAL</b>			
HADW131128		Adjustable wrench	Length:300mm(12"),CrV Adjustable clamp size:0-41mm INGCO style two tone soft handle Packed by plastic hanger
<b>INDUSTRIAL</b>			
HHK11091		Hex key	9pcs hex key set Material : Cr-V Size : 1.5-10mm Long arm  Heat treatment and chrome plate Packed by double blister
<b>INDUSTRIAL</b>			
HHK11092		Hex key	9pcs hex key set Material : Cr-V Size : 1.5-10mm Extra-long arm Heat treatment and chrome plate Packed by double blister
<b>INDUSTRIAL</b>			
HHK12091		Ball point hex key	9pcs ball point hex key set Material : Cr-V Size : 1.5-10mm Long arm Heat treatment and chrome plate Packed by double blister
<b>INDUSTRIAL</b>			
HHK12092		Ball point hex key	9pcs ball point hex key set Material : Cr-V Size : 1.5-10mm Extra-long arm Heat treatment and chrome plate Packed by double blister
<b>INDUSTRIAL</b>			
HHK13091		Torx key	9pcs torx key set Material : Cr-V Size : T10-T50 Long arm Heat treatment and chrome plate Packed by double blister
<b>INDUSTRIAL</b>			
HHK13092		Torx key	9pcs torx key set Material : Cr-V Size : T10-T50 Extra-long arm Heat treatment and chrome plate Packed by double blister






Stock Code	Picture	Category	Description & Features
INDUSTRIAL			
HHKSET0181	A yellow and black blister pack containing 18 hex keys and 9 Torx keys. The keys are arranged in two rows, with the hex keys on the left and Torx keys on the right. The pack is labeled 'INGCO INDUSTRIAL' and 'HHKSET0181'.	18 Pcs hex key and torx key set	18 Pcs Hex Key And Torx Key Set Include : 9 Pcs Hex Key Size : 1.5-10mm 9 Pcs Torx Key Size : T10-T50 Extra-long arm Material : Cr-V Heat treatment and chrome plate Packed by double blister
INDUSTRIAL			
HHK14081	A yellow and black plastic hanger containing 8 hex keys of various sizes. The hanger is labeled 'INGCO'.	Hex key	8pcs hex key( Pocket) Size : 2-8mm Material : Cr-V Heat treatment and chrome plate Packed by plastic hanger
INDUSTRIAL			
HHK14082	A yellow and black plastic hanger containing 8 ball point hex keys of various sizes. The hanger is labeled 'INGCO'.	Ball point hex key	8pcs ball point hex key set( Pocket) Size : 2-8mm Material : Cr-V Heat treatment and chrome plate Packed by plastic hanger
INDUSTRIAL			
HHK14083	A yellow and black plastic hanger containing 8 Torx keys of various sizes. The hanger is labeled 'INGCO'.	Torx key	8pcs torx key set( Pocket) Size : T9-T40 Material : Cr-V Heat treatment and chrome plate Packed by plastic hanger
INDUSTRIAL			
HHKT8081	A set of 8 T-handle hex wrenches of various sizes, including a yellow and black plastic hanger. The wrenches have long, thin shafts and T-shaped handles. The hanger is labeled 'INGCO'.	8 Pcs T-handle hex wrench set	8 Pcs T-handle hex wrench set INGCO Style New Handle Size : 2X75,2.5X75,3X100,4X100,5X150,6X150,8X200,10X200 Material : Cr-V, Heat treatment and chrome plate Packed by double blister
INDUSTRIAL			
HHKT8082	A set of 8 T-handle ball point hex wrenches of various sizes, including a yellow and black plastic hanger. The wrenches have long, thin shafts and T-shaped handles. The hanger is labeled 'INGCO'.	8 Pcs T-handle ball point hex wrench set	8 Pcs T-handle ball point hex wrench set INGCO Style New Handle Size : 2X75,2.5X75,3X100,4X100,5X150,6X150,8X200,10X200 Material : Cr-V, Heat treatment and chrome plate Packed by double blister






Stock Code	Picture	Category	Description & Features
INDUSTRIAL			
HHKT8083		8 Pcs T-handle torx wrench set	8 Pcs T-handle torx wrench set INGCO Style New Handle Size : T10X75,T15X75,T20X100,T25X100,T30X150,T40X150,T45X200,T50X200 Material : Cr-V, Heat treatment and chrome plate Packed by double blister
INDUSTRIAL			
HRTH0814		1/4"-Ratchet wrench	Size:1/4" 45T Length:158mm Material : CR-V+Cr-Mo Packed by plastic hanger
INDUSTRIAL			
HRTH0838		3/8"-Ratchet wrench	Size:3/8" 45T Length:205mm Material : CR-V+Cr-Mo Packed by plastic hanger
INDUSTRIAL			
HRTH0812		1/2"-Ratchet wrench	Size:1/2" 45T Length:260mm Material : CR-V+Cr-Mo Packed by plastic hanger
INDUSTRIAL			
HRTH8412		1/2"-ratchet wrench	Size:1/2" 72T Length:260mm Material : CR-V+Cr-Mo Packed by plastic hanger
INDUSTRIAL			
HHAST12081		1/2 Hexagonal Socket	1/2" Dr.6pt.socket,8MM Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger








Stock Code	Picture	Category	Description & Features
<b>INDUSTRIAL</b>			
HHAST12091		1/2 Hexagonal Socket	1/2" Dr.6pt.socket,9MM Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger
HHAST12101		1/2 Hexagonal Socket	1/2" Dr.6pt.socket,10MM Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger
HHAST12111		1/2 Hexagonal Socket	1/2" Dr.6pt.socket,11MM Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger
HHAST12121		1/2 Hexagonal Socket	1/2" Dr.6pt.socket,12MM Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger
HHAST12131		1/2 Hexagonal Socket	1/2" Dr.6pt.socket,13MM Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger

Stock Code	Picture	Category	Description & Features
<b>INDUSTRIAL</b>			
HHAST12141		1/2 Hexagonal Socket	1/2" Dr.6pt.socket,14MM Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger
HHAST12151		1/2 Hexagonal Socket	1/2" Dr.6pt.socket,15MM Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger
HHAST12161		1/2 Hexagonal Socket	1/2" Dr.6pt.socket,16MM Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger
HHAST12171		1/2 Hexagonal Socket	1/2" Dr.6pt.socket,17MM Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger
HHAST12181		1/2 Hexagonal Socket	1/2" Dr.6pt.socket,18MM Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger

Stock Code	Picture	Category	Description & Features
<b>INDUSTRIAL</b>			
HHAST12191		1/2 Hexagonal Socket	1/2" Dr.6pt.socket,19MM Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger
HHAST12201		1/2 Hexagonal Socket	1/2" Dr.6pt.socket,20MM Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger
HHAST12211		1/2 Hexagonal Socket	1/2" Dr.6pt.socket,21MM Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger
HHAST12221		1/2 Hexagonal Socket	1/2" Dr.6pt.socket,22MM Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger
HHAST12231		1/2" Hexagonal Socket	1/2" Dr.6pt.socket,23MM Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger








Stock Code	Picture	Category	Description & Features
<b>INDUSTRIAL</b>			
HHAST12241		1/2 Hexagonal Socket	1/2" Dr.6pt.socket,24MM Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger
HHAST12251		1/2 Hexagonal Socket	1/2" Dr.6pt.socket,25MM Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger
HHAST12261		1/2 Hexagonal Socket	1/2" Dr.6pt.socket,26MM Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger
HHAST12271		1/2 Hexagonal Socket	1/2" Dr.6pt.socket,27MM Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger
HHAST12281		1/2" Hexagonal Socket	1/2" Dr.6pt.socket,28MM Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger








Stock Code	Picture	Category	Description & Features
<b>INDUSTRIAL</b>			
HHAST12291		1/2" Hexagonal Socket	1/2" Dr.6pt.socket,29MM Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger
HHAST12301		1/2 Hexagonal Socket	1/2" Dr.6pt.socket,30MM Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger
HHAST12321		1/2 Hexagonal Socket	1/2" Dr.6pt.socket,32MM Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger
<b>INDUSTRIAL</b> <b>NEW</b>			
HHAST12083L		1/2 Deep Hexagonal socket	1/2" Deep Dr.6pt.socket,8MM Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger
<b>INDUSTRIAL</b> <b>NEW</b>			
HHAST12103L		1/2 Deep Hexagonal socket	1/2" Deep Dr.6pt.socket,10MM Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger

Stock Code	Picture	Category	Description & Features
<div>INDUSTRIAL</div> <div>NEW</div> <div>HHAST12113L</div>		1/2 Deep Hexagonal socket	1/2" Deep Dr.6pt.socket,11MM Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger
<div>INDUSTRIAL</div> <div>NEW</div> <div>HHAST12123L</div>		1/2 Deep Hexagonal socket	1/2" Deep Dr.6pt.socket,12MM Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger
<div>INDUSTRIAL</div> <div>NEW</div> <div>HHAST12133L</div>		1/2 Deep Hexagonal socket	1/2" Deep Dr.6pt.socket,13MM Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger
<div>INDUSTRIAL</div> <div>NEW</div> <div>HHAST12143L</div>		1/2 Deep Hexagonal socket	1/2" Deep Dr.6pt.socket,14MM Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger
<div>INDUSTRIAL</div> <div>NEW</div> <div>HHAST12153L</div>		1/2 Deep Hexagonal socket	1/2" Deep Dr.6pt.socket,15MM Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger
<div>INDUSTRIAL</div> <div>NEW</div> <div>HHAST12163L</div>		1/2 Deep Hexagonal socket	1/2" Deep Dr.6pt.socket,16MM Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger







Stock Code	Picture	Category	Description & Features
<div>INDUSTRIAL</div> <div>NEW</div> <div>HHAST12173L</div>		1/2 Deep Hexagonal socket	1/2" Deep Dr.6pt.socket,17MM Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger
<div>INDUSTRIAL</div> <div>NEW</div> <div>HHAST12183L</div>		1/2 Deep Hexagonal socket	1/2" Deep Dr.6pt.socket,18MM Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger
<div>INDUSTRIAL</div> <div>NEW</div> <div>HHAST12193L</div>		1/2 Deep Hexagonal socket	1/2" Deep Dr.6pt.socket,19MM Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger
<div>INDUSTRIAL</div> <div>NEW</div> <div>HHAST12203L</div>		1/2 Deep Hexagonal socket	1/2" Deep Dr.6pt.socket,20MM Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger
<div>INDUSTRIAL</div> <div>NEW</div> <div>HHAST12213L</div>		1/2 Deep Hexagonal socket	1/2" Deep Dr.6pt.socket,21MM Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger
<div>INDUSTRIAL</div> <div>NEW</div> <div>HHAST12223L</div>		1/2 Deep Hexagonal socket	1/2" Deep Dr.6pt.socket,22MM Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger









Stock Code	Picture	Category	Description & Features
<b>INDUSTRIAL</b> <b>NEW</b> HHA12243L		1/2 Deep Hexagonal socket	1/2" Deep Dr.6pt.socket,24MM Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger
<b>INDUSTRIAL</b> <b>NEW</b> HHA12273L		1/2 Deep Hexagonal socket	1/2" Deep Dr.6pt.socket,27MM Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger
<b>INDUSTRIAL</b> <b>NEW</b> HHA12303L		1/2 Deep Hexagonal socket	1/2" Deep Dr.6pt.socket,30MM Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger
<b>INDUSTRIAL</b> <b>NEW</b> HHA12323L		1/2 Deep Hexagonal socket	1/2" Deep Dr.6pt.socket,32MM Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger
<b>INDUSTRIAL</b> HHUJ1121		1/2" Universal Joint	1/2" Universal Joint Material:50BV30,Heat treatment,chromed plated Packed by plastic hanger
<b>INDUSTRIAL</b> HEB12051		1/2" Extension bar	1/2"Extension bar,5"(127mm) Material:40Cr,Heat treatment,chromed plated Packed by plastic hanger
<b>INDUSTRIAL</b> HEB12101		1/2" Extension bar	1/2"Extension bar,10"(254mm) Material:40Cr,Heat treatment,chromed plated Packed by plastic hanger









Stock Code	Picture	Category	Description & Features
HTC04600		Tile cutter	<p>Tile cutter Max cutting length:600mm Max cutting thickness : 12mm</p> <p>Steel base size:815x195cm Thickness of the base: 2mm With 2 pcs Tungsten carbide blade Blade size : 16x6x3mm Multi-function:direct line cutting, diagonal line cutting Diameter of sliding bar:19mm Packed by carton box</p>
HTC04600B		Tile cutter blade	<p>Tile cutter blade Material : Tungsten carbide Blade size : 16x6x3mm Suitable for HTC04600 Packed by Blister card</p>
<b>INDUSTRIAL</b>			
HBJ202		Hydraulic bottle jack	<p>2Ton With safety valve Min. height: 181mm Max. height: 345mm Travel:164mm Net weight : 2.6kg Packed by colour box</p>
<b>INDUSTRIAL</b>			
HBJ602		Hydraulic bottle jack	<p>6Ton With safety valve Min. height: 216mm Max. height: 413mm Travel:197mm Net weight : 4.6kg Packed by colour box</p>
<b>INDUSTRIAL</b>			
HBJ1002		Hydraulic bottle jack	<p>10Ton With safety valve Min. height: 230mm Max. height: 460mm Travel:230mm Net weight : 6.5kg Packed by colour box</p>









Stock Code	Picture	Category	Description & Features
<b>INDUSTRIAL</b>  HBJ1202		Hydraulic bottle jack	12Ton With safety valve Min. height: 230mm Max. height: 465mm Travel:235mm Net weight : 7.4kg Packed by colour box
<b>INDUSTRIAL</b>  HBJ2002		Hydraulic bottle jack	20Ton With safety valve Min. height: 242mm Max. height: 452mm Travel:210mm Net weight : 11kg Packed by colour box
HSMT0833-1	 Continuous Marking Blade	Steel measuring tape	Length & width:3mx16mm Double button Only metric INGCO unique design Pure ABS material cover
HSMT08352-1	 Continuous Marking Blade	Steel measuring tape	Length & width:5mx19mm Double button Only metric INGCO unique design Pure ABS material cover
HSMT0835-1	 Continuous Marking Blade	Steel measuring tape	Length & width:5mx25mm Double button Only metric INGCO unique design Pure ABS material cover
HSMT0803.1	 Continuous Marking Blade	Steel measuring tape	Length & width:3mx16mm Self lock function Only metric Double button With all rubber cover

Stock Code	Picture	Category	Description & Features
HSMT08052.1		Steel measuring tape	Length & width:5mx19mm Self lock function Only metric Double button With all rubber cover
HSMT0805.1		Steel measuring tape	Length & width:5mx25mm Self lock function Only metric Double button With all rubber cover
HSMT0808.1		Steel measuring tape	Length & width:8mx25mm Self lock function Only metric Double button With all rubber cover
HSMT0810.1		Steel measuring tape	Length & width:10mx25mm Self lock function Only metric Double button With all rubber cover
<b>INDUSTRIAL</b> HSMT88052.1		Steel measuring tape	Length & width:5mx19mm Only metric Nylone blade Double side metric printing Double hook of blade Stronger clip INGCO unique design Packed by double blister
<b>INDUSTRIAL</b> HSMT8805.1		Steel measuring tape	Length & width:5mx25mm Only metric Nylone blade Double side metric printing Double hook of blade Stronger clip INGCO unique design Packed by double blister







Stock Code	Picture	Category	Description & Features
<b>INDUSTRIAL</b>			
HSMT8808.1		Steel measuring tape	Length & width:8mx25mm Only metric Nylone blade Double side metric printing Double hook of blade Stronger clip INGCO unique design Packed by double blister
HMSL01030		Mini Spirit level	Length : 225mm  Material:Aluminum With magnetic With 3 vials Packed by colour sleeve
HSL18030		Spirit level	Length : 30cm Aluminum Thickness:1mm INGCO unique design Packed by colour sleeve
HSL18040		Spirit level	Length : 40cm Aluminum Thickness:1mm INGCO unique design Packed by colour sleeve
HSL18060		Spirit level	Length : 60cm Aluminum Thickness:1mm INGCO unique design Packed by colour sleeve
HSL18080		Spirit level	Length : 80cm Aluminum Thickness:1mm INGCO unique design Packed by colour sleeve
HSL18100		Spirit level	Length : 100cm Aluminum Thickness:1mm INGCO unique design Packed by colour sleeve
<b>INDUSTRIAL</b>			
HSL08030		Spirit level	Length : 30cm Double side milled 0.5mm/m accurate vials Thickness:1.5mm V-shape slot for measuring objects with round surface Packed by colour sleeve




Stock Code	Picture	Category	Description & Features
<b>INDUSTRIAL</b>			
HSL08040	 <p>Shock-absorbing Rubber End Caps    Accurate 0.5mm/m    Unique Incco Style</p>	Spirit level	Length : 40cm Double side milled 0.5mm/m accurate vials Thickness:1.5mm V-shape slot for measuring objects with round surface Packed by colour sleeve
HSL08060	 <p>Shock-absorbing Rubber End Caps    Accurate 0.5mm/m    Unique Incco Style</p>	Spirit level	Length : 60cm Double side milled 0.5mm/m accurate vials Thickness:1.5mm V-shape slot for measuring objects with round surface Packed by colour sleeve
HSL08080	 <p>Shock-absorbing Rubber End Caps    Accurate 0.5mm/m    Unique Incco Style    Rubber Handle</p>	Spirit level	Length : 80cm Double side milled 0.5mm/m accurate vials Thickness:1.5mm V-shape slot for measuring objects with round surface Packed by colour sleeve
HSL08100	 <p>Shock-absorbing Rubber End Caps    Accurate 0.5mm/m    Unique Incco Style    Rubber Handle</p>	Spirit level	Length : 100cm Double side milled 0.5mm/m accurate vials Thickness:1.5mm V-shape slot for measuring objects with round surface Packed by colour sleeve
<b>INDUSTRIAL</b>			
HSL38030M	 <p>Two Powerful Magnets    Double flat surfaces design    Unique Incco Style    Rubber End Caps</p>	Spirit level(With powerful magnets)	Length : 30cm Double side milled 0.5mm/m accurate vials Thickness:1.5mm 2 Pcs powerful magnets Double flat surfaces design Packed by colour sleeve
<b>INDUSTRIAL</b>			
HSL38040M	 <p>Two Powerful Magnets    Double flat surfaces design    Unique Incco Style    Rubber End Caps</p>	Spirit level (With powerful magnets)	Length : 40cm Double side milled 0.5mm/m accurate vials Thickness:1.5mm 2 Pcs powerful magnets Double flat surfaces design Packed by colour sleeve



Stock Code	Picture	Category	Description & Features
<b>INDUSTRIAL</b> HSL38060M		Spirit level (With powerful magnets)	Length : 60cm Double side milled 0.5mm/m accurate vials Thickness:1.5mm 3 Pcs powerful magnets Double flat surfaces design Packed by colour sleeve
<b>INDUSTRIAL</b> HSL38080M		Spirit level (With powerful magnets)	Length : 80cm Double side milled 0.5mm/m accurate vials Thickness:1.5mm 4 Pcs powerful magnets Double flat surfaces design Packed by colour sleeve
<b>INDUSTRIAL</b> HSL38100M		Spirit level (With powerful magnets)	Length : 100cm Double side milled 0.5mm/m accurate vials Thickness:1.5mm 4 Pcs powerful magnets Double flat surfaces design
<b>INDUSTRIAL</b> HSL08060D		Digital level	Length : 60cm Measuring ranger:0~360°(4*90°) Measuring accuracy:±0.2 3 Pcs powerful magnets Double side milled 0.5mm/m accurate vials Thickness:1.5mm
<b>INDUSTRIAL</b> HBSL08060		Heavy-Duty Mason's Level	Length : 60cm Net weight:790g Accuracy:0.5mm/m Finely milled bottom surface and front surface Heavy-duty cast aluminum tapered body Shock-absorbing rubber strike pads & end caps To withstand trowel blows and protect the level's integrity Horizontal & vertical spirit bubbles Packed by colour sleeve
<b>NEW</b> HAR01060		Aluminum Ruler	Length : 60cm Material:Aluminum With spirit level function
<b>INDUSTRIAL</b> <b>NEW</b> HAS123002		<b>Arrival May</b> Angle Square	Length:300mm(12") Blade Width:40mm Blade Thickness:1.5mm Stainless steel blade With unique support ledge High-impact polymer handle Stainless steel blade Marking point for pencil Packed by paper hanger
HVC01150		Vernier caliper	Range:0-150mm Reading:0.05mm Material:Carbon steel Packed by plastic box

Stock Code	Picture	Category	Description & Features
HVC01200		Vernier caliper	Range:0-200mm Reading:0.05mm Material:Carbon steel Packed by plastic box
HD01150		Digital caliper	Range:0-150mm Reading:0.01mm Metric/inch system conversion at any position Plastic housing Packed by plastic box
DM200		Digital Multimeter	1999 counts LCD Display Backlight DC Voltage 200mV/2V/20V/200V/600V AC Voltage 200V/600V DC Current 200μA/2mA/20mA/200mA/10A Resistance 200Ω/2kΩ/20kΩ/200kΩ/2MΩ Packed by colour box
DM7502		Digital multimeter	6000 counts true RMS digital multimeter Non-contact voltage detection live line or neutral Line distinguish DC Voltage: 600mV/6V/60V/600V/1000V ±(0.5%+3) AC Voltage:6V/60V±(0.8%+3) 600V/750V±(1.0%+10) DC Current: 60μA/60mA/600mA ±(0.8%+3) 10A ±(1.2%+3) AC Current: 60mA/600mA ±(1.0%+3) 10A ±(1.5%+3) Resistance:600Ω/6kΩ/60kΩ/600kΩ/6MΩ ±(0.8%+3) 60MΩ±(1.0%+30) Capacitance:10nf ±(4.0%+30) 100nf/1000nf/10μF/100μF/1000μF ±(4.0%+3) 10mf/100mf±(5.0%+3) Frequency:10Hz/100Hz/1000Hz/10KHz/100KHz/1000KHz/10MHz±(1.0%+3) Duty cycle: 1%~95% ±(2.0%+3) Diode test
INDUSTRIAL			
DCM10001		1000Amp AC Digital Clamp Meter	6000 Counts AC Current 60A/600A/1000A±(2.0%+6) AC Voltage 60mV/600mV/6V/60V/600V±(0.8%+3) 750V±(1%+4) DC Voltage 60mV/600mV/6V/60V/600V±(0.7%+3) 1000V±(0.8%+2) Resistance 600Ω/6kΩ/60kΩ/600kΩ/6MΩ±(0.8%+3) 60MΩ±(1.2%+3) Capacitance 10nF/100nF/1000nF/102F/1002F/10002F/10mF/100mF

Stock Code	Picture	Category	Description & Features
HGVK05		Knitted & PVC dots gloves	Size: 10 (XL) Use for transporting and cargo handling worker, recycling worker, repairer etc. Gauge: 10 Weight: 58g/Pair; 700g/Dozen Cotton class: A Packed in poly bag
HGNG01		Nitrile gloves	Size : XL Use for oil environment (less oil) worker etc. Nitrile coated palm, smooth and rough-texture palm finish. Packed by poly bag
HGNG01.L		Nitrile gloves	Size : L Use for oil environment (less oil) worker etc. Nitrile coated palm, smooth and rough-texture palm finish. Packed by poly bag
HGVL03		Latex gloves	Size : XL Use for heavy cargo handling worker, slight sharp objects carrier etc. Latex gloves Cotton/polyester seamless knitted shell. Textured palm dip for extra grip and durability. Packed by poly bag
<b>INDUSTRIAL</b> NEW HGVL08-XL		Latex gloves	Size: XL Use for heavy cargo handling worker, slight sharp objects carrier etc. From pressing, longer life time than normal. Latex gloves Polyester seamless knitted shell. Textured palm dip for extra grip and durability. Packed by poly bag
HGVL04-XL		Latex gloves	Size : XL Use for heavy cargo handling worker, slight sharp objects carrier etc. Latex fully coated gloves Cotton/polyester seamless knitted shell. Textured palm dip for extra grip and durability. Weight: 145g/pair Packed by poly bag



Stock Code	Picture	Category	Description & Features
HGVN01		Nitrile gloves	Size:XL Use for oil environment (much oil) worker etc. Heavy nitrile fully coated gloves Packed by poly bag
<b>INDUSTRIAL</b> HGCG01-L		Cut-resistance gloves	Size: L Use for timber and glass cutting worker, heavy sharp objects carriers etc. PU coated palm,flexible and good feeling. HPPE shell,cut-resistance and abrasion. Antistatic. Packed by poly bag
<b>INDUSTRIAL</b> HGCG01-XL		Cut-resistance gloves	Size:XL Use for timber and glass cutting worker, heavy sharp objects carriers etc. PU coated palm,flexible and good feeling. HPPE shell,cut-resistance and abrasion. Antistatic. Packed by poly bag
<b>INDUSTRIAL</b> <b>NEW</b> HGCG08-XL		Cut-resistance gloves	Size:XL Use for timber and glass cutting worker, heavy sharp objects carriers etc. From pressing,longer life time than normal. Latex coated palm HPPE shell,cut-resistance and abrasion. Packed by poly bag
<b>INDUSTRIAL</b> HGMG01-XL		Mechanic gloves	Size:XL Microfibre material palm provide dexterity to utilize tools and equipments Pack by paper hanger
<b>INDUSTRIAL</b> HGMG02-XL		Mechanic gloves	Size:XL Microfibre material palm with PU leather reinforced on palm enhance extreme abrasion resistance. Rubber on back prevent hand from hazards in dark. Pack by paper hanger







Stock Code	Picture	Category	Description & Features
HGVC01		Leather gloves	Size:10.5" Use for carriers, machining operators, garden work etc. Cow split leather gloves cotton back & rubberized cuff,half lining Packed by poly bag
HGVC02		Leather gloves	Size:10" Use for driver, machining operator etc. Cow split leather gloves Full palm, full lining Packed by poly bag
HGVW02		Welding leather gloves	Length:16" Use for professional welding worker etc. Cow split leather welder gloves, one piece back, full lining full palm with double palm Packed by poly bag
HGVP02		PVC gloves	Material : High quality PVC Size: L Use for gardener, cleaner etc. Weight :120-130g/ pair Packaging by plastic bag
RV02C		Reflection Vest	Common reflective strip + Polyester tricot waistcoat Colour:Fluorescent Orange Conforms to EN471 Class 2 Size : XL Packed by Poly bag







Stock Code	Picture	Category	Description & Features
HHWM102		Welding mask	Welding mask Material:100% PP With 1 pcs 108*50*3mm welding glass and 1 pcs Protection glass
WM101		Welding mask	Welding mask Material:100% PP Glass size:108*50*3mm, movable type glass 1 pcs clear protection glass
AHM008		Auto Darkening Welding Helmet	Viewing Area:92×42mm Cartridge Size:110×90×9mm Arc Sensor:2 Light State:DIN 4 Dark State:Variable shade, 9 ~13 Shade Control:External,Variable Power On/Off:Fully Automatic Sensitivity Control:AUTO UV/IR Protection:DIN 16 Power Supply:Solar cells+2*CR2032 Lithium batteries Switching Time:1/15000S,from Light to Dark Dark to Light (Delay) :0.1-1.0 Auto Low Amperage TIG:≥10amps(DC), ≥10amps(AC) Grinding Function :YES Low Volume Alarm:YES Operating Tep:-5°C~+55°C Storing Tep:-20°C~+70°C Packed by colour box
INDUSTRIAL			
HFSPC01		Face shield	Impact resistant visor Brim protects forehead from outside injure headgear with adjustable knobs, with antibacterial sweatband
HSG04		Safety goggles	The length of temple:4 different positions Integrated encircling type design gives flank protection Packed by double blister
HSG05		Safety goggles	Conforms to ANSI Z87.1 and CE EN166 Full-view full-slice structure prevents UV and withstands impact Packed by double blister

Stock Code	Picture	Category	Description & Features
HSG02		Safety goggles	Has supple and lightweight PVC frame as well unique air hole design. High-impact polycarbonate lenses have high transparency comfortable for wearing. Packed by poly bag
HSG06		Safety goggles (Only for daily use)	Material:PC Dark shade:8 Light weight,comfortable to wear,wide visual field Packed by double blister
<b>INDUSTRIAL</b> HSG08	<b>NEW</b> 	Safety goggles (Only for daily use)	Material:PC Dark shade:9 Light weight,comfortable to wear,wide visual field Packed by double blister
HSG07	<b>NEW</b> 	Safety goggles (Only for welding)	Material:PC Dark shade:10 Use for welding Light weight,comfortable to wear,wide visual field Packed by double blister
HSGW01		Welding goggles	Flexible PVC body, indirect ventilation design. Dark shade:5 Flip design with open-close locking positioning, easy to use. Inner lenses are clear, outer lenses adopt coloured inorganic glass. Packed by poly bag
HEM01		Earmuff	Impact-resistant ABS shell body,soft foam pad NRR:24dB Packed by paper card
HEP02		Earplug	Conforms to ear structure,safe and sanitary Made from polyurethane foam,smooth and ultra supple superior noise recuction effect, let operators keep acute hearing in noise ambient Packed by poly bag
HTBP02031		Tool bag	Size : 2pcs L26*W23cm 1pcs L15*W13cm Adjustable belt(92-127cm) 14pcs pockets 2pcs hammer holders Material : 600D polyester Various pockets for tools Packed by paper card






Stock Code	Picture	Category	Description & Features
HRSP262		Ratchet Straps	Load:1.5T Length:6M Width:25mm  With ratchet and double j hooks Packed by strap
HRSP2101		Ratchet Straps	Load:2T Length:10M Width:35mm  With ratchet and double j hooks Packed by strap
HRSP361		Ratchet Straps	Load:3T Length:6M Width:50mm With ratchet and double j hooks Packed by strap
HRSP3101		Ratchet Straps	Load:3T Length:10M Width:50mm  With ratchet and double j hooks Packed by strap
HRSP4101		Ratchet Straps	Load:4T Length:10M Width:50mm  With ratchet and double j hooks Packed by strap
HRSP5101		Ratchet Straps	Load:5T Length:10M Width:50mm With ratchet and double j hooks Packed by strap
<b>INDUSTRIAL</b>			
HFL013AAA1	 SAMSUNG LED Same As Dewalt	Flashlight	Aviation grade aluminum alloy:6N01-T6 Brightness:200 lumens Use alkaline 3AAA battery Tail light switch Waterproof grade IPX-4 Diameter/length :32mm/126.5mm, Weight:105g(without battery) Packed by double blister

Stock Code	Picture	Category	Description & Features
<b>INDUSTRIAL</b>			
HHL013AAA2		Headlamp	Brightness: Max:200 lumens Low:50 lumens Use alkaline 3AAA battery Max 91m beam distance IPX4 raining resistant Packed by double blister
HPS0109		Pruning Shear	Aluminium body pruning shear blade Handle non slip treatment Max cutting diameter 12mm Size:8"(200mm) Packed by Paper card
<b>INDUSTRIAL</b>			
HPS0308		Pruning Shear	With heat treatment Aluminium handle with soft TPR grip Size:8"(205mm) With hight quality blade Packed by Paper card
<b>INDUSTRIAL</b>			
HPS0401		Pruning Shear	Aluminium body pruning shear SK5 blade Labour saving gear Size:8"(205mm) With heat treatment Aluminium handle with soft TPR grip Max cutting diameter 12mm Packed by paper card
<b>INDUSTRIAL</b>			
HHS6001		Hedge shear	Length:22-7/8"(580mm) Material:55# carbon steel Heat treatment blade Blade painted teflon Packed by paper hanger
<b>INDUSTRIAL</b>			
HHS6301		Hedge shear	Length:22-7/8"(580mm) Material:55# carbon steel Heat treatment blade Blade painted teflon Packed by paper hanger






Stock Code	Picture	Category	Description & Features
<b>INDUSTRIAL</b>			
HLT7101		Lopper	Length:29"(725mm) Material:55# carbon steel Heat treatment blade Blade painted teflon Packed by paper hanger
<b>INDUSTRIAL</b>			
HLT7401		Lopper	Length:30"(760mm) Material:55# carbon steel Stress function on blade Heat treatment blade Blade painted teflon Packed by paper hanger
<b>INDUSTRIAL</b>			
HFSW1808		Folding Saw	Size:7"/180mm Material : Taiwan SK5 7TPI,heat treatment teeth Triple teeth(Precision ground teeth 3 edges) With hand protection function Fast cut and long life Packed by Sliding card
<b>INDUSTRIAL</b>			
HPS3008		Pruning saw	Size:12"/300mm Material : Taiwan SK5 7TPI,heat treatment teeth Triple teeth(Precision ground teeth 3 edges) Fast cut and long life  Packed by colour sleeve
<b>INDUSTRIAL</b>			
HPS3308		Pruning saw	Size:13"/330mm Material : Taiwan SK5 7TPI,heat treatment teeth Triple teeth(Precision ground teeth 3 edges) With Extension bar function Fast cut and long life Packed by colour sleeve
<b>INDUSTRIAL</b>			
HBS6101		Bow Saw	Handle hack saw frame Size:610mm/24" Including 1pcs saw blade Packed by paper card








Stock Code	Picture	Category	Description & Features
HFTT658		Transplanter	Total lenght:320mm Unique design INGCO patent handle Width:65mm Thickness:1.5mm Material:carbon steel Packed by paper card
HFTT858		Trowel	Total lenght:340mm Unique design INGCO patent handle Width:85mm Thickness:1.5mm Material:carbon steel Packed by paper card
HFTF38		Fork	Total lenght:320mm Unique design INGCO patent handle Width:80mm Thickness:2.5mm Material:carbon steel Packed by paper card
HGR1008		Caltivator	Total lenght:300mm Unique design INGCO patent handle Width:100mm Main rod:8.0mm Material:carbon steel Packed by paper card
HGT979K		Tiller	Total lenght:290mm Unique design INGCO patent handle Fork Width:75mm Main rod:8.0mm Material:carbon steel Packed by paper card
HWSG032		Plastic trigger nozzle	Adjustable 3-Way Plastic Trigger Nozzle+3/4" Tool Adaptor High-Impact resistant ABS plastic body with TPR TPR insulated comfortable soft grip Nylon lever Packed by paper hanger








Stock Code	Picture	Category	Description & Features
HWSG092		Plastic trigger nozzle	9-Pattern Plastic Trigger Nozzle+3/4" Tool Adaptor High-Impact resistant ABS plastic body with TPR TPR insulated comfortable soft grip Nylon Lever Packed by paper hanger
HWW092 <b>INDUSTRIAL</b>		water wand	Adjustable angle, powder-coated metal head  9-spray patterns for all watering needs: mist, soaker, flat, vertical, shower, cone, fan, center, jet TPR insulated comfort grip "U" style ON/OFF design Packed by paper hanger
HPHM0201		1/2" Plastic Hose Mender	Packed by paper hanger
HHCS05122		5 Piece Twist Nozzle set	With 1pcs 1/2" Plastic Hose Quick Connector with Water Stop With 1pcs 1/2" Plastic Hose Quick Connector With 1pcs 3/4" TAP ADAPTOR AND 1/2"-3/4" REDUCER With 1pcs 5" Snap-in Twist Nozzle Packed by paper hanger
HHCS03122		3pcs Hose quick connectors set	With 1pcs 1/2" Plastic Hose Quick Connector with Water Stop With 1pcs 1/2" Plastic Hose Quick Connector With 1pcs 3/4" TAP ADAPTOR AND 1/2"-3/4" REDUCER Packed by paper hanger
<b>INDUSTRIAL</b> HHC1201		Hose connector	Deluxe 2-Way Hose Connector flexible Center section with Inside water stop Packed by paper hanger

Stock Code	Picture	Category	Description & Features
INDUSTRIAL			
HPS0402		pulsating Sprinkler	Plastic pulsating sprinkler 2-Way Metal spike. Head Full Or Part Circle. Packed by paper hanger
HOS3422		Oscillating Sprinkler	sprinkler with 3/4" tool adaptor ( aluminum spray tube with 18 brass jet mozzle on plastic housing,water up to 2202 sqft,powerful gear train mechanism) Packed by paper hanger
INDUSTRIAL			
HPH2001		1/2" PVC Hose	20Mx1/2" PVC Opaque light duty hose Bursting value : 300psi Pull test value : 880N Packed by paper hanger
NEW		Arrival July Pressure sprayer	2L Safety value Aluminum pump lever Press and release fuction Adjustable nozzle with straight jet and mist spray Packed by poly bag
HSPP2021			


Stock Code	Picture	Category	Description & Features
<div>NEW</div> HSP3051		<div>Arrival July</div> Pressure sprayer	5L Safety valve Handy carry strap 1.2m length flexible hose Stainless lance and plastic nozzle ON/OFF trigger with trigger lock Adjustable sprayer pattern mist to stream Packed by colour box
<div>NEW</div> HSP4161		<div>Arrival July</div> Knapsack sprayer	<b>16L</b> Y trigger with fiber glass lance Adjustable nozzle from jet to mist Large container specifically designed for spraying larger areas Packed by color box
DIPL0301		Iron padlock	Size : 32mm Material:Iron Weight:95g With 3 pcs iron keys Brass lock cylinder With waterproof rubber cover Packed by colour box
DIPL0401		Iron padlock	Size : 38mm Material:Iron Weight:146g With 3 pcs iron keys Brass lock cylinder With waterproof rubber cover Packed by colour box
DIPL0501		Iron padlock	Size : 50mm Material:Iron Weight:289g With 3 pcs iron keys Brass lock cylinder With waterproof rubber cover Packed by colour box







Stock Code	Picture	Category	Description & Features
DIPL0601		Iron padlock	Size : 63mm Material:Iron Weight:508g With 3 pcs iron keys Brass lock cylinder With waterproof rubber cover Packed by colour box
DIPL0701		Iron padlock	Size : 75mm Material:Iron Weight:714g With 3 pcs iron keys Brass lock cylinder With waterproof rubber cover Packed by colour box
<b>INDUSTRIAL</b> DBPL0202		Heavy duty brass padlock	Size : 20mm Material:brass Weight:40g With 3 pcs brass keys Packed by double blister
<b>INDUSTRIAL</b> DBPL0302		Heavy duty brass padlock	Size : 30mm Material:brass Weight:84g With 3 pcs brass keys Packed by double blister
<b>INDUSTRIAL</b> DBPL0402		Heavy duty brass padlock	Size : 40mm Material:brass Weight:142g With 3pcs brass keys Packed by double blister
<b>INDUSTRIAL</b> DBPL0502		Heavy duty brass padlock	Size : 50mm Material:brass Weight:270g With 3 pcs brass keys Packed by double blister
<b>INDUSTRIAL</b> DBPL0602		Heavy duty brass padlock	Size : 60mm Material:brass Weight:385g With 3 pcs brass keys Packed by double blister



Stock Code	Picture	Category	Description & Features
<b>INDUSTRIAL</b>			
DBPL0702		Heavy duty brass padlock	Size : 70mm Material:brass Weight:542g With 3pcs brass keys Packed by double blister
<b>INDUSTRIAL</b>			
DBBPL0602		Heavy duty brass block padlock	Size : 60mm Material:brass Weight:234g With 3 pcs brass keys Packed by double blister
<b>INDUSTRIAL</b>			
DBBPL0702		Heavy duty brass block padlock	Size : 70mm Material:brass Weight:411g With 3 pcs brass keys Packed by double blister
<b>INDUSTRIAL</b>			
DBBPL0802		Heavy duty brass block padlock	Size : 80mm Material:brass Weight:568g With 3 pcs brass keys Packed by double blister
<b>INDUSTRIAL</b>			
DBBPL0902		Heavy duty brass block padlock	Size : 90mm Material:brass Weight:609g With 3 pcs brass keys Packed by double blister

Stock Code	Picture	Category	Description & Features
HCT1001		Cable Ties	colour:White Material: Nylon 66 Length:100mm Width:2.5mm 100pcs/set two year warranty
HCT2001		Cable Ties	colour:White Material: Nylon 66 Length:200mm Width:3.6mm 100pcs/set two year warranty
HCT3002		Cable Ties	colour:White Material: Nylon 66 Length:300mm Width:4.8mm 100pcs/set two year warranty
<div>INDUSTRIAL</div> <div>NEW</div> AIW341302		Air impact wrench	Square drive:19mm(3/4") No-load speed:4000 rpm Max.torque:1600Nm(1180ft) Twin hammer mechanism With universal connector. Air Consumption:256l/min(9cfm) Air Pressure:6.2bar(90psi) Length:234mm(9.2") Weight:5.9kgs(13lbs) Air Inlet:3/8" Air hose:1/2" Packed by colour box




Stock Code	Picture	Category	Description & Features
INDUSTRIAL			
AIW341301		Air impact wrench	Square drive:19mm(3/4") No-load speed:7000 rpm Max.torque:1355Nm(1000ft) Twin hammer mechanism With universal connector Air Consumption:269l/min(9.5cfm) Air Pressure:6.2bar(90psi) Length:208mm(8.2") Weight:3.0kgs(6.6lbs) Air Inlet:3/8" Air hose:1/2" Packed by colour box
INDUSTRIAL NEW			
AIW11223		Air impact wrench	Square drive:25mm(1") No-load speed:4000 rpm Max.torque:1800Nm(1328ft) Twin hammer mechanism With universal connector. Air Consumption:256l/min(9cfm) Air Pressure:6.2bar(90psi) Length:234mm(9.2") Weight:5.9kgs(13lbs) Air Inlet:3/8" Air hose:1/2" Packed by colour box
INDUSTRIAL			
AIW11222		Air impact wrench	Square drive:25mm(1") No-load speed:3600 rpm Max.torque:3100Nm(2300ft) With universal connector Air Consumption:1019l/min(36cfm) Anvil:200mm(8") Capacity bolt Size:45mm(1-3/4") Air inlet:1/2" Air hose:1/2" Packed by BMC
GE8002		Gasoline generator	Rated frequency(Hz):50 Max.output(kW):0.8 Rated output(kW):0.65 Rated speed(rpm):3000 Engine:2 stroke Displacement(ml):63 Cooling system:Air-cooled Starting system:Recoil Aluminum wire alternator Fuel tank(L):4.0 Dry weight(Kg):16.5
GE30005		Gasoline generator	Rated frequency(Hz):50 Max.output(kW):2.8 Rated output(kW):2.5 Rated speed(rpm):3000 Engine:4 stroke,OHV Displacement(ml):210 Cooling system:Air-cooled Ignition system:T.C.I Starting system:Recoil Aluminum wire alternator Fuel tank(L):15 Dry weight(Kg):42


Stock Code	Picture	Category	Description & Features
GE55003		Gasoline generator	Rated frequency(Hz):50 Max.output(kW):5.5 Rated output(kW):5.0 Rated speed(rpm):3000 Engine:4 stroke,OHV Displacement(ml):389 Cooling system:Air-cooled Ignition system:T.C.I Starting system:Recoil+Electric Copper wire alternator Fuel tank(L):25 Dry weight(Kg):77 With 1 set auxiliary handle and wheels
<b>INDUSTRIAL</b>			
GWP102		Gasoline water pump	Suction&Discharge port diameter:25mm,1" Max.flow:100L/min Max.head lift:16m Max.suction head:7m 2.5HP gasoline engine Displacement:105cc Fuel tank:1.2L Starting system:Recoil
<b>INDUSTRIAL</b>			
GWP202		Gasoline water pump	Suction&Discharge port diameter:50mm,2" Max.flow:550L/min Max.head lift:28m Max.suction head:8m 7.0HP gasoline engine Displacement:208cc Fuel tank:3.6L Starting system:Recoil
ACS175246		Silent and oil free Air compressor	Voltage:220-240V~50Hz Input power: 600W (0.8HP) Tank:24L(6.3Gal) Oil free system Noise: 60db Copper wire motor No-load speed:1440rpm Operation pressure:max.8bar
ACS215506		Silent and oil free Air compressor	Voltage:220-240V~50Hz Input power:2×600W (2×0.8HP) Tank:50L(13.2Gal) Oil free system Noise: 60db Copper wire motor No-load speed:1440rpm Operation pressure:max.8bar
<b>INDUSTRIAL</b>			
AC20248		Air compressor	Voltage:220-240V~50Hz Input power: 1.5 kW (2 HP) Tank:24L(6.3Gal) Noise:96db 1000HR lifetime promise Pump lubricated with oil No-load speed:2850rpm Operation pressure:max.8bar






Stock Code	Picture	Category	Description & Features
<b>INDUSTRIAL</b>			
AC25508		Air compressor	Voltage:220-240V~50Hz Input power: 1.8kW(2.5HP) Tank:50L(13.2Gal) Noise:96db 1000HR lifetime promise Pump lubricated with oil No-load speed:2850rpm Operation pressure:max.8bar
GCS45185		Gasoline chain saw	Displacement:45.8cc Rated power:1.8Kw  Idling speed:3200rpm Max. cutting diameter:445mm(18") Fuel tank capacity:550ml Oil tank capacity:260ml Powerful 2-stroke motor Packed by colour box
<b>INDUSTRIAL</b>			
GCS45182		Gasoline chain saw	Displacement:45.02cc Rated power:1.45Kw  Idling speed:2800rpm Max. cutting diameter:445mm(18") Fuel tank capacity:550ml Oil tank capacity:260ml Powerful 2-stroke motor Oregon chain saw Packed by colour box
GBC45441		Gasoline grass trimmer and bush cutter	Displacement:43cc Rated power:1.25Kw(2HP) Max speed : 9000rpm Max cutting path:460mm Spool liner:2.5mmx4m Blade diameter:230mm(3teeth) Fuel tank capacity:1200ml Powerful 2-stroke motor With 2 function:trimmer and cutter
<b>INDUSTRIAL</b>			
GLM141181		Gasoline lawn mower	Zongshen brand engine(the best one in China) Displacement:141cc Rated power:3.0Kw(4HP) Rated speed: 2600rpm Drive type:Hand push 4 stroke engine Cutting height:25-75mm(7 positions) Cutting width:460mm(18") Catchervolume:60L Deck material:steel Wheel size:6"/8"
<b>INDUSTRIAL</b>			
GLM196201		Gasoline lawn mower	Zongshen brand engine(the best one in China) Displacement:196cc 4 stroke engine Rated power:3.5Kw(4.8HP) Displacement:196cc Rated speed: 3600rpm 3 function:Catcher,side discharge, mulching,rear discharge 4 stroke engine Cutting height:28-80mm(7 positions) Cutting width:510mm(20") Catchervolume:60L Deck material:steel Wheel size:8"/10"





Stock Code	Picture	Category	Description & Features
GVR-2	 <p>Claw</p>	Gasoline concrete vibrator(Claw type)	INGCO petrol engine Engine power:4.0Kw(5.5HP) Claw type coupling Not included vibrator poker
VBP1451	 <p>CLAW</p>	Vibrator poker	Diameter:45mm Head length:580mm Claw type fitting Vibrating frequency:200Hz Vibrating amplitude:1.2mm Flexible hose length:6m
GCP100-2	 <p>Engine: Ingco 6.5HP N.W.: 90KGS</p>	Gasoline plate compactor	INGCO petrol engine Engine power:4.8Kw(6.5HP) Weight:90Kgs Frequency:4200VPM Centrifugal force:15kN Compaction depth:30cm Travel speed:45cm/s Efficiency:660M2/Hr Plate size:50x45cm
GRT75-2	 <p>Engine: INGCO 6.5HP N.W.:79KGS</p>	Gasoline tamping rammer	INGCO petrol engine Engine power:4.8Kw(6.5HP) Weight:79Kgs Impact force:10kN Impact rate:450-660rpm Jumping stroke:65mm Shoe size:33X29cm Fuel tank volume:2.0L
GPT361-2	 <p>Engine: INGCO 6.5HP N.W.:78KGS</p>	Gasoline power trowel	INGCO petrol engine Engine power:4.8Kw(6.5HP) Weight:78Kgs Rotor diameter:91cm(36") Blade number:four Finish blade:35X15cm(6X14") Blade included
<b>INDUSTRIAL</b>			
PDB17008		Demolition breaker	Voltage:220-240V~50/60Hz Input power:1700W Impact rate:1400bmp Impact force:45J HEX chuck system 16Kgs demolition breaker With 2pcs chisels Packed by BMC

Stock Code	Picture	Category	Description & Features
<b>INDUSTRIAL</b>  PDB22001		Demolition breaker	Voltage:220V-240V~50/60HZ Input power:2200W Impact rate:950bmp Impact force:75J Anti-vibration system Auto-stop carbon brushes HEX chuck system 30Kgs demolition breaker 4m rubber cables With 2pcs chisels
<b>INDUSTRIAL</b>  HTCS15591		59 Pcs tool chest set	59 Pcs Tool Chest Set Include : 12Pcs Combination spanner:8-10-11-12-13-14-15-16-17-18-19-22MM 8Pcs Screwdriver :SL3X75MM,4x100MM,5x125MM,6x100MM,8x200MM;PH1X80MM,PH2X100MM,PH3X200MM 18Pcs 1/2" Hexagonal Socket: 8-10-12-13-14-15-16-17-18-19-20-21-22-23-24-27-30-32MM 1Pcs 1/2" ratchet wrench,45T 2Pcs 1/2" Extension bar:125mm(5"),250mm(10") 2Pcs Spark plug socket 1/2"Dr.16MM&21MM 1Pcs 1/2" Dr. Universal joint 1Pcs 1/2"Dr.Flex handle, 375MM 1Pcs 8"Combination pliers 1Pcs 6"Long nose pliers 1Pcs 7"Diagonal cutting pliers 1Pcs 10"Adjustable wrench 1Pcs 10"Curved jaw lock wrench 9Pcs Hex key 1.5-2-2.5-3-4-5-6-8-10MM Packed by metal box
<b>INDUSTRIAL</b>  HKTHP21421		142 Pcs combination tools set	142 Pcs Combination Tools Set Include : 1/2"DR.Part : 19Pcs 1/2" Hexagonal Socket: 8-10-12-13-14-15-16-17-18-19-20-21-22-23-24-25-27-30-32MM 5Pcs 1/2" Star Socket:E10 12 14 16 20 1Pcs 1/2"Dr.Flex handle, 375MM 1Pcs 1/2" ratchet wrench,45T 2Pcs 1/2" Extension bar:75mm(3") 250mm(10") 1Pcs 1/2" Dr. Universal joint 1Pcs 1/2"(F)*3/8"(M) three way adaptor 2Pcs Spark plug socket 1/2"Dr.16MM&21MM 1Pcs 1/2"*10" L handle 3/8"DR.Part : 15Pcs 3/8" 12pt.socket:6-7-8-9-10-11-12-13-14-15-17-18-19-21-22 1Pcs 3/8" ratchet wrench,45T 2Pcs 3/8" Extension bar:75mm(3") 150mm(6") 1Pcs 3/8" Dr. Universal joint 1/4"DR.Part: 26Pcs 1/4"*25MM Screwdriver bits: PH0-PH1-PH2-PH3-PZ0-PZ1-PZ2-PZ3-SL4-SL5.5-SL7 H2-H3-H4-H5-H6-H7-H8-H10, T10H-T15H-T20H-T25H-T27H-T30H-T40H 1Pcs Bit holder 9Pcs 1/4" Hexagonal Socket:4-4.5-5-5.5-6-7-8-9-10 5Pcs 1/4" Star Socket:E4 5 6 7 8 1Pcs 1/4" ratchet wrench,45T 3Pcs 1/4" Extension bar:50mm(2") 100mm(4") 150mm(6") 1Pcs 1/4" Dr. Universal joint 1Pcs 3/8"(F)*1/4"(M)three way adaptor 1Pcs 1/4"*150mm Spinner handle

Stock Code	Picture	Category	Description & Features
INDUSTRIAL			
HTCS271621		162 Pcs Tool Chest Set	<p>162 Pcs Tool Chest Set</p> <p>Chest part:</p> <p>With 7pcs drawers</p> <p>Overall size : 765x465x812mm</p> <p>Overall with casters size : 765x465x976mm</p> <p>Casters size : 5"*2"</p> <p>Thickness of Cabinet:0.8-1.0mm</p> <p>Thickness of drawer:0.7mm</p> <p>With 5pcs 536x410x74.5mm drawer</p> <p>With 2pcs 536x410x153.5mm drawer</p> <p>Tools part :</p> <p>Drawer 1</p> <p>Included:</p> <p>1Pcs Ratchet wrench: 1/4"</p> <p>13Pcs 1/4" socket 4-4.5-5-5.5-6-7-8-9-10-11-12-13-14</p> <p>17Pcs 1/4" x 32(L) bits Socket:Hex:3-4-5-6mm Star:T8-T10-T15-T20-T25-T30 SL:4-5.5-7mm,PH1,PH2,PZ1,PZ2</p> <p>8Pcs 1/4"DR 50mm(L) Deep socket:6-7-8-9-10-11-12-13mm</p> <p>2Pcs Extension bar:1/4"Dr. x 50mm,1/4"Dr. x 100mm</p> <p>1Pcs Spinner handle:1/4"x150mm</p> <p>1Pcs Extension flexible bar :1/4" x 150mm</p> <p>1Pcs 1/4"Universal joint</p> <p>1Pcs Sliding "T" Bar:1/4"x 114mm</p> <p>1PCS Ratchet wrench: 1/2"</p> <p>1Pcs 1/2"Universal joint</p> <p>19Pcs 1/2"DR Socket:8-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-27-30-32mm</p> <p>4Pcs 1/2"DR 77mm(L) Deep socket: 14-15-17-19mm</p> <p>5Pcs 1/2" Star Socket:E10 12 14 16 20</p> <p>2Pcs Spark plug socket: 1/2"Dr.16mm -21mm</p> <p>1Pcs 1/2"*250mm Sliding T bar</p>



Stock Code	Picture	Category	Description & Features
INDUSTRIAL			
HTCS220971		97 Pcs Tool Chest Set	<p>97 Pcs Tool Chest Set</p> <p>Chest part: Overall size:520*218*243mm Thickness of Cabinet:0.8mm Thickness of drawer:0.6mm With 1pcs 506*215*63mm Top Tracy Area With 2pcs 449*196*54mm drawer</p> <p>Tools part: Top Tracy Area Included: 1Pcs Ratchet wrench: 1/2" 18Pcs 1/2"DR Socket:10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-27-30-32mm 1Pcs 1/2"Universal joint 1Pcs Extension bar:1/2"Dr x 125mm 1Pcs 1/2"*250mm Sliding T bar 2Pcs Spark plug socket: 1/2"Dr 16mm&amp;21mm 1Pcs Ratchet wrench: 1/4" 13Pcs 1/4" socket 4-4.5-5-5.5-6-7-8-9-10-11-12-13-14 1Pcs 1/4"Universal joint 1Pcs Extension bar:1/4"Dr x 100mm 1Pcs Spinner handle:1/4"x150mm 1Pcs Screwdriver Bits holder 20Pcs bits:Hex:3-4-5-6mm Star:T10-T15-T20-T30 SL:3-4-5-6mm,PH0-PH1-PH2-PH3,PZ0-PZ1-PZ2-PZ3. 9Pcs Hex Key Wrench:1.5-2-2.5-3-4-5-6-8-10 Drawer 1 Included: 7Pcs screwdriver:SL3*75,SL5.5*100,SL6.5*100,SL8*150,PH0*75,PH1*100,PH2*150 11Pcs Combination spanner:6-7-8-9-10-11-12-13-14-15-17</p>
INDUSTRIAL			
HKTS42941		94Pcs 1/4" and 1/2" socket set	<p>94Pcs 1/4" + 1/2" Socket set</p> <p>Include :</p> <p>18Pcs 1/2"DR Socket:10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-27-30-32mm 4Pcs 1/2"DR 77mm(L) Deep socket: 14-15-17-19mm 13Pcs 1/4"DR Socket:4-4.5-5-5.5-6-7-8-9-10-11-12-13-14mm 8Pcs 1/4"DR 50mm(L) Deep socket:6-7-8-9-10-11-12-13mm 2PCS Ratchet wrench: 1/4" and 1/2"Dr 45T 17Pcs 1/4" x 32(L) bits Socket:Hex:3-4-5-6mm Star: T8-T10-T15-T20-T25-T30 SL:4-5.5-7mm,PH1,PH2,PZ1,PZ2 15Pcs 5/16" x 30mm(L) bits, Hex:8-10-12-14mm,SL:8-10-12mm,PZ3-PZ4,PH3-PH4,T40-45-50-55 1Pcs Extension flexible : 1/4" x 150mm 2Pcs Spark plug socket: 1/2"Dr.16mm -21mm 4Pcs Extension bar:1/2"Dr. x 125mm,1/2"Dr. x 250mm,1/4"Dr. x 50mm,1/4"Dr. x 100mm 2Pcs Universal joint 1/4"&amp;1/2"Dr 1Pcs 1/2" Couple:1/2" x 5/16" 1Pcs Sliding "T" Bar:1/4" 1Pcs Spinner handle:1/4" 3Pcs Hex key wrench : 1.5-2-2.5mm 1Pcs 1/4" bit ADA : 1/4"*25mm(L) 1 Pcs Three way adaptor:3/8"(F)X1/2"(M) Packed by BMC</p>
INDUSTRIAL			
HFJ201		Hydraulic floor jack	<p>2Ton Min. height: 140mm Max. height: 340mm Travel:200mm Net weight : 8.5kg Packed by colour box</p>

Stock Code	Picture	Category	Description & Features
INDUSTRIAL HFJ301		Hydraulic floor jack	3Ton Min. height: 150mm Max. height: 530mm Travel:380mm Suitable for SUV car Net weight : 19.6kg Packed by colour box
INDUSTRIAL HFJ302		Hydraulic floor jack	3Ton Min. height: 135mm Max. height: 410mm Travel:275mm Net weight : 16kg Packed by colour box
INDUSTRIAL HSBB12186		Bi-Metal Hacksaw Blade	Material : M42+D6A Number of teeth : 18T Size : 300mm (12") 100Pcs/Box Packed by plastic box
INDUSTRIAL HSBB12246		Bi-Metal Hacksaw Blade	Material : M42+D6A Number of teeth : 24T Size : 300mm (12") 100Pcs/Box Packed by plastic box